

INDEX SEMINUM 2011

Teplice 2012

PINOPHYTA

Pinopsida

Cupressaceae

1. ○ ***Chamaecyparis lawsoniana*** (A. Murray) Parl. '**Waterfall**'
XX-0-TEBLI-0001
2. ○ ***Xanthocyparis nootkatensis*** (D. Don) Farjon & D. K. Harder '**Jubilee**' [syn.:*Chamaecyparis nootkatensis* (D. Don) Spach]
XX-0-TEBLI-0002
3. ○ ***Xanthocyparis nootkatensis*** (D. Don) Farjon & D. K. Harder '**Pendula**' [syn.:*Chamaecyparis nootkatensis* (D. Don) Spach]
XX-0-TEBLI-0003

Pinaceae

4. ○ ***Abies pinsapo*** Boiss. '**Fastigiata**'
XX-0-TEBLI-0004
5. ○ ***Picea mariana*** (Mill.) Britton, Sterns & Poggenb.
XX-0-TEBLI-0005

MAGNOLIOPHYTA

Magnoliopsida

Acanthaceae

6. ○ ***Acanthus mollis*** L. [syn.:*Acanthus longifolius* Poir.]
XX-0-TEBLI-0006

7. O ***Acanthus mollis*** L.
XX-0-TEBLI-0007

Amaranthaceae

8. O ***Amaranthus*** '**Autumn Palette**' [syn.:*Amaranthus paniculatus* L.]
XX-0-TEBLI-0008

Apiaceae

9. O ***Eryngium bourgatii*** Gouan
XX-0-TEBLI-0009
10. O ***Eryngium pandanifolium*** Cham. & Schltldl.
XX-0-TEBLI-0010
11. O ***Eryngium planum*** L.
XX-0-TEBLI-0011

Apocynaceae

12. O ***Amsonia hubrichtii*** Woodson
XX-0-TEBLI-0012
13. O ***Amsonia illustris*** Woodson
XX-0-TEBLI-0013
14. G ***Asclepias curassavica*** L.
XX-0-TEBLI-0014
15. O ***Asclepias incarnata*** L.
US-0-TEBLI-00016, loc.:42°41'20"N 84°31'07"W, 259 m , Biggie Munn Park, Ingham county, MI, USA [ex BG East Lansing, USA]
16. O ***Asclepias incarnata*** L. '**Ice Ballet**'
XX-0-TEBLI-0015
17. G ***Catharanthus trichophyllus*** (Baker) Pichon
MG-0-TEBLI-00017, loc.:Isalo Mts., MADAGASCAR [ex BG Praha, CZECH REPUBLIC]
18. G ***Gomphocarpus fruticosus*** (L.) W. T. Aiton
XX-0-TEBLI-00018

Aquifoliaceae

19. ○ *Ilex aquifolium* L.
XX-0-TEBLI-00019

Asteraceae

20. ○ *Achillea clypeolata* Sm.
XX-0-TR-20060025
21. ○ *Achillea millefolium* L. 'Summer Berries'
XX-0-TEBLI-00021
22. ○ *Achillea ptarmica* L.
XX-0-TEBLI-00022
23. ○ *Anaphalis triplinervis* (Sims) Sims ex C. B. Clarke 'Sommerschnee'
XX-0-TEBLI-00023
24. ○ *Anthemis tinctoria* L.
XX-0-TEBLI-00024
25. ○ *Arctotis acaulis* L.
XX-0-TEBLI-00025
26. ○ *Arctotis stoechadifolia* P. J. Bergius
XX-0-TEBLI-00026
27. ○ *Arnica griscozii* subsp. *frigida* (C. A. Mey. ex Iljin) S.J.Wolf
XX-0-TEBLI-00027
28. ○ *Arnica montana* L.
XX-0-TEBLI-00028
29. ○ *Aster alpinus* L. 'Dunkle Schöne'
XX-0-TEBLI-00029
30. ○ *Aster alpinus* L. 'Goliath'
XX-0-TEBLI-00030
31. ○ *Aster alpinus* L. 'Hellblau'
XX-0-TEBLI-00031
32. ○ *Aster alpinus* L. 'Roseus'
XX-0-TEBLI-00032

33. ○ ***Aster flaccidus* var. *flaccidus*** Bunge [syn.:*Aster tibeticus* Hook. f.]
XX-0-TEBLI-00033
34. ○ ***Aster himalaicus*** C. B. Clarke
XX-0-TEBLI-00034
35. ○ ***Aster linosyris*** (L.) Bernh.
XX-0-TEBLI-00035
36. ○ ***Aster pyrenaicus*** Desf. ex DC.
XX-0-TEBLI-00036
37. ○ ***Berkheya macrocephala*** J. M. Wood
XX-0-TEBLI-00037
38. ○ ***Berkheya purpurea*** (DC.) Benth. & Hook. f. ex Mast.
ZA-0-IB-006457, loc.:Drakensberg mountains, SOUTH AFRICA [ex BG Innsbruck, AUSTRIA]
39. ○ ***Bidens pilosa*** L.
XX-0-TEBLI-00039
40. ○ ***Calendula suffruticosa*** Vahl
XX-0-TEBLI-00040
41. ○ ***Centaurea dealbata*** Willd.
XX-0-TEBLI-00041
42. ○ ***Centaurea macrocephala*** Puschk. ex Willd.
XX-0-TEBLI-00042
43. ○ ***Centratherum intermedium*** (Link) Less.
XX-0-TEBLI-00043
44. ○ ***Coreopsis auriculata*** L.
XX-0-BONN-29732
45. ○ ***Coreopsis lanceolata*** L. [syn.:*Coreopsis heterogyna* Fernald]
XX-0-TEBLI-00045
46. ○ ***Coreopsis major*** Walter
XX-0-TEBLI-00046
47. ○ ***Coreopsis stillmanii*** (A. Gray) S. F. Blake
XX-0-TEBLI-00047
48. ○ ***Cosmos sulphureus*** Cav.
XX-0-TEBLI-00048
49. ○ ***Cota melanoloma*** (Trautv.) Holub [syn.:*Anthemis zyghia* Woronow]
XX-0-TEBLI-00049

50. ○ ***Cotula duckittiae*** (L. Bolus) K. Bremer & Humphries
XX-0-TEBLI-00050
51. ○ ***Dimorphotheca pluvialis*** (L.) Moench
XX-0-TEBLI-00051
52. ○ ***Echinacea angustifolia*** DC.
XX-0-TEBLI-00052
53. ○ ***Echinacea simulata*** McGregor
XX-0-TEBLI-00053
54. ○ ***Erigeron alpiniformis*** Cronquist [syn.:*Trimorpha borealis* Vierh.]
XX-0-TEBLI-00054
55. ○ ***Erigeron atticus*** Vill. [syn.:*Erigeron gaudinii* Brügger]
XX-0-REYK-2007/001
56. ○ ***Erigeron flettii*** G. N. Jones
XX-0-TEBLI-00056
57. ○ ***Erigeron glabratus*** Hoppe & Hornsch. ex Bluff & Fingerh.
XX-0-TEBLI-00057
58. ○ ***Erigeron karvinskianus*** DC. 'Profusion'
XX-0-TEBLI-00058
59. ○ ***Erigeron leiomerus*** A. Gray
XX-0-TEBLI-00059
60. ○ ***Erigeron nanus*** Nutt.
XX-0-TEBLI-00060
61. ○ ***Erigeron speciosus*** (Lindl.) DC. [syn.:*Erigeron macranthus* Nutt.]
XX-0-TEBLI-00061
62. ○ ***Erigeron speciosus*** (Lindl.) DC.
XX-0-TEBLI-00062
63. ○ ***Erigeron*-hybrid 'Strahlenmeer'**
XX-0-TEBLI-00063
64. ○ ***Eriophyllum lanatum*** (Pursh) J. Forbes
XX-0-TEBLI-00064
65. ○ ***Eutrochium purpureum*** (L.) E. E. Lamont [syn.:*Eupatorium purpureum* L.]
US-0-TEBLI-00065, loc.:42°41'27"N 84°31'07"W, 265 m , Bear Lake Stump, Ingham county, MI, USA [ex BG East Lansing, USA]
66. ○ ***Felicia bergeriana*** (Spreng.) O.Hoffm.
XX-0-TEBLI-00066

67. ○ ***Helenium amarum*** (Raf.) H. Rock
XX-0-TEBLI-00067
68. ○ ***Helenium aromaticum*** (Hook.) L. H. Bailey [syn.:*Cephalophora aromatica* (Hook.) Schrad.]
XX-0-TEBLI-00068
69. ○ ***Helenium flexuosum*** Raf. [syn.:*Helenium nudiflorum* Nutt.]
XX-0-TEBLI-00069
70. ○ ***Helichrysum italicum*** (Roth) G. Don
XX-0-TEBLI-00070
71. ○ ***Helichrysum stoechas*** (L.) Moench
XX-0-TEBLI-00071
72. ○ ***Hieracium aurantiacum*** L.
XX-0-TEBLI-00072
73. ○ ***Hieracium villosum*** Lepech.
XX-0-TEBLI-00073
74. ○ ***Hymenoxys hoopesii*** (A. Gray) Bierner [syn.:*Helenium hoopesii* A. Gray]
XX-0-TEBLI-00074
75. ○ ***Inula britannica*** L.
XX-0-TEBLI-00075
76. ○ ***Inula oculus-christi*** L.
XX-0-TEBLI-00076
77. ○ ***Inula royleana*** DC.
XX-0-TEBLI-00077
78. ○ ***Kalimeris incisa*** (Fisch.) DC.
XX-0-TEBLI-00078
79. ○ ***Kalimeris mongolica*** (Franch.) Kitam.
XX-0-TEBLI-00079
80. ○ ***Lasthenia coronaria*** (Nutt.) Ornduff [syn.:*Baeria californica* (Hook.) K. L. Chambers]
XX-0-STGAL-64/2003
81. ○ ***Leontopodium himalayanum*** DC.
XX-0-TEBLI-00081
82. ○ ***Leontopodium leontopodioides*** (Willd.) Beauverd
XX-0-TEBLI-00082
83. ○ ***Leontopodium palibinianum*** Beauverd
XX-0-TEBLI-00083

84. ○ ***Liatris cylindracea*** Michx.
XX-0-TEBLI-00084
85. ○ ***Liatris squarrosa*** (L.) Michx.
XX-0-TEBLI-00085
86. ○ ***Ligularia* × *hessei*** Bergm.
XX-0-TEBLI-00086
87. ○ ***Ligularia* × *palmatiloba*** Hesse
XX-0-TEBLI-00087
88. ○ ***Ligularia dentata*** (A. Gray) Hara [syn.:*Ligularia clivorum* Maxim.]
XX-0-TEBLI-00088
89. ○ ***Ligularia hodgsonii*** Hook.
XX-0-TEBLI-00089
90. ○ ***Ligularia stenocephala*** (Maxim.) Matsum. & Koidz.
XX-0-TEBLI-00090
91. ○ ***Marshallia grandiflora*** Beadle & Boynt.
XX-0-TEBLI-00091
92. ○ ***Matricaria breviradiata*** (Ledeb.) Rauschert [syn.:*Chrysanthemum caucasicum* (Willd.) Pers.]
XX-0-TEBLI-00092
93. ○ ***Mauranthemum paludosum*** (Poir.) Vogt & Oberpr. [syn.:*Chrysanthemum paludosum* Poir.]
XX-0-TEBLI-00093
94. ○ ***Onopordum nervosum*** Boiss.
XX-0-TEBLI-00094
95. ○ ***Pycnosorus globosus*** F. L. Bauer ex Benth. [syn.:*Craspedia globosa* (F. L. Bauer ex Benth.) Benth.]
XX-0-TEBLI-00095
96. ○ ***Ratibida columnifera* f. *pulcherrima*** (DC.) Fernald
XX-0-TEBLI-00096
97. ○ ***Ratibida pinnata*** (Vent.) Barnhart
XX-0-TEBLI-00097
98. ○ ***Rhodanthe manglesii*** Lindl.
XX-0-MJG-19--36890
99. ○ ***Rudbeckia bicolor*** Nutt.
XX-0-TEBLI-00099
100. ○ ***Rudbeckia flava*** Greene
XX-0-TEBLI-00100

101. ○ ***Rudbeckia fulgida*** Aiton
XX-0-TEBLI-00101
102. ○ ***Rudbeckia occidentalis*** Nutt. '**Green Wizard**'
XX-0-TEBLI-00102
103. ○ ***Schoenia filifolia* subsp. *subulifolia*** (F.Muell.) Paul G.Wilson '**Valentine**'
XX-0-TEBLI-00103
104. ○ ***Scolymus hispanicus*** L.
XX-0-BHU-F-2007-105
105. ○ ***Silphium perfoliatum*** L.
XX-0-TEBLI-00105
106. ○ ***Silybum eburneum*** Coss. & Durieu
XX-0-TEBLI-00106
107. ○ ***Silybum marianum*** (L.) Gaertn.
XX-0-TEBLI-00107
108. ○ ***Sinacalia tangutica*** (Maxim.) B. Nord.
XX-0-TEBLI-00108
109. ○ ***Solidago juncea*** Aiton
XX-0-TEBLI-00109
110. ○ ***Solidago patagonica*** Phil.
XX-0-TEBLI-00110
111. ○ ***Solidago virgaurea* subsp. *alpestris*** (Waldst. & Kit.) Gremlí [syn.:*Solidago virgaurea* subsp. *minuta* (L.) Arcang.]
XX-0-TEBLI-00111
112. ○ ***Symphotrichum ericoides* var. *ericoides*** (L.) G. L. Nesom [syn.:*Aster polycephalus* Rydb.]
XX-0-TEBLI-00112
113. ○ ***Symphotrichum foliaceum* var. *parryi*** (D. C. Eaton) G. L. Nesom [syn.:*Aster foliaceus* var. *parryi* (D. C. Eaton) A. Gray]
XX-0-TEBLI-00113
114. ○ ***Symphotrichum prenanthoides*** (Muhl. ex Willd.) G. L. Nesom [syn.:*Aster prenanthoides* Muhl. ex Willd.]
XX-0-TEBLI-00114
115. ○ ***Tagetes patula*** L.
XX-0-TEBLI-00115
116. ○ ***Tanacetum coccineum*** (Willd.) Grierson '**Robinson's Giant**'
XX-0-TEBLI-00116
117. ○ ***Tanacetum corymbosum*** (L.) Sch. Bip. [syn.:*Chrysanthemum corymbosum* L.]
XX-0-TEBLI-00117

118. O ***Tithonia rotundifolia*** (Mill.) S. F. Blake
XX-0-TEBLI-00118
119. O ***Townsendia grandiflora*** Nutt.
XX-0-TEBLI-00119
120. O ***Triptaris vaillantii*** Decne.
YE-0-TUEB-1093, loc.:valley near Wadi Rima, 1400 m, 20 km S of Al Jabin, YEMEN [ex BG Tübingen, GERMANY]
121. O ***Ursinia anthemoides*** (L.) Poir.
XX-0-TEBLI-00121
122. O ***Ursinia cakilefolia*** DC.
XX-0-TEBLI-00122
123. O ***Ursinia calenduliflora*** (DC.) N. E. Br.
XX-0-TEBLI-00123
124. O ***Vernonia baldwinii*** Torr.
XX-0-TEBLI-00124
125. O ***Volutaria muricata*** (L.) Maire
XX-0-TEBLI-00125
126. O ***Xeranthemum annuum*** L.
XX-0-TEBLI-00126
127. O ***Zinnia peruviana*** (L.) L. 'Red Spider' [syn.:*Zinnia tenuiflora* Jacq.]
XX-0-TEBLI-00127

Bignoniaceae

128. O ***Incarvillea arguta*** Royle
XX-0-TEBLI-00128
129. O ***Incarvillea olgae*** Regel
XX-0-TEBLI-00129

Boraginaceae

130. G ***Cordia boissieri*** A. DC.
XX-0-TEBLI-00130
131. O ***Cynoglossum amabile*** Stapf & J. R. Drumm.
XX-0-TEBLI-00131

132. ○ ***Mertensia echioides*** (Benth.) Benth. & Hook. f.
XX-0-TEBLI-00132
133. ○ ***Omphalodes linifolia*** (L.) Moench
XX-0-TEBLI-00133

Brassicaceae

134. ○ ***Aethionema armenum*** Boiss.
XX-0-TEBLI-00134
135. ○ ***Alyssum montanum*** L.
XX-0-TEBLI-00135
136. ○ ***Arabis alpina* subsp. *caucasica*** (Willd.) Briq. '**Rosea**' [syn.:*Arabis caucasica* Willd.]
XX-0-TEBLI-00136
137. ○ ***Arabis soyeri* subsp. *subcoriacea*** (Gren.) Breistr.
XX-0-BHU-F-1990-418
138. ○ ***Aubrieta deltoidea*** (L.) DC. [syn.:*Aubrieta intermedia* Heldr. & Orph. ex Boiss.]
XX-0-TEBLI-00138
139. ○ ***Degenia velebitica*** (Degen) Hayek
XX-0-TEBLI-00139
140. ○ ***Draba aurea*** Vahl ex Hornem.
XX-0-TEBLI-00140
141. ○ ***Draba dedeana*** Boiss. & Reut.
XX-0-TEBLI-00141
142. ○ ***Draba hispanica*** Boiss.
XX-0-TEBLI-00142
143. ○ ***Draba incana*** L.
XX-0-TEBLI-00143
144. ○ ***Draba parnassica*** Boiss.
XX-0-TEBLI-00144
145. ○ ***Draba sakuraii*** Makino
XX-0-TEBLI-00145
146. ○ ***Draba siliquosa*** M. Bieb.
XX-0-TEBLI-00146
147. ○ ***Draba tomentosa*** Clairv.
XX-0-TEBLI-00147

148. O ***Erysimum* × *cheiri*** (L.) Crantz [syn.:*Erysimum* × *helveticum* (Jacq.) DC.]
XX-0-TEBLI-00148
149. O ***Erysimum marschallianum*** Andrz. ex DC.
XX-0-TEBLI-00149
150. O ***Hornungia alpina*** (L.) O. Appel [syn.:*Hutchinsia alpina* (L.) R. Br.]
XX-0-TEBLI-00150
151. O ***Iberis amara*** L.
XX-0-TEBLI-00151
152. O ***Iberis amara*** L.
XX-0-TEBLI-00152
153. O ***Iberis sempervirens*** L. 'Findel'
XX-0-TEBLI-00153
154. O ***Ptilotrichum spinosum*** (L.) Boiss.
XX-0-TEBLI-00154

Calceolariaceae

155. O ***Calceolaria tripartita*** Ruiz & Pav.
XX-0-TEBLI-00155

Campanulaceae

156. O ***Adenophora khasiana*** (Hook. f. & Thomson) Oliv. ex Collett & Hemsl. [syn.:*Adenophora bulleyana* Diels]
XX-0-TEBLI-00156
157. O ***Adenophora koreana*** Kitam.
XX-0-TEBLI-00157
158. O ***Adenophora nikoensis*** Franch. & Sav. [syn.:*Adenophora nipponica* Kitam.]
XX-0-TEBLI-00158
159. O ***Adenophora pereskiifolia*** (Fisch. ex Schult.) G. Don
XX-0-TEBLI-00159
160. O ***Adenophora polyantha*** Nakai
XX-0-TEBLI-00160
161. O ***Campanula alliariifolia* subsp. *alliariifolia*** Willd. [syn.:*Campanula ochroleuca* (Kem.-Nath.) Kem.-Nath.]
XX-0-TEBLI-00161

162. ○ ***Campanula armena*** Steven [syn.:*Symphyandra armena* (Steven) A. DC.]
XX-0-TEBLI-00162
163. ○ ***Campanula autraniana*** Albov
XX-0-TEBLI-00163
164. ○ ***Campanula barbata*** L.
XX-0-TEBLI-00164
165. ○ ***Campanula bayerniana*** Rupr. [syn.:*Campanula takhtadzhianii* Fed.]
XX-0-TEBLI-00165
166. ○ ***Campanula celsii*** A. DC.
XX-0-TEBLI-00166
167. ○ ***Campanula collina*** Sims
XX-0-TEBLI-00167
168. ○ ***Campanula garganica*** Ten.
XX-0-TEBLI-00168
169. ○ ***Campanula glomerata*** L.
XX-0-TEBLI-00169
170. ○ ***Campanula incurva*** Aucher ex A. DC.
XX-0-TEBLI-00170
171. ○ ***Campanula justiniana*** Witasek
XX-0-TEBLI-00171
172. ○ ***Campanula komarovii*** Maleev
XX-0-TEBLI-00172
173. ○ ***Campanula lactiflora*** M. Bieb. '**Neue Hybride**'
XX-0-TEBLI-00173
174. ○ ***Campanula lanata*** Friv.
XX-0-TEBLI-00174
175. ○ ***Campanula pendula*** M. Bieb. [syn.:*Symphyandra pendula* (M. Bieb.) A. DC.]
XX-0-TEBLI-00175
176. ○ ***Campanula punctata* var. *hondoensis*** (Kitam.) Ohwi ex T. Shimizu
XX-0-TEBLI-00176
177. ○ ***Campanula raddeana*** Trautv. [syn.:*Campanula kemulariae* Fomin]
XX-0-TEBLI-00177
178. ○ ***Campanula rotundifolia*** L.
XX-0-TEBLI-00178

179. ○ ***Campanula sarmatica*** Ker Gawl.
XX-0-TEBLI-00179
180. ○ ***Campanula sarmatica*** Ker Gawl.
XX-0-TEBLI-00180
181. ○ ***Campanula scheuchzeri*** Vill.
XX-0-TEBLI-00181
182. ○ ***Campanula sibirica*** L.
XX-0-TEBLI-00182
183. ○ ***Campanula speciosa*** Pourr.
XX-0-M-B/0191
184. ○ ***Codonopsis clematidea*** (Schrenk) C. B. Clarke
XX-0-TEBLI-00184
185. ○ ***Edraianthus graminifolius*** (L.) A. DC.
XX-0-TEBLI-00185
186. ○ ***Edraianthus parnassicus*** (Boiss. & Spruner) Halácsy
XX-0-TEBLI-00186
187. ○ ***Edraianthus serbicus*** (A. Kern.) Petrovic
XX-0-TEBLI-00187
188. ○ ***Jasione crispa*** (Pourr.) Samp.
XX-0-TEBLI-00188
189. ○ ***Jasione laevis*** Lam. '**Blaulicht**' [syn.: *Jasione perennis* (L. f.) Lam.]
XX-0-TEBLI-00189
190. ○ ***Lobelia cardinalis*** L.
XX-0-TEBLI-00190
191. ○ ***Michauxia laevigata*** Vent.
XX-0-TEBLI-00191
192. ○ ***Phyteuma sieberi*** Spreng.
XX-0-TEBLI-00192

Caprifoliaceae

193. ○ ***Cephalaria alpina*** (L.) Schrad. ex Roem. & Schult. [syn.: *Scabiosa alpina* L.]
XX-0-TEBLI-00193
194. ○ ***Cephalaria gigantea*** (Ledeb.) Bobrov [syn.: *Cephalaria tatarica* (M. Bieb.) Schrad. ex Roem. & Schult.]
XX-0-TEBLI-00194

- 195. ○ ***Morina longifolia*** Wall.
XX-0-TEBLI-00195
- 196. ○ ***Pterocephalus perennis*** DC.
XX-0-TEBLI-00196
- 197. ○ ***Scabiosa caucasica*** M. Bieb. '**Alba**'
XX-0-TEBLI-00197
- 198. ○ ***Scabiosa caucasica*** M. Bieb. '**Compliment**'
XX-0-TEBLI-00198
- 199. ○ ***Scabiosa caucasica*** M. Bieb. '**Fama**'
XX-0-TEBLI-00199
- 200. ○ ***Scabiosa stellata*** L. '**Sternkugel**'
XX-0-TEBLI-00200

Caryophyllaceae

- 201. ○ ***Agrostemma brachyloba*** (Fenzl) K. Hammer [syn.:*Agrostemma gracilis* Boiss.]
XX-0-TEBLI-00201
- 202. ○ ***Agrostemma githago*** L. [syn.:*Agrostemma linicola* Terechov]
XX-0-TEBLI-00202
- 203. ○ ***Dianthus*** '**Leila**'
XX-0-TEBLI-00203
- 204. ○ ***Dianthus*** '**Spencer Bickham**'
XX-0-TEBLI-00204
- 205. ○ ***Dianthus alpinus*** L.
XX-0-TEBLI-00205
- 206. ○ ***Dianthus alpinus*** L.
XX-0-TEBLI-00206
- 207. ○ ***Dianthus anatolicus*** Boiss.
XX-0-TEBLI-00207
- 208. ○ ***Dianthus broteroi*** Boiss. & Reut. [syn.:*Dianthus malacitanus* Haens. ex Boiss.]
XX-0-TEBLI-00208
- 209. ○ ***Dianthus caesius*** Sm.
XX-0-TEBLI-00209
- 210. ○ ***Dianthus carthusianorum*** L.
XX-0-TEBLI-00210

211. ○ ***Dianthus chinensis*** L. [syn.:*Dianthus amurensis* Jacques]
XX-0-TEBLI-00211
212. ○ ***Dianthus cibrarius*** Clem.
XX-0-TEBLI-00212
213. ○ ***Dianthus deltoides*** L.
XX-0-TEBLI-00220
214. ○ ***Dianthus deltoides*** L. 'Brilliant'
XX-0-TEBLI-00213
215. ○ ***Dianthus deltoides*** L. 'Confetti Carmine Rose'
XX-0-TEBLI-00214
216. ○ ***Dianthus deltoides*** L. 'Confetti Deep Red'
XX-0-TEBLI-00215
217. ○ ***Dianthus deltoides*** L. 'Confetti White'
XX-0-TEBLI-00216
218. ○ ***Dianthus deltoides*** L. 'Microchip'
XX-0-TEBLI-00217
219. ○ ***Dianthus deltoides*** L. 'Vampire'
XX-0-TEBLI-00218
220. ○ ***Dianthus deltoides*** L. 'Vampire'
XX-0-TEBLI-00219
221. ○ ***Dianthus diffusus*** Sm. [syn.:*Dianthus pubescens* Sm.]
XX-0-TEBLI-00221
222. ○ ***Dianthus giganteus* subsp. *banaticus*** (Heuff.) Tutin
XX-0-TEBLI-00222
223. ○ ***Dianthus graniticus*** Jord.
XX-0-TEBLI-00223
224. ○ ***Dianthus haematocalyx*** Boiss. & Heldr.
XX-0-TEBLI-00224
225. ○ ***Dianthus haematocalyx* subsp. *pinidicola*** (Vierh.) Hayek
XX-0-TEBLI-00225
226. ○ ***Dianthus hyssopifolius*** L.
XX-0-TEBLI-00226
227. ○ ***Dianthus hyssopifolius* subsp. *gallicus*** (Pers.) M. Laínz & Muñoz Garm
XX-0-TEBLI-00227

228. ○ ***Dianthus myrtinervius*** Griseb.
XX-0-TEBLI-00228
229. ○ ***Dianthus petraeus*** Waldst. & Kit.
XX-0-TEBLI-00229
230. ○ ***Dianthus plumarius* subsp. *lumnitzeri*** (Wiesb.) Domin [syn.:*Dianthus moravicus* Kovanda]
XX-0-TEBLI-00230
231. ○ ***Dianthus plumarius* subsp. *lumnitzeri*** (Wiesb.) Domin [syn.:*Dianthus moravicus* Kovanda]
XX-0-TEBLI-00231
232. ○ ***Dianthus plumarius* subsp. *praecox*** (Willd. ex Spreng.) Domin [syn.:*Dianthus hungaricus* Pers.]
XX-0-TEBLI-00232
233. ○ ***Dianthus sternbergii*** Sieber ex Capelli [syn.:*Dianthus waldsteinii* Sternb.]
XX-0-TEBLI-00233
234. ○ ***Dianthus subacaulis*** Vill.
XX-0-TEBLI-00234
235. ○ ***Dianthus turkestanicus*** Preobr.
XX-0-TEBLI-00235
236. ○ ***Dianthus tymphresteus*** (Boiss. & Spruner) Heldr. & Sart. ex Boiss.
XX-0-TEBLI-00236
237. ○ ***Dianthus webbianus*** Parl. ex Vis. [syn.:*Dianthus erinaceus* Boiss.]
XX-0-TEBLI-00237
238. ○ ***Gypsophila fastigiata*** L.
XX-0-TEBLI-00238
239. ○ ***Minuartia langii*** (G. Reuss) Holub
XX-0-TEBLI-00239
240. ○ ***Paronychia capitata*** (L.) Lam.
XX-0-TEBLI-00240
241. ○ ***Silene armeria*** L.
XX-0-TEBLI-00241
242. ○ ***Silene coronaria*** (Desr.) Clairv. ex Rchb. [syn.:*Lychnis coronaria* Desr.]
XX-0-TEBLI-00242
243. ○ ***Silene samojedorum*** (Sambuk) Oxelman [syn.:*Lychnis yunnanensis* Baker f.]
XX-0-TEBLI-00243
244. ○ ***Silene samojedorum*** (Sambuk) Oxelman [syn.:*Lychnis sibirica* L.]
XX-0-TEBLI-00244

245. ○ ***Silene saxatilis*** Sims
XX-0-TEBLI-00245
246. ○ ***Silene saxifraga*** L. [syn.:*Silene petraea* Waldst. & Kit.]
XX-0-TEBLI-00246
247. ○ ***Silene schafta*** J. G. Gmel. ex Hohen.
XX-0-TEBLI-00247
248. ○ ***Silene sieboldii*** (Van Houtte) H. Ohashi & H. Nakai
XX-0-TEBLI-00248
249. ○ ***Silene virginica*** L.
XX-0-TEBLI-00249

Celastraceae

250. ○ ***Euonymus alatus*** (Thunb.) Siebold '**Compactus**' [syn.:*Euonymus alatus* f. *compactus* (Adams) Rehder]
XX-0-TEBLI-00250

Cistaceae

251. ○ ***Tuberaria guttata*** (L.) Fourn.
XX-0-TEBLI-00251
252. ○ ***Tuberaria guttata*** (L.) Fourn.
XX-0-TEBLI-00252

Cleomaceae

253. ○ ***Polanisia trachysperma*** Torr. & A. Gray
XX-0-TEBLI-00253

Convolvulaceae

254. ○ ***Ipomoea purpurea*** (L.) Roth '**Kniola's Black Knight**'
XX-0-TEBLI-00254

Crassulaceae

255. O ***Chiastophyllum oppositifolium*** (Ledeb.) A. Berger [syn.:*Cotyledon oppositifolia* Ledeb. ex Nordm.]
XX-0-TEBLI-00255
256. O ***Rhodiola kirilowii*** (Regel) Maxim.
XX-0-TEBLI-00256
257. O ***Sedum roseum*** (L.) Scop. [syn.:*Rhodiola rosea* L.]
XX-0-TEBLI-00257

Ericaceae

258. O ***Gaultheria procumbens*** L.
XX-0-TEBLI-00258

Euphorbiaceae

259. G ***Jatropha podagrica*** Hook.
GT-0-TEBLI-00259, loc.:on Honduras border, GUATEMALA
260. O ***Ricinus communis*** L. '**Cambodgensis**'
XX-0-TEBLI-00260
261. O ***Ricinus communis*** L. '**Carmencita**'
XX-0-TEBLI-00261

Fabaceae

262. G ***Acacia*** sp. auct.
MG-0-TEBLI-00262, loc.:Ejeda-Itampolo, Atsimo-Andrefana Region MADAGASCAR [ex BG Praha, CZECH REPUBLIC]
263. O ***Cytisus scoparius*** (L.) Link '**Moonlight**'
XX-0-TEBLI-00263
264. G ***Dichrostachys cinerea*** (L.) Wight & Arn.
XX-0-TEBLI-00264

265. O ***Gymnocladus dioica*** (L.) K. Koch [syn.:*Gymnocladus dioicus* (L.) K. Koch]
XX-0-TEBLI-00265
266. O ***Lathyrus tingitanus*** L.
XX-0-TEBLI-00266
267. O ***Lupinus pilosus*** L.
XX-0-TEBLI-00267
268. O ***Lupinus succulentus*** K. Koch
XX-0-STGAL-73/1994
269. G ***Rhynchosia phaseoloides*** (Sw.) DC.
XX-0-TEBLI-00269

Gentianaceae

270. O ***Gentiana affinis*** Griseb.
XX-0-TEBLI-00270
271. O ***Gentiana cruciata*** L.
AT-0-TEBLI-00271, loc.:1800-2200 m, Hohe Tauern, AUSTRIA [ex BG Leisnig, GERMANY]
272. O ***Gentiana decumbens*** L. f.
XX-0-TEBLI-00272
273. O ***Gentiana feterii*** auct.
XX-0-TEBLI-00273
274. O ***Gentiana gelida*** M. Bieb.
XX-0-TEBLI-00274
275. O ***Gentiana kurroo*** Royle
XX-0-TEBLI-00275
276. O ***Gentiana macrophylla*** Pall.
XX-0-TEBLI-00276
277. O ***Gentiana septemfida*** Pall. [syn.:*Gentiana freyniana* Bornm. ex Freyn]
XX-0-TEBLI-00277
278. O ***Gentiana septemfida*** Pall. [syn.:*Gentiana lagodechiana* (Kusn.) Grossh.]
XX-0-TEBLI-00278
279. O ***Gentiana septemfida*** Pall.
XX-0-TEBLI-00279
280. O ***Gentiana siphonantha*** Maxim. ex Kusn.
XX-0-TEBLI-00280

281. O ***Gentiana tianschanica*** Rupr. ex Kusn.
XX-0-TEBLI-00281
282. O ***Gentiana tibetica*** King ex Hook. f.
XX-0-TEBLI-00282
283. O ***Gentiana utriculosa*** L.
XX-0-TEBLI-00283
284. O ***Gentiana veitchiorum*** Hemsl.
XX-0-TEBLI-00284
285. O ***Gentiana vernayi*** C. Marquand [syn.:*Gentiana bhutanica* Grubov]
XX-0-TEBLI-00285
286. O ***Gentiana walujewii*** Regel & Schmalh. [syn.:*Gentiana walujewii* var. *kesselringii* Kusn.]
XX-0-TEBLI-00286
287. O ***Gentianella moorcroftiana*** (Wall. ex Griseb.) Airy Shaw [syn.:*Gentiana moorcroftiana* Wall. ex G.Don]
XX-0-TEBLI-00287
288. O ***Gentianella tenuifolia*** (Petrie) T. N. Ho & S. W. Liu [syn.:*Gentiana tenuifolia* Petrie]
XX-0-TEBLI-00288

Geraniaceae

289. O ***Erodium gruinum*** (L.) L'Hér.
XX-0-TEBLI-00289
290. O ***Geranospermum appendiculatum*** (L. f.) Kuntze [syn.:*Pelargonium appendiculatum* (L. f.) Willd.]
XX-0-TEBLI-00290
291. O ***Geranium sanguineum*** L. 'Album'
XX-0-TEBLI-00291
292. O ***Geranium wallichianum*** D. Don ex Sweet
XX-0-TEBLI-00292
293. G ***Pelargonium aridum*** R. A. Dyer
XX-0-TEBLI-00293
294. G ***Pelargonium australe*** J. Jacq.
XX-0-TEBLI-00294
295. G ***Pelargonium longicaule*** var. ***longicaule*** Jacq. [syn.:*Pelargonium myrrhifolium* L'Hér.]
XX-0-TEBLI-00295
296. G ***Pelargonium pseudoglutinosum*** R. Knuth
XX-0-TEBLI-00296

297. G ***Pelargonium vitifolium*** (L.) L'Hér.
XX-0-TEBLI-00297

Gesneriaceae

298. G ***Codonanthe devosiana*** Lem.
XX-0-TEBLI-00298
299. G ***Microchirita lavandulacea*** (Stapf) Y. Z. Wang in Y. Z. Wang et al. [syn.:*Chirita lavandulacea* Stapf]
XX-0-TEBLI-00299
300. G ***Primulina longgangensis*** (W. T. Wang) Yan Liu & Y. Z. Wang in Y. Z. Wang et al. [syn.:*Chirita longgangensis* W. T. Wang]
XX-0-TEBLI-00300
301. G ***Primulina tamiana*** (B. L. Burtt) Mich. Möller & A. Weber in A. Weber et al. [syn.:*Chirita tamiana* B. L. Burtt]
VN-0-TEBLI-00301, loc.: Tam Đảo, Vĩnh Phúc, VIETNAM [ex BG Sankt-Petersburg, RUSSIA]
302. O ***Ramonda pyrenaica*** Rich.
XX-0-TEBLI-00302

Hydrangeaceae

303. O ***Hydrangea paniculata*** Siebold
XX-0-TEBLI-00306
304. O ***Hydrangea paniculata*** Siebold 'Dolly'
XX-0-TEBLI-00303
305. O ***Hydrangea paniculata*** Siebold 'Pink Diamond' [syn.:*Hydrangea paniculata* 'Interhydia' Siebold]
XX-0-TEBLI-00304
306. O ***Hydrangea paniculata*** Siebold 'Unique'
XX-0-TEBLI-00305
307. O ***Hydrangea quercifolia*** W. Bartram
XX-0-TEBLI-00307

Hypericaceae

308. O ***Hypericum reptans*** Hook. f. & Thomson ex Dyer
XX-0-TEBLI-00308

Lamiaceae

- 309. ○ ***Agastache mexicana*** (Kunth) Lint & Epling
XX-0-TEBLI-00309
- 310. ○ ***Agastache rupestris*** (Greene) Standl.
XX-0-TEBLI-00310
- 311. ○ ***Ballota pseudodictamnus*** (L.) Benth.
XX-0-TEBLI-00311
- 312. ○ ***Dracocephalum bullatum*** Forrest ex Diels
XX-0-TEBLI-00312
- 313. ○ ***Dracocephalum forrestii*** W. W. Sm.
XX-0-TEBLI-00313
- 314. ○ ***Dracocephalum peregrinum*** L.
XX-0-TEBLI-00314
- 315. ○ ***Dracocephalum wallichii*** Sealy
XX-0-TEBLI-00315
- 316. ○ ***Hyssopus seravschanicus*** (Dubj.) Pazij
XX-0-TEBLI-00316
- 317. ○ ***Lavandula angustifolia*** Mill. 'Hidcote'
XX-0-TEBLI-00317
- 318. ○ ***Monarda fistulosa*** L.
XX-0-TEBLI-00318
- 319. ○ ***Monarda fistulosa* subsp. *menthifolia*** (Graham) Fernald
XX-0-TEBLI-00319
- 320. ○ ***Monarda fistulosa* subsp. *menthifolia*** (Graham) Fernald [syn.:*Monarda menthifolia* Graham]
XX-0-TEBLI-00320
- 321. ○ ***Nepeta clarkei*** Hook. f.
XX-0-TEBLI-00321
- 322. ○ ***Phlomis macrophylla*** Benth.
XX-0-TEBLI-00322
- 323. ○ ***Physostegia virginiana* subsp. *virginiana*** (L.) Benth. 'Bouquet Rose' [syn.:*Physostegia virginiana* var. *speciosa* (Sweet) A. Gray]
XX-0-TEBLI-00323
- 324. ○ ***Prunella grandiflora*** (L.) Scholler
XX-0-TEBLI-00324

325. ○ ***Prunella hyssopifolia*** L.
XX-0-TEBLI-00325
326. ○ ***Prunella laciniata*** (L.) L.
XX-0-TEBLI-00326
327. ○ ***Salvia* 'Rosakönigin'**
XX-0-TEBLI-00327
328. ○ ***Salvia argentea*** L.
XX-0-TEBLI-00328
329. ○ ***Salvia atropatana*** Bunge [syn.:*Salvia kopetdaghensis* Kudr.]
XX-0-TEBLI-00329
330. ○ ***Salvia lyrata*** L. '**Purple Volcano**'
XX-0-TEBLI-00330
331. ○ ***Salvia patens*** Cav.
XX-0-TEBLI-00331
332. ○ ***Salvia przewalskii*** Maxim.
XX-0-TEBLI-00332
333. ○ ***Salvia sclarea*** L.
XX-0-TEBLI-00333
334. ○ ***Salvia verbenaca*** L.
XX-0-GZU-09 500497
335. ○ ***Salvia verbenacea*** L.
IT-0-STGAL-16839
336. ○ ***Salvia verticillata* subsp. *amasiaca*** (Freyn & Bornm.) Bornm.
XX-0-TEBLI-00336
337. ○ ***Salvia verticillata* subsp. *verticillata*** L. [syn.:*Salvia regeliana* Trautv.]
XX-0-TEBLI-00337
338. ○ ***Scutellaria alpina*** L.
XX-0-TEBLI-00338
339. ○ ***Scutellaria baicalensis*** Georgi
XX-0-TEBLI-00339
340. ○ ***Scutellaria zhongdianensis*** auct.
XX-0-TEBLI-00340
341. ○ ***Sideritis glacialis*** Boiss.
XX-0-TEBLI-00341

342. ***Stachys iva*** Griseb.

XX-0-TEBLI-00342

343. ***Teucrium scorodonia*** L.

XX-0-TEBLI-00343

Linaceae

344. ***Linum alpinum*** Jacq.

XX-0-TEBLI-00344

345. ***Linum extraaxillare*** Kit.

XX-0-TEBLI-00345

346. ***Linum leonii*** F. W. Schultz

XX-0-TEBLI-00346

Loasaceae

347. ***Nasa triphylla*** (Juss.) Weigend

XX-0-TEBLI-00347

Magnoliaceae

348. ***Liriodendron tulipifera*** L.

XX-0-TEBLI-00348

Malvaceae

349. ***Abelmoschus manihot*** (L.) Medik.

XX-0-Z-19971058

350. ***Abroma augusta*** (L.) L. f.

XX-0-TEBLI-00350

351. ***Abutilon arboreum*** (L. f.) G. Don

XX-0-TEBLI-00351

352. G *Hibiscus moscheutos* subsp. *palustris* (L.) R. T. Clausen
XX-0-TEBLI-00352
353. G *Hibiscus rockii* O. Deg. & I. Deg.
XX-0-TEBLI-00353

Martyniaceae

354. O *Martynia proboscidea* Gloxin
XX-0-TEBLI-00354

Melastomataceae

355. G *Bredia hirsuta* Blume
XX-0-TEBLI-00355
356. G *Monolena primuliflora* Hook. f.
EC-0-TEBLI-00356, loc.: San Francisco de Borja near Baeza, Napo, ECUADOR

Onagraceae

357. O *Epilobium fleischeri* Hochst.
XX-0-TEBLI-00357
358. O *Epilobium fleischeri* Hochst.
XX-0-TEBLI-00358
359. O *Epilobium hirsutum* L.
XX-0-TEBLI-00359
360. O *Kneiffia fruticosa* (L.) Spach ex Raim. 'Fyrverkeri' [syn.: *Oenothera fruticosa* L.]
XX-0-TEBLI-00360
361. O *Lopezia racemosa* Cav.
XX-0-TEBLI-00361
362. O *Lopezia racemosa* subsp. *racemosa* Cav. [syn.: *Lopezia coronata* Andrews]
XX-0-TEBLI-00362
363. O *Oenothera kunthiana* (Spach) Munz
XX-0-TEBLI-00363

Papaveraceae

364. O ***Dicranostigma franchetianum*** (Prain) Fedde
XX-0-TEBLI-00364
365. O ***Eschscholzia californica*** Cham. [syn.:*Eschscholzia douglasii* (Hook. & Arn. ex Torr. & A. Gray) Walp.]
XX-0-TEBLI-00365
366. O ***Eschscholzia californica*** Cham. [syn.:*Eschscholzia oregana* Greene]
XX-0-TEBLI-00366
367. O ***Eschscholzia californica* subsp. *mexicana*** (Greene) C. Clark [syn.:*Eschscholzia mexicana* Greene]
XX-0-TEBLI-00367
368. O ***Glaucium corniculatum*** (L.) Curtis
XX-0-TEBLI-00368
369. O ***Papaver pseudo-orientale*** Medw.
XX-0-TEBLI-00369
370. O ***Papaver rhoeas*** L. [syn.:*Papaver commutatum* Fisch., C. A. Mey. & Trautv.]
XX-0-TEBLI-00370
371. O ***Roemeria refracta*** DC.
XX-0-TEBLI-00371

Passifloraceae

372. G ***Passiflora calcarata*** Mast.
MG-0-TEBLI-00372, loc.:Mt. Ibiti, Ibiti Massif, Antananarivo Province, MADAGASCAR [ex BG Praha, CZECH REPUBLIC]
373. G ***Passiflora foetida*** L. [syn.:*Passiflora foetida* var. *galapagensis* Killip]
XX-0-TEBLI-00373
374. G ***Turnera diffusa*** Willd. ex Schult.
XX-0-TEBLI-00374

Phrymaceae

375. O ***Mimulus guttatus* var. *moschatus*** (Douglas ex Lindl.) Prov. [syn.:*Mimulus moschatus* Douglas ex Lindl.]
XX-0-TEBLI-00375

Plantaginaceae

- 376. ○ ***Antirrhinum barrelieri*** Boreau
XX-0-TEBLI-00376
- 377. ○ ***Antirrhinum latifolium*** Mill.
XX-0-TEBLI-00377
- 378. ○ ***Antirrhinum majus*** L.
XX-0-TEBLI-00378
- 379. ○ ***Chelone lyonii*** Pursh
XX-0-TEBLI-00379
- 380. ○ ***Collinsia heterophylla*** Graham
XX-0-TEBLI-00380
- 381. ○ ***Digitalis* × *sibirica*** Lindl.
XX-0-TEBLI-00381
- 382. ○ ***Digitalis ciliata*** Trautv.
XX-0-TEBLI-00382
- 383. ○ ***Digitalis ferruginea*** L.
XX-0-TEBLI-00383
- 384. ○ ***Digitalis ferruginea* subsp. *schischkinii*** (K. V. Ivanova) K. Werner [syn.: *Digitalis schischkinii* Ivanina]
XX-0-TEBLI-00384
- 385. ○ ***Digitalis grandiflora*** Mill.
XX-0-TEBLI-00385
- 386. ○ ***Digitalis parviflora*** Jacq.
XX-0-TEBLI-00386
- 387. ○ ***Digitalis viridiflora*** Lindl.
XX-0-TEBLI-00387
- 388. ○ ***Erinus alpinus*** L. 'Blau'
XX-0-TEBLI-00388
- 389. ○ ***Erinus alpinus*** L. 'Mrs. Charles Boyle'
XX-0-TEBLI-00389
- 390. ○ ***Erinus alpinus*** L. 'Weiss'
XX-0-TEBLI-00390
- 391. ○ ***Globularia cordifolia*** L.
XX-0-TEBLI-00391

392. ○ ***Globularia dumulosa*** O. Schwarz
XX-0-TEBLI-00392
393. ○ ***Globularia trichosantha*** Fisch. & C .A. Mey.
XX-0-TEBLI-00393
394. ○ ***Globularia vulgaris*** L. [syn.:*Globularia bisnagarica* L.]
XX-0-TEBLI-00394
395. ○ ***Globularia vulgaris*** L.
XX-0-TEBLI-00395
396. ○ ***Penstemon* × *mexicali*** 'Red Rocks'
XX-0-TEBLI-00396
397. ○ ***Penstemon campanulatus*** (Cav.) Willd.
XX-0-TEBLI-00397
398. ○ ***Penstemon cardwellii*** Howell
XX-0-TEBLI-00398
399. ○ ***Penstemon comarrhenus*** A. Gray
XX-0-TEBLI-00399
400. ○ ***Penstemon confertus*** Douglas
XX-0-TEBLI-00400
401. ○ ***Penstemon davidsonii* var. *menziesii*** (D. D. Keck) Cronquist [syn.:*Penstemon davidsonii* subsp. *menziesii* D. D. Keck]
XX-0-TEBLI-00401
402. ○ ***Penstemon eriantherus*** Nutt.
XX-0-TEBLI-00402
403. ○ ***Penstemon fruticosus* var. *scouleri*** (Douglas ex Lindl.) Cronquist
XX-0-TEBLI-00403
404. ○ ***Penstemon glaber* var. *alpinus*** (Torr.) A. Gray [syn.:*Penstemon alpinus* Torr.]
US-0-U-1996BL00291, loc.:2300 m, Jefferson County, CO, USA [ex BG Utrecht, THE NETHERLANDS]
405. ○ ***Penstemon glaber* var. *alpinus*** (Torr.) A. Gray
XX-0-TEBLI-00405
406. ○ ***Penstemon grandiflorus*** Nutt.
XX-0-TEBLI-00406
407. ○ ***Penstemon heterophyllus*** Lindl.
XX-0-TEBLI-00407
408. ○ ***Penstemon heterophyllus* var. *azureus*** (Benth.) Jeps. [syn.:*Penstemon azureus* Benth.]
XX-0-BONN-9371

409. ○ *Penstemon hirsutus* (L.) Willd.
XX-0-TEBLI-00409
410. ○ *Penstemon humilis* Nutt. ex A.Gray
XX-0-TEBLI-00410
411. ○ *Penstemon ovatus* Douglas
XX-0-TEBLI-00411
412. ○ *Penstemon palmeri* A. Gray
XX-0-TEBLI-00412
413. ○ *Penstemon procerus* Douglas ex Graham
XX-0-TEBLI-00413
414. ○ *Penstemon procerus* var. *tolmiei* (Hook.) Cronquist
US-0-REYK-2007/005, loc.:2100 m, Mt. Adams, WA, USA [ex BG Reykjavík, ICELAND]
415. ○ *Penstemon richardsonii* Douglas
XX-0-TEBLI-00415
416. ○ *Penstemon unilateralis* Rydb.
XX-0-TEBLI-00416
417. ○ *Penstemon wilcoxii* Rydb.
XX-0-TEBLI-00417
418. ○ *Rehmannia elata* N. E. Br. ex Prain
XX-0-TEBLI-00418
419. ○ *Veronica gentianoides* Vahl
XX-0-TEBLI-00419
420. ○ *Wulfenia carinthiaca* Jacq.
XX-0-TEBLI-00420

Plumbaginaceae

421. ○ *Armeria alliacea* subsp. *matritensis* (Pau) Borja, Rivas Goday & R. Martinez
XX-0-TEBLI-00421
422. ○ *Armeria alpina* (DC.) Willd.
XX-0-TEBLI-00422
423. ○ *Armeria arenaria* (Pers.) Schult. [syn.:*Armeria plantaginea* (All.) Willd.]
XX-0-TEBLI-00423
424. ○ *Armeria canescens* subsp. *nebrodensis* (Guss.) P.Silva [syn.:*Armeria canescens* subsp. *gracilis* (Ten.) Bianchini]
XX-0-TEBLI-00424

- 425. ***Armeria cariensis*** Boiss.
XX-0-TEBLI-00425
- 426. ***Armeria japonica*** Rippa
XX-0-TEBLI-00426
- 427. ***Armeria maritima*** Willd. '**Rubra**'
XX-0-TEBLI-00427
- 428. ***Armeria rhodopea*** Velen.
XX-0-TEBLI-00428
- 429. ***Armeria rhodopea*** Velen.
XX-0-TEBLI-00429
- 430. ***Armeria villosa*** Girard [syn.:*Armeria allioides* Willk. & Lange]
XX-0-TEBLI-00430
- 431. ***Armeria villosa*** Girard
XX-0-TEBLI-00431

Polemoniaceae

- 432. ***Collomia biflora*** (Ruiz & Pav.) Brand
XX-0-TEBLI-00432
- 433. ***Gilia achilleifolia*** Benth.
XX-0-TEBLI-00433
- 434. ***Gilia leptantha*** Parish
XX-0-TEBLI-00434
- 435. ***Gilia leptantha*** Parish
XX-0-TEBLI-00435
- 436. ***Polemonium caeruleum*** L.
XX-0-TEBLI-00436
- 437. ***Polemonium himalayanum*** (Baker) Klokov
XX-0-TEBLI-00437

Polygonaceae

- 438. ***Eriogonum umbellatum*** var. ***desereticum*** Reveal
XX-0-TEBLI-00438

439. ○ ***Rheum webbianum*** Royle
XX-0-TEBLI-00439
440. ○ ***Rumex bucephalophorus*** L.
XX-0-TEBLI-00440

Primulaceae

441. ○ ***Androsace chaixii*** Gren. & Godr.
XX-0-TEBLI-00441
442. ○ ***Androsace spinulifera*** (Franch.) R. Knuth
XX-0-TEBLI-00442
443. ○ ***Androsace spinulifera*** (Franch.) R. Knuth
XX-0-TEBLI-00443
444. ○ ***Lysimachia lichiangensis*** Forrest
XX-0-TEBLI-00444
445. ○ ***Lysimachia pyramidalis*** Wall.
XX-0-TEBLI-00445
446. ○ ***Primula edelbergii*** O. Schwarz
XX-0-TEBLI-00446
447. ○ ***Primula farinosa* subsp. *laurentiana*** (Fernald) Blasdale [syn.: *Primula laurentiana* Fernald]
XX-0-TEBLI-00447
448. ○ ***Primula halleri*** Honck.
XX-0-TEBLI-00448

Ranunculaceae

449. ○ ***Anemone mexicana*** Kunth
XX-0-TEBLI-00449
450. ○ ***Anemone occidentalis*** S. Watson [syn.: *Pulsatilla occidentalis* (S. Watson) Freyn]
XX-0-TEBLI-00450
451. ○ ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451
452. ○ ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00452

453. ○ ***Aquilegia chrysantha*** A. Gray
XX-0-TEBLI-00453
454. ○ ***Aquilegia einseleana*** F. W. Schultz
XX-0-TEBLI-00454
455. ○ ***Aquilegia einseleana*** F. W. Schultz
XX-0-TEBLI-00455
456. ○ ***Aquilegia flabellata*** Siebold & Zucc. [syn.:*Aquilegia akitensis* Huth]
XX-0-TEBLI-00456
457. ○ ***Aquilegia formosa*** Fisch. ex DC.
XX-0-TEBLI-00457
458. ○ ***Aquilegia laramiensis*** A. Nelson
XX-0-TEBLI-00458
459. ○ ***Aquilegia oxysepala* var. *kansuensis*** (Brühl) Brühl ex Hand.-Mazz.
XX-0-TEBLI-00459
460. ○ ***Aquilegia pyrenaica* subsp. *discolor*** (Levier & Leresche) Pereda & Laínz [syn.:*Aquilegia discolor* Levier & Leresche]
XX-0-TEBLI-00460
461. ○ ***Aquilegia saximontana*** Rydb.
XX-0-TEBLI-00461
462. ○ ***Aquilegia skinneri*** Hook.
XX-0-TEBLI-00462
463. ○ ***Aquilegia thalictrifolia*** Schott & Kotschy
XX-0-TEBLI-00463
464. ○ ***Aquilegia vulgaris* 'Clementine Salmon Rose'**
XX-0-TEBLI-00464
465. ○ ***Clematis tangutica*** (Maxim.) Korsh. 'Radar Love'
XX-0-TEBLI-00465
466. ○ ***Delphinium* × *cultorum*** Voss. 'Dwarf Blue Heaven'
XX-0-TEBLI-00466
467. ○ ***Delphinium* × *cultorum*** Voss. **Guinevere Group**
XX-0-TEBLI-00467
468. ○ ***Delphinium albocoeruleum* var. *przewalskii*** (Huth) W. T. Wang [syn.:*Delphinium przewalskii* Huth]
XX-0-TEBLI-00468
469. ○ ***Delphinium elatum*** L.
XX-0-TEBLI-00469

470. ○ ***Delphinium grandiflorum*** L. 'Summer Blues'
XX-0-TEBLI-00470
471. ○ ***Delphinium pyramidatum*** Albov
XX-0-TEBLI-00471
472. ○ ***Delphinium*-hybrid** 'Benarys Pacific Formula Mix'
XX-0-TEBLI-00472
473. ○ ***Nigella papillosa*** G. López
XX-0-TEBLI-00473
474. ○ ***Ranunculus millefoliatus*** Vahl [syn.:*Ranunculus garganicus* Ten.]
XX-0-TEBLI-00474
475. ○ ***Semiaquilegia adoxoides*** (DC.) Makino
XX-0-TEBLI-00475

Rosaceae

476. ○ ***Acaena myriophylla*** Lindl.
XX-0-TEBLI-00476
477. ○ ***Acaena novae-zelandiae*** Kirk
XX-0-TEBLI-00477
478. ○ ***Amygdalus nana*** L.
XX-0-TEBLI-00478
479. ○ ***Dryas* × *suendermannii*** Kellerer ex Sünd.
XX-0-TEBLI-00479
480. ○ ***Drymocallis glandulosa*** (Lindl.) Rydb.
XX-0-TEBLI-00480
481. ○ ***Erythrocoma triflora*** (Pursh) Greene [syn.:*Geum triflorum* Pursh]
XX-0-TEBLI-00481
482. ○ ***Exochorda* × *macrantha*** (Lemoine) Schneid. 'The Bride'
XX-0-TEBLI-00482
483. ○ ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00483
484. ○ ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00484
485. ○ ***Geum quellyon*** Sweet 'Lady Straheden' [syn.:*Geum chiloense* Balb. ex Ser.]
XX-0-TEBLI-00485

486. O *Holodiscus discolor* (Pursh) Maxim.
XX-0-TEBLI-00486
487. O *Potentilla argrophylla* var. *atrosanguinea* (Lodd., G. Lodd. & W. Lodd.) Hook. f. [syn.:*Potentilla atrosanguinea* Lodd., G. Lodd. & W. Lodd.]
XX-0-TEBLI-00487
488. O *Potentilla dombeyi* Nestl. [syn.:*Potentilla andicola* Benth.]
XX-0-TEBLI-00488
489. O *Potentilla griffithii* Hook. f.
XX-0-TEBLI-00489
490. O *Potentilla megalantha* Takeda
XX-0-TEBLI-00490
492. O *Potentilla nepalensis* Hook.
XX-0-TEBLI-00492
491. O *Potentilla nepalensis* Hook. 'Ron McBeath'
XX-0-TEBLI-00491
493. O *Potentilla nivalis* Lapeyr.
XX-0-TEBLI-00493
494. O *Rubus laciniatus* Willd.
XX-0-TEBLI-00494
495. O *Spiraea betulifolia* Pall.
XX-0-TEBLI-00495

Salicaceae

496. G *Dovyalis monbazaе* Tul.
MG-0-TEBLI-00496, loc.:Betioky, Atsimo-Andrefana Region, MADAGASCAR

Sapindaceae

497. O *Koelreuteria paniculata* Laxm.
XX-0-TEBLI-00497

Saxifragaceae

- 498. ○ ***Heuchera* 'Leuchtkäfer'**
XX-0-TEBLI-00498
- 499. ○ ***Heuchera* 'Palace Purple'**
XX-0-TEBLI-00499
- 500. ○ ***Heuchera* 'Pewter Veil'**
XX-0-TEBLI-00500
- 501. ○ ***Heuchera americana* var. *hispid*** (Pursh) E. F. Wells [syn.:*Heuchera hispida* Pursh]
XX-0-TEBLI-00501
- 502. ○ ***Heuchera curtisii*** Torr. & A. Gray
XX-0-TEBLI-00502
- 503. ○ ***Heuchera cylindrica*** Douglas
XX-0-TEBLI-00503
- 504. ○ ***Heuchera himalayensis*** Decne. ex Jacques
XX-0-TEBLI-00504
- 505. ○ ***Heuchera micrantha*** Douglas
XX-0-TEBLI-00505
- 506. ○ ***Heuchera pulchella*** Wooton & Standl.
XX-0-TEBLI-00506
- 507. ○ ***Heuchera sanguinea*** Engelm. '**Splendens**'
XX-0-TEBLI-00507

Scrophulariaceae

- 508. ○ ***Alonsoa acutifolia*** Ruiz & Pav.
XX-0-TEBLI-00508
- 509. ○ ***Alonsoa meridionalis*** (L. f.) Kuntze
XX-0-TEBLI-00509
- 510. ○ ***Alonsoa meridionalis*** (L. f.) Kuntze [syn.:*Alonsoa warscewiczii* Regel]
XX-0-TEBLI-00510
- 511. ○ ***Buddleja alternifolia*** Maxim.
XX-0-TEBLI-00511

512. O ***Hebenstretia dentata*** L.
XX-0-TEBLI-00512
513. O ***Nemesia caerulea*** Hiern
XX-0-TEBLI-00513
514. O ***Nemesia melissifolia*** Benth.
XX-0-TEBLI-00514

Solanaceae

515. O ***Nicandra violacea*** André ex Lemoine
XX-0-TEBLI-00515
516. O ***Nicotiana langsdorfii*** Schrank
XX-0-TEBLI-00516
517. O ***Nicotiana mutabilis*** Stehmann & Semir
XX-0-TEBLI-00517
518. O ***Nicotiana rustica*** L.
XX-0-TEBLI-00518
519. O ***Nicotiana sylvestris*** Speg. & S. Comes
XX-0-TEBLI-00519
520. O ***Nicotiana tabacum*** L.
XX-0-TEBLI-00520
521. O ***Nolana humifusa*** (Gouan) I. M. Johnst.
XX-0-TEBLI-00521
522. O ***Petunia integrifolia*** (Hook.) Schinz & Thell.
XX-0-TEBLI-00522
523. O ***Physalis philadelphica*** Lam. [syn.:*Physalis ixocarpa* Brot. ex Hornem.]
XX-0-TEBLI-00523
524. O ***Schizanthus pinnatus*** Ruiz & Pav.
XX-0-ROST-2003-F-3420
525. G ***Solanum aethiopicum*** L. [syn.:*Solanum gilo* Raddi]
XX-0-TEBLI-00525
526. O ***Solanum citrullifolium*** A. Braun
XX-0-TEBLI-00526
527. O ***Solanum uporo*** Dunal
XX-0-TEBLI-00527

528. G ***Solanum viarum*** Dunal

XX-0-TEBLI-00528

529. O ***Withania somnifera*** (L.) Dunal

XX-0-TEBLI-00529

Verbenaceae

530. O ***Verbena macdougalii*** A. Heller

XX-0-TEBLI-00530

Violaceae

531. O ***Viola cornuta*** L.

XX-0-TEBLI-00531

Vitaceae

532. O ***Ampelopsis aconitifolia*** Bunge

XX-0-TEBLI-00532

533. O ***Ampelopsis glandulosa* var. *brevipedunculata*** (Maxim.) Momiy. [syn.: *Ampelopsis brevipedunculata* (Maxim.) Trautv.]

XX-0-TEBLI-00533

Liliopsida

Amaryllidaceae

534. O ***Allium pskemense*** B. Fedtsch.

XX-0-TEBLI-00534

535. O ***Allium pskemense*** B. Fedtsch.

XX-0-TEBLI-00535

Arecaceae

536. G ***Chamaedorea tepejilote*** Liebm.
MX-0-TEBLI-00536, loc.:Xalapa, Veracruz, MEXICO

Asparagaceae

537. O ***Hosta capitata*** (Koidz.) Nakai
XX-0-TEBLI-00537
538. O ***Hosta longissima*** F. Maek.
XX-0-TEBLI-00538
539. O ***Hosta rectifolia*** Nakai
XX-0-TEBLI-00539
540. O ***Hosta rectifolia*** Nakai [syn.:*Hosta rectifolia* var. *sachalinensis* (Koidz.) F. Maek.]
XX-0-TEBLI-00540
541. O ***Hosta sieboldiana* var. *montana*** (F. Maek.) Zonn. [syn.:*Hosta montana* F. Maek.]
XX-0-TEBLI-00541
542. O ***Hosta sieboldiana* var. *sieboldiana*** (Hook.) Engler [syn.:*Hosta fluctuans* F. Maek.]
XX-0-TEBLI-00542
543. O ***Hosta sieboldii*** (Paxton) J. W. Ingram
XX-0-TEBLI-00543
544. O ***Hosta ventricosa*** Stearn [syn.:*Hosta coerulea* Tratt.]
XX-0-TEBLI-00544
545. O ***Hosta ventricosa*** Stearn
XX-0-TEBLI-00545
546. O ***Hyacinthoides hispanica*** (Mill.) Rothm. [syn.:*Scilla hispanica* Mill.]
XX-0-TEBLI-00546
547. O ***Tricyrtis latifolia*** Maxim. [syn.:*Tricyrtis puberula* Nakai & Kitag.]
XX-0-TEBLI-00547

Bromeliaceae

548. G ***Aechmea bracteata*** (Sw.) Griseb.
GT-0-TEBLI-00548, loc.:Sebol, Alta Verapaz, GUATEMALA

549. G ***Aechmea pyramidalis*** Benth.
XX-0-TEBLI-00549
550. G ***Billbergia kuhlmannii*** L. B. Sm.
XX-0-TEBLI-00550
551. G ***Pitcairnia aureobrunnea*** Rauh
XX-0-TEBLI-00551
552. G ***Pitcairnia sulphurea*** Andrews
XX-0-TEBLI-00552
553. G ***Quesnelia morreniana*** (Baker) Mez
XX-0-TEBLI-00553
554. G ***Vriesea gladioliflora*** (H. Wendl.) Antoine [syn.: *Werauhia gladioliflora* (H. Wendl.) J. R. Grant]
GT-0-TEBLI-00554, loc.: Semuc Champey, Alta Verapaz, GUATEMALA
555. G ***Vriesea splendens*** (Brongn.) Lem.
XX-0-TEBLI-00555

Cyperaceae

556. O ***Eriophorum angustifolium*** Honck.
XX-0-TEBLI-00556
557. O ***Eriophorum latifolium*** Hoppe
XX-0-TEBLI-00557
558. O ***Eriophorum vaginatum*** L.
XX-0-TEBLI-00558

Dioscoreaceae

559. G ***Tacca chantrieri*** André
VN-0-TEBLI-00559, loc.: Cúc Phương, Ninh Bình, VIETNAM
560. G ***Tacca leontopetaloides*** (L.) Kuntze [syn.: *Tacca pinnatifida* J. R. Forst. & G. Forst.]
XX-0-TEBLI-00560
561. G ***Tacca plantaginea*** (Hance) Drenth
XX-0-TEBLI-00561

Iridaceae

562. O *Iris aucheri* (Baker) Sealy
XX-0-TEBLI-00562
563. O *Iris leptophylla* Lingelsh. ex H.Limpr.
XX-0-TEBLI-00563
564. O *Iris magnifica* Vved.
XX-0-TEBLI-00564
565. O *Sisyrinchium littorale* Greene
XX-0-TEBLI-00565

Juncaceae

566. O *Luzula nivea* (Nathh.) DC.
XX-0-TEBLI-00566

Liliaceae

567. O *Fritillaria raddeana* Regel
XX-0-TEBLI-00567
568. O *Tulipa turkestanica* (Regel) Regel
XX-0-TEBLI-00568

Poaceae

569. O *Chondrosium gracile* Kunth [syn.:*Bouteloua gracilis* (Kunth) Lag. ex Steud.]
XX-0-TEBLI-00569
570. O *Festuca glauca* Vill. '**Festina**'
XX-0-TEBLI-00570
571. O *Hystrix komarovii* (Roshev.) Ohwi
CN-0-TEBLI-00571, loc.:near Xilong, 1700 m, E of Beijing, Wuling-Shan, Hebei Province, CHINA [ex ZBG Plzeň, CZECH REPUBLIC]
572. O *Hystrix patula* Moench
US-0-TEBLI-00572, loc.:Sanford Woodlot, Ingham county, MI, USA [ex ZBG Plzeň, CZECH REPUBLIC]

573. ○ ***Koeleria glauca*** (Spreng.) DC. '**Pygmaea**'
XX-0-TEBLI-00573
574. ○ ***Melica altissima*** L.
XX-0-TEBLI-00574
575. ○ ***Melica ciliata*** L.
XX-0-ROST-2003-F-3026
576. ○ ***Melica ciliata*** L.
XX-0-TEBLI-00576
577. ○ ***Melica transsilvanica*** Schur '**Red Spire**'
XX-0-TEBLI-00577
578. ○ ***Melinis repens*** (Willd.) Zizka [syn.:*Rhynchelytrum repens* (Willd.) C. E. Hubb.]
XX-0-TEBLI-00578
579. ○ ***Molinia caerulea*** (L.) Moench '**Variegata**'
XX-0-TEBLI-00579
580. ○ ***Schizachyrium scoparium*** (Michx.) Nash
XX-0-TEBLI-00580
581. ○ ***Stipa tenuissima*** Trin. '**Pony Tails**'
XX-0-TEBLI-00581

Xanthorrhoeaceae

582. ○ ***Asphodeline lutea*** (L.) Rchb.
XX-0-TEBLI-00582
583. ○ ***Asphodeline taurica*** (Pall.) Endl.
XX-0-TEBLI-00583

Nomenclature of plants is mainly based on:

www.theplantlist.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

Abbreviations: O – plant is cultivated outdoors
G – plant is cultivated in glasshouses

In response to the Convention on Biodiversity (Rio de Janeiro, 1992) the Teplice Botanical Garden informs its correspondents that seeds from this catalogue are available on an exchange basis, exclusively for institutions working in the areas of education, research or conservation. Any material obtained from these seeds may not be used to generate commercial profit.

Please, limit your request to 30 items, deadline is 1 May 2012

Order by e-mail is preferred (to bzt.zpurny@volny.cz), but of course you can order by post or fax. Thank You

Postal address:

Botanic Garden Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Fax: 00420 417 534 060

Seed collectors: Ing. Anna Kučerová
Ing. Veronika Sýsová
Hana Šedivá
Radek Vagasy
Mgr. Filip Zpurný, Ph.D.

Seed exchange: Mgr. Filip Zpurný, Ph.D.
(bzt.zpurny@volny.cz)