

INDEX SEMINUM



Botanická zahrada Teplice

Botanical Garden Teplice

Czech Republic

2023–2024

Cover photo: *Philesia magellanica* (Philesiaceae), Parque Nacional Alerce Costero, region Los Ríos (XIV), Chile



BOTANICKÁ ZAHRADA
TEPLICE

Botanical Garden Teplice

Josefa Suka 1388/18

415 01 Teplice

Czech Republic

Latitude: N 50° 38' 17"

Longitude: E 13° 50' 32"

Altitude: 228 m a. s. l.

website: www.botanickateplice.cz

FB: www.facebook.com/botanickateplice

IG: www.instagram.com/botanickateplice

X: <https://twitter.com/BotankaTeplice>

YT: www.youtube.com/channel/UCBV1_Pu7mIXOM2Yai-Kz3gw

e-mail: botanika@botanickateplice.cz

The Botanical Garden Teplice is a member of the:



Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

Our Index Seminum is also online at:

<https://indexseminum.bgci.org/catalogue/teplice-botanical-garden>

This Index seminum can be searched through the global seed search system:
seminumsystem2023 seminumipen2023 seminumwild2023

Mean Monthly Temperature (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI	XII.
-1.3	0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean Annual Temperature: 8.9 °C

Extreme Highest Temperature: 35.9 °C (29/07/1983)

Extreme Lowest Temperature: -21.7 °C (14/01/1987)

Mean Monthly Rainfall (mm)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI	XII.
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean Annual Precipitation: 516.4 mm

Botanical Garden Teplice

The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and fully funded by the Teplice City Council. From the garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition greenhouses cover 2,400 m² of land and the storage greenhouses, which are not open to the public, cover 1,750 m². Each one of our four greenhouses is dedicated to a distinct climatic zone.

The Xeric Greenhouse

Vast areas of the Earth are covered with plant communities which have adapted to the long periods of drought. We have selected some especially attractive ones: Central America, primarily Mexican half deserts, dry mountain areas of South America, western parts of South Africa and arid South of Madagascar. These main areas are supplemented with several smaller ones – a show of flora from the Galapagos Islands, Arabia and rare vegetation of the Socotra Island which is situated in the Arabian Sea between Yemen and Somalia.

The Tropical Greenhouse

This is the most spacious. It covers an area of over 1,000 square meters and stands almost 16 meters high. A lively waterfall, two flowing brooks, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plants exhibits are displayed – as in other greenhouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar.

The Subtropical Greenhouse

The Andes of Chile, the Himalayas and subtropics of the south-eastern Asia, New Zealand, mountains and eastern part of South Africa with winter rains – that is all we try to introduce in the subtropical greenhouse. The subtropical exposures are diversified in a show-case with quite cold-loving carnivorous plants and orchids and a patio created by a column down which water flows with a star pergola inspired by the travels around Mexico.

The Rock Garden Greenhouse

The Rock Garden Greenhouse is the newest construction subsequent the whole exhibition complex. There are dedicate to plants from the mountain areas of Europe (incl. Canary Islands), Asia, North America, New Zealand and South American (incl. the Chilean desert Atacama).

The Open-Air Display

The outdoor exposure is spread on the area of 1.5 hectares and during one day in the botanic garden you can travel almost all around the world. As well as the greenhouse exposure the whole area is divided to the individual regions on the Earth from the geographic point of view.

Seed collectors

Petra Bílková
Michaela Dvořáková
Harald Eichhorn
Anna Frolíková
Hana Hajná
Martina Jirsová
Vendula Nosková
Iveta Pavlíčková
Ivana Samková
Marcela Strnadová
Veronika Sýsová
Martin Šimek
Hana Šedivá
Adéla Žebrová

Senior gardener

Anna Frolíková
Marcela Strnadová

Seed exchange

Dominika Köhlerová
Jan Ježovica

Curator

Jan Ptáček

Director

Petr Šíla

Monilophyta

Aspleniaceae

- 1 O *Asplenium ceterach* L. [syn. *Ceterach officinarum* Willd.]
HR-0-TEBLI-02386
loc. Croatia, Cres island, Valun, 44°54'19.578"N, 14°21'30.322"E,
coll. A. Frolíková
- 2 O *Asplenium scolopendrium* L. [syn. *Phyllitis scolopendrium* (L.) Newman]
XX-0-TEBLI-02387
- 3 O *Asplenium scolopendrium* L. 'Argutifolium'
[syn. *Phyllitis scolopendrium* (L.) Newman 'Argutifolium']
XX-0-TEBLI-02388
[ex Školky Litomyšl, spol. s r. o., Czech Republic]
- 4 O *Athyrium niponicum* (Mett.) Hance 'Metallicum'
XX-0-TEBLI-02200
- 5 O *Athyrium niponicum* (Mett.) Hance 'Pewter Lace'
XX-0-TEBLI-02201
[ex Pereny Hlavenec, Czech Republic]

Dryopteridaceae

- 6 O *Dryopteris affinis* agg. 'Pinderi'
XX-0-TEBLI-02202
- 7 O *Dryopteris atrata* (Wall. ex Kunze) Ching
XX-0-TEBLI-02203
[ex Pereny Hlavenec, Czech Republic]
- 8 O *Dryopteris celsa* (W. Palmer)
XX-0-LZ-F 200/1987
[ex BG Leipzig, Germany]
- 9 O *Dryopteris crassirhizoma* Nakai
RU-0-MSTR-1-08-896
loc. Russia, Vladivostock, ex Arktisch-Alpiner Garten Gemnitz, Germany
[ex BG Münster, Germany]
- 10 O *Dryopteris lepidopoda* Hayata
XX-0-TEBLI-02389
[ex BG Deurne, Belgium]
- 11 O *Polystichum acrostichoides* (Michx.) Schott
US-0-TUEB-1449
loc. USA, Massachusetts, Franklin Co.
[ex BG Tübingen, Germany]

- 12 O *Polystichum aculeatum* (L. Roth)
 CH-0-STGAL-21189
 loc. Switzerland, Schwägalp AR, 1340 m, coll. Josef Kuhn, 17. 8. 2012
 [ex BG St. Gallen, Switzerland]
- 13 O *Polystichum andersonii* Hopkins
 CA-0-TEBLI-02204
 loc. Canada, British Columbia, Garibaldi Provincial Park
 [ex BG Chemnitz, Germany]
- 14 O *Polystichum braunii* (Spenn.) Fée
 CH-0-STGAL-3036
 loc. Switzerland
 [ex BG St. Gallen, Switzerland]
- 15 O *Polystichum dracomontanum* Schelpe & N.C.Anthony
 ZA-0-TEBLI-02205
 loc. Republic of South Africa, Drakensberge
 [ex BG Chemnitz, Germany]
- 16 O *Polystichum lonchitis* (L.) Roth
 BG-0-TEBLI-02206
 loc. Bulgaria, Pirin, Vichren, coll. A. Frolíková, 1. 9. 2011
- 17 O *Polystichum luctuosum* (Kunze) T.Moore
 [syn. *Polystichum polyblepharum* Nakai]
 XX-0-TEBLI-02390
 [ex Pereny Hlavenec, Czech Republic]
- 18 O *Polystichum munitum* (Kaulf.) C.Presl
 XX-0-TEBLI-02207
 [ex BG Deurne, Belgium]
- 19 O *Polystichum neolobatum* Nakai
 CN-0-STGAL-20763
 loc. Canada
 [ex BG St. Gallen, Switzerland]
- 20 O *Polystichum setiferum* Rosendahl ,Plumosomultilobum Group'
 XX-0-TEBLI-02208
 [ex Zám. Centrum Parkon, Czech Republic]
- 21 O *Polystichum setiferum* Rosendahl ,Plumosum Densum'
 XX-0-TEBLI-02209
 [ex Zám. Centrum Parkon, Czech Republic]
- 22 O *Polystichum tripterion* (Kunze) C.Presl
 JP-0-STGAL-20262
 loc. Japan
 [ex BG St. Gallen, Switzerland]
- 23 O *Polystichum woronowii* Fomin
 XX-0-STGAL-7737
 [ex BG St. Gallen, Switzerland]

Osmundaceae

- 24 O *Osmunda regalis* L.
XX-0-TEBLI-02210

Polypodiaceae

- 25 O *Polypodium virginianum* L.
US-0-TEBLI-02211
loc. USA, Illinois, Ottawa, Illinois River
[ex BG Chemnitz, Germany]

Pteridaceae

- 26 O *Adiantum aleuticum* (Rupr.) C.A.Paris
US-0-TEBLI-02213
loc. USA, Alaska, Unalaska
[ex BG Chemnitz, Germany]
- 27 O *Adiantum pedatum* L.
XX-0-BHU-UA-0000-6
[ex BG Berlin-Humboldt, Germany]
- 28 O *Adiantum pedatum* L. 'Imbricatum'
XX-0-TEBLI-02214
[ex Pereny Hlavenec, Czech Republic]
- 29 O *Adiantum venustum* D.Don
XX-0-GZU-YY- 200452
[ex BG Graz, Austria]

Woodsiaceae

- 30 O *Woodsia polystichoides* D.C.Eaton
RU-0-TEBLI-02215
loc. Russia, Sachalin
[ex BG Chemnitz, Germany]

Angiosperms

Eudicots

Acanthaceae

- 31 G *Barleria obtusa* Nees
XX-0-TEBLI-01396
[ex Silverhill Seeds, South Africa]
- 32 G *Crabbea velutina* S.Moore
XX-0-M-1992/0351
[ex BG Düsseldorf, Germany]
- 33 O *Ruellia humilis* Nutt.
XX-0-TEBLI-01504
[ex BG Krefeld, Germany]

Actinidiaceae

- 34 O *Actinidia melanandra* Franch.
XX-0-MJG-195017240
[ex BG Mainz, Germany]

Aizoaceae

- 35 O *Carpenthea pomeridiana* (L.) N.E.Br.
XX-0-HAL-449
[ex BG Halle, Germany]
- 36 O *Glottiphyllum depressum* (Haw.) N.E.Br.
XX-0-ROST-2014-F-5240
[ex BG Rostock, Germany]

Amaranthaceae

- 37 O *Amaranthus cruentus* L. 'Ficha'
XX-0-TEBLI-02391
[ex BG ČZU Praha Suchdol, Czech Republic]
- 38 O *Amaranthus cruentus* L. 'Golden Giant'
XX-0-TEBLI-02392
[ex BG Wrocław, Poland]
- 39 O *Amaranthus cruentus* L. 'Hot Biscuits'
XX-0-TEBLI-02393
[ex BG Wrocław, Poland]

- 40 O *Amaranthus tricolor* L.
 [syn. *Amaranthus melancholicus* L.]
 XX-0-TEBLI-02394
 [ex BG ČZU Praha Suchdol, Czech Republic]
- 41 O *Amaranthus-hybrid 'Hopi Red Dye'*
 XX-0-TEBLI-00588
 [ex BG Marijampolė, Lithuania]
- 42 O *Gomphrena haageana* Klotzsch 'Oranžová'
 XX-0-TEBLI-02217
 [ex Černý Seed s r.o., Czech Republic]
- 43 G *Pleuropetalum darwinii* Hook.f.
 EC-0-B-0547874
 loc. Ecuador, Galápagos Isl., Santa Cruz Isl.
 [ex BG Berlin-Dahlem, Germany]

Apiaceae

- 44 O *Angelica dahurica* (Hoffm.) Benth. & Hook.f. ex Franch. & Sav.
 XX-0-TEBLI-01814
 [ex Jelitto, Germany]
- 45 O *Astrantia trifida* Hoffm.
 XX-0-TEBLI-02395
 [ex BG Utrecht, Netherlands]
- 46 O *Bunium bulbocastanum* L.
 XX-0-BHU-F-1991-454
 [ex BG Berlin-Humboldt, Germany]
- 47 O *Eryngium ×oliverianum* F. Delaroche
 XX-0-TEBLI-02083
 [ex BG Łódź, Poland]
- 48 O *Eryngium foetidum* L.
 XX-0-BONN-26668
 [ex BG Bonn, Germany]
- 49 O *Eryngium paniculatum* Cav. & Dombey ex F.Delaroche
 CL-0-TEBLI-02084
 loc. Chile, Araucanía Region, Arauco Province, Nahuelbuta NP, coll. J. R. Haager
 & H. Šedivá
- 50 O *Eryngium yuccifolium* Michx.
 US-0-TEBLI-02218
 loc. USA, Illinois
 [ex BG Göttingen, Germany]
- 51 O *Foeniculum vulgare* Mill. 'Krajový'
 XX-0-TEBLI-01515
 [ex BG LF MU Brno, Czech Republic]

- 52 O *Myrrhis odorata* (L.) Scop.
XX-0-TEBLI-02086
[ex Zahr. Krulichovi, Czech Republic]
- 53 O *Saposhnikovia divaricata* (Turcz.) Schischk. 'BLBP 03'
XX-0-TEBLI-02396
[ex Jelitto, Germany]
- 54 O *Sium sisarum* L.
XX-0-TEBLI-02087
[ex BG LF MU Brno, Czech Republic]

Apocynaceae

- 55 O *Amsonia ciliata* var. *texana* (A.Gray) J.M.Coult.
XX-0-CLA-0368
[ex BG Cluj-Napoca, Romania]
- 56 O *Amsonia ciliata* Walter
XX-0-TUEB-615
[ex BG Tübingen, Germany]
- 57 O *Amsonia ciliata* Walter
XX-0-CLA-3528
[ex BG Cluj-Napoca, Romania]
- 58 O *Amsonia elliptica* (Thunb.) Roem. & Schult.
XX-0-TEBLI-01517
[ex BG Cluj-Napoca, Romania]
- 59 O *Amsonia hubrichtii* Woodson
US-0-TEBLI-02397
loc. USA
[ex BG Weinheim, Germany]
- 60 O *Amsonia illustris* Woodson
XX-0-TEBLI-02398
[ex BG Weinheim, Germany]
- 61 O *Amsonia ludoviciana* Small
XX-0-TEBLI-02088
[ex BG Weinheim, Germany]
- 62 O *Amsonia orientalis* Decne
XX-0-TEBLI-00810
[ex BG Lausanne, Switzerland]
- 63 O *Amsonia 'Seaford Skies'*
XX-0-TEBLI-01521
[ex BG Praha, Czech Republic]
- 64 O *Amsonia tabernaemontana* var. *salicifolia* (Pursh) Woodson
XX-0-TEBLI-01523
[ex BG Weinheim, Germany]

- 65 O *Amsonia tabernaemontana* Walter
XX-0-TEBLI-01522
[ex BG Cluj-Napoca, Romania]
- 66 O *Amsonia tharpii* Woodson
US-0-TEBLI-02220
loc. USA, New Mexico, Eddy Co., 945 m
[ex Alplains, USA]
- 67 O *Amsonia tomentosa* var. *stenophylla* Kearney & Peebles
US-0-TEBLI-02399
loc. USA, Utah, Garfield Co., 1418 m
[ex Alplains, USA]
- 68 O *Asclepias incarnata* L. 'Soulmate'
XX-0-TEBLI-01404
[ex Chiltern Seeds, UK]
- 69 G *Catharanthus trichophyllus* (Baker) Pichon
MG-0-TEBLI-00017
loc. Madagascar, Isalo Mts., coll. E. Smržová
[ex BG Praha, Czech Republic]
- 70 G *Oxypetalum coeruleum* (D.Don ex Sweet) Decne.
XX-0-TEBLI-01140
[ex BG Košice, Slovakia]

Asteraceae

- 71 O *Ageratina altissima* (L.) R.M.King & H.Rob. 'Chocolate'
XX-0-TEBLI-02221
[ex Zám. zahr. Ctěnice, Czech Republic]
- 72 O *Ageratina aromatica* (L.) Spach
XX-0-TEBLI-01542
[ex Zahr. Krulichovi, Czech Republic]
- 73 O *Ageratum maritimum* Kunth
MX-0-TEBLI-02222
loc. Mexico, Quintana Roo, Tulum, coll. M. Strnadová, 2021
- 74 O *Anaphalis margaritacea* (L.) Benth. & Hook.f. 'New Snow'
XX-0-TEBLI-01543
[ex Černý Seed s r.o., Czech Republic]
- 75 O *Arctotis fastuosa* Jacq.
XX-0-HAL-1193
[ex BG Halle, Germany]
- 76 O *Arctotis stoechadifolia* P.J.Bergius 'Schamachanskaja Zariza'
[syn. *Arctotis grandis* Thunb. 'Schamachanskaja Zariza']
XX-0-TEBLI-02400
[ex BG Cluj-Napoca, Romania]

- 77 O *Arnica angustifolia* subsp. *alpina* (L.) I.K.Ferguson
 XX-0-TEBLI-01546
 [ex BG Edmonton, Canada]
- 78 O *Arnica montana* L.
 CZ-0-TEBLI-02401
 loc. Czech Republic, Ústecký kraj, Zadní Telnice, 50°43'57.031"N, 13°55'3.371"E,
 coll. A. Frolíková
- 79 O *Aster ageratoides* Turcz. 'Asran'
 XX-0-TEBLI-02402
 [ex Pereny Hlavenec, Czech Republic]
- 80 O *Aster ageratoides* Turcz. 'Stardust'
 XX-0-TEBLI-02403
 [ex Pereny Hlavenec, Czech Republic]
- 81 O *Aster alpinus* L. 'Albus'
 XX-0-TEBLI-01547
 [ex BG Tallinn, Estonia]
- 82 O *Aster alpinus* L. 'Dark Beauty'
 XX-0-TEBLI-01548
 [ex ZBG Plzeň, Czech Republic]
- 83 O *Aster alpinus* L. 'Dunkle Schöne'
 XX-0-TEBLI-01549
 [ex BG AV Průhonice, Czech Republic]
- 84 O *Aster flaccidus* Bunge
 XX-0-TEBLI-01807
 [ex BG Bormio, Italy]
- 85 O *Aster incisus* Fisch 'Alba'
 XX-0-TEBLI-02404
 [ex Pereny Hlavenec, Czech Republic]
- 86 O *Aster incisus* Fisch 'Blue Star'
 XX-0-TEBLI-02405
 [ex Pereny Hlavenec, Czech Republic]
- 87 O *Aster koraiensis* Nakai
 XX-0-TEBLI-01575
- 88 O *Aster tataricus* L.F.
 XX-0-TEBLI-02406
 [ex BG Vácrátót, Hungary]
- 89 O *Berkheya cirsifolia* (DC.) Roessler
 ZA-0-IB-008865
 loc. Republic of South Africa
 [ex BG Innsbruck, Austria]

- 90 O *Berkheya purpurea* (DC.) Benth. & Hook.f. ex Mast. 'Silver Spikes'
 XX-0-TEBLI-01552
 [ex BG Praha, Czech Republic]
- 91 O *Berkheya radula* (Harv.) De Wild.
 XX-0-Z-20140391
 [ex BG Zürich, Switzerland]
- 92 O *Bidens cernua* L.
 CZ-0-TEBLI-02407
 loc. Czech Republic, Pardubický kraj, Lázně Bohdaneč, coll. A. Frolíková, 15. 10. 2023
- 93 O *Buphthalmum salicifolium* L.
 XX-0-TEBLI-01964
 [ex BG Nantes, France]
- 94 O *Centaurea behen* L.
 AZ-0-P-2018g137
 loc. Azerbaijan, Nakhitchevan, 1526 m, Gömur Bichenek
 [ex MNHN Paris, France]
- 95 O *Centaurea jacea* L.
 DE-0-OLD-17-030-71-10 DE
 loc. Germany, Oldenburg, Industriegebiet Neuenwege
 [ex BG Oldenburg, Germany]
- 96 O *Centaurea macrocephala* Muss. Puschk. ex Willd.
 XX-0-TEBLI-00042
 [ex BG Giessen, Germany]
- 97 O *Centaurea orientalis* L.
 RO-0-CLA-3030
 loc. Romania, Distr. Tulcea, Măcinului Mountains, 44° 29'N, 28° 26'E, 110 m,
 coll. G. Groza
 [ex BG Cluj-Napoca, Romania]
- 98 O *Centaurea solstitialis* L.
 BG-0-TEBLI-00822
 loc. Bulgaria, Vratsa Province, Bozhia Most, coll. A. Frolíková, 26. 08. 2011
- 99 O *Coreopsis auriculata* L.
 XX-0-BONN-29732
 [ex BG Bonn, Germany]
- 100 O *Coreopsis palmata* Nutt.
 XX-0-KAUN-1988-PF0241
 [ex BG Kaunas, Lithuania]
- 101 O *Coreopsis palmata* Nutt.
 XX-0-TEBLI-02408

- 102 O *Coreopsis 'Route 66'*
XX-0-TEBLI-02229
[ex Zám. zahr. Ctěnice, Czech Republic]
- 103 O *Cotula socialis* Hilliard
XX-0-TEBLI-02096
[ex BG Kursk, Russia]
- 104 O *Cotula turbinata* L.
XX-0-TEBLI-00607
- 105 O *Dahlia atropurpurea* P. D. Sørensen
XX-0-TEBLI-01968
[ex BG Krefeld, Germany]
- 106 O *Dahlia coccinea* Cav.
GT-0-TEBLI-02409
loc. Guatemala, Quetzaltenango
[ex Crûg Farm, UK]
- 107 O *Dahlia sherffii* P.D.Sørensen
MX-0-GIESS-1999-J-799
loc. Mexico, Durango County/HB Reaumur
[ex BG Giessen, Germany]
- 108 O *Dahlia sorensenii* H.V.Hansen & Hjert.
XX-0-JENA-7422103-80
[ex BG Jena, Germany]
- 109 O *Erigeron epiroticus* (Vierh.) Halácsy
BA-0-M-1998/1565
loc. Bosnia and Herzegovin, 1850 m
[ex BG München, Germany]
- 110 O *Erigeron speciosus* (Lindl.) DC.
[syn. *Erigeron speciosus* var. *macranthus* (Nutt.) Cronquist]
XX-0-TEBLI-00061
[ex BG Vácrátót, Hungary]
- 111 O *Erigeron speciosus* (Lindl.) DC. 'Ping-Pong'
XX-0-TEBLI-00828
[ex BG Kaunas, Lithuania]
- 112 O *Erigeron uniflorus* subsp. *uniflorus*
[syn. *Aster pyrenaicus* Pourr.]
XX-0-TEBLI-02410
[ex BG Caen, France]
- 113 O *Eurybia divaricata* (L.) G.L.Nesom
[syn. *Aster divaricatus* L.]
US-0-MSTR-5583
loc. USA
[ex BG Jena, Germany]

- 114 O *Eurybia divaricata* (L.) G.L.Nesom 'Tradescant'
[syn. *Aster divaricatus* L. 'Tradescant']
XX-0-TEBLI-01559
[ex Pereny Hlavenec, Czech Republic]
- 115 O *Eurybia schreberi* (Nees) Nees
US-0-JENA-7448467 -10
loc. USA, Massachusetts, Paradis Pond, Northampton (lowland), Hampshire County, 42 m
[ex BG Jena, Germany]
- 116 O *Eutrochium fistulosum* (Barratt) E.E.Lamont
[syn. *Eupatorium fistulosum* Barratt]
US-0-JENA-7000
loc. USA
[ex BG Jena, Germany]
- 117 O *Eutrochium purpureum* (L.) E.E.Lamont
[syn. *Eupatorium purpureum* L.]
XX-0-TEBLI-02411
[ex BG Caen, France]
- 118 O *Felicia aethiopica* (Burm.f.) Grau
XX-0-PRAZ-2003.19066
[ex Silverhill Seeds, South Africa via BG Praha, Czech Republic]
- 119 O *Felicia drakensbergensis* J.M.Wood & M.S.Evans
XX-0-Z-20171301
[ex BG Zürich, Switzerland]
- 120 O *Felicia tenella* (L.) Nees
XX-0-BRAUN-7512598
[ex BG Braunschweig, Germany]
- 121 O *Galatella linosyris* (L.) Rchb.f.
[syn. *Aster linosyris* (L.) Bernh.]
XX-0-TEBLI-00035
[ex Zahradní centrum, Czech Republic]
- 122 O *Grindelia integrifolia* DC.
US-0-DR-011382
loc. USA
[ex BG TU Dresden, Germany]
- 123 O *Helianthus annuus* L. 'Teddy Bear'
XX-0-TEBLI-02412
[ex Černý Seed s r.o., Czech Republic]
- 124 O *Helianthus divaricatus* L.
US-0-MJG-200113301
loc. USA, New York, Cornwall Black Rock Forest, Aleck Meadow Pond
[ex BG Mainz, Germany]

- 125 O *Helianthus mollis* Buc'hoz
 XX-0-TEBLI-02413
 [ex BG Weinheim ex Jelitto, Germany]
- 126 O *Helichrysum decorum* DC.
 XX-0-HAL-7673
 [ex BG Klagenfurt, Austria]
- 127 O *Helichrysum trilineatum* DC.
 XX-0-PRAZ-2010.01714
 [ex Holzbecher Josef via BG Praha, Czech Republic]
- 128 O *Helopsis helianthoides* L. Sweet var. *scabra* 'Bleeding Asahi'
 XX-0-TEBLI-01975
 [ex Jelitto, Germany]
- 129 O *Helopsis helianthoides* L. Sweet var. *scabra* 'Bleeding Hearts'
 XX-0-TEBLI-01975
 [ex Jelitto, Germany]
- 130 O *Heterotheca camporum* var. *gladulissima* Semple
 XX-0-TEBLI-02236
 [ex Zám. zahr. Ctěnice, Czech Republic]
- 131 O *Hieracium bombycinum* Boiss. & Reut. ex Rchb.f.
 XX-0-TEBLI-02414
 [ex BG Riga, Lithuania]
- 132 O *Hieracium maculatum* Schrank
 CZ-0-PLZEN-0941-13-20
 loc. Czech Republic, Český kras, Srbsko, Kodská rokle, 9. 5. 2013
 [ex ZBG Plzeň, Czech Republic]
- 133 O *Hieracium tomentosum* L.
 [syn. *Hieracium lanatum* Vill.]
 XX-0-TEBLI-01419
 [ex Jelitto, Germany]
- 134 O *Inula magnifica* Lipsky
 XX-0-TEBLI-01570
 [ex BG Jena, Germany]
- 135 O *Inula oculus-christi* L.
 XX-0-TEBLI-00076
 [ex BG Padova, Italy]
- 136 O *Leibnitzia anandria* (L.) Turcz.
 XX-0-TEBLI-02415
 [ex BG Reykjavík, Iceland]
- 137 O *Leucanthemella serotina* (L.) Tzvelev
 XX-0-TEBLI-00999
- 138 O *Leucanthemum maximum* (Ramond) DC. 'Stern von 'Antwerpen'
 XX-0-TEBLI-02416

- 139 O *Ligularia hodgsonii* Hook.f.
 XX-0-TEBLI-00089
 [ex BG Reykjavík, Iceland]
- 140 O *Monoculus hyoseroides* (DC.) B.Nord.
 XX-0-LZ-SYS-116-2018
 [ex BG Leipzig, Germany]
- 141 O *Parthenium integrifolium* L.
 XX-0-TEBLI-01576
 [ex BG St. Louis, USA]
- 142 O *Pseudogynoxys chenopodioides* (Kunth) Cabrera
 [syn. *Senecio confusus* Britten]
 XX-0-TEBLI-02417
 [ex Zahr. Cinke Žatec, Czech Republic]
- 143 O *Ptilostemon afer* (Jacq.) Greuter
 XX-0-ROST-2003-F-3253
 [ex BG Rostock, Germany]
- 144 O *Ratibida columnifera* (Nutt.) Wooton & Standl.
 XX-0-JENA-7247577
 [ex BG Jena, Germany]
- 145 O *Rudbeckia fulgida* Aiton 'Goldstrum'
 XX-0-TEBLI-02418
- 146 O *Rudbeckia subtomentosa* Pursh 'Henry Eilers'
 XX-0-TEBLI-02419
 [ex Zám. zahr. Ctěnice, Czech Republic]
- 147 O *Scorzonera hispanica* L.
 DE-0-BR-1997115519
 loc. Germany, Hambruk, Billbrook
 [ex BG Meise, Belgium]
- 148 O *Senecio polyodon* DC.
 XX-0-TEBLI-02103
 [ex Jelitto, Germany]
- 149 O *Schkuhria pinnata* (Lam.) Kuntze ex Thell.
 XX-0-NCY-20070127G
 [ex BG Nancy, France]
- 150 O *Solidago caesia* L.
 XX-0-TEBLI-01586
 [ex BG Průhonice, Czech Republic]
- 151 O *Solidago flexicaulis* L.
 US-0-JENA-7257255
 loc. USA, Michigan, Ingham Co., mesic southern, 253 m, 42°43'N, 84°27'W
 [ex BG Jena, Germany]

- 152 O *Solidago chilensis* Meyen
CL-0-TEBLI-01978
loc. Chile, Araucanía Region, Malalcahuello-Nalcas, coll. J. R. Haager & H. Šedivá
- 153 O *Solidago odora* Ait.
US-0-MO-2017-2722
loc. USA, Missouri, Stoddard Co., coll. 17. 10. 2017
[ex BG St. Louis, USA]
- 154 O *Solidago ptarmicoides* (Torr. & A.Gray) B.Boivin
XX-0-TUEB-619
[ex BG Tübingen, Germany]
- 155 O *Solidago roanensis* Porter
XX-0-PRAZ-2010.02660
[ex BG Praha, Czech Republic]
- 156 O *Symphyotrichum ontarionis* (Wiegand) G.L.Nesom
XX-0-TEBLI-01834
[ex BG LF MU Brno, Czech Republic]
- 157 O *Symphyotrichum puniceum* (L.) Å.Löve & D.Löve
CA-0-TEBLI-02420
loc. Canada, Gros Morne National Park
[ex BG Münster, Germany]
- 158 O *Symphyotrichum turbinellum* (Lindl.) G.L.Nesom
[syn. *Aster turbinellus* Lindl. in Hook.]
US-0-HBG-2004-F-154
loc. USA
[ex BG Hamburg, Germany]
- 159 O *Tanacetum macrophyllum* (Waldst. & Kit.) Sch.Bip
XX-0-TEBLI-01595
[ex Zahr. Krulichovi, Czech Republic]
- 160 O *Tripleurospermum caucasicum* (Willd) Hayek
[syn. *Chrysanthemum caucasicum* (Willd.) Pers.]
XX-0-TEBLI-00092
- 161 O *Ursinia anethoides* N.E.Br.
XX-0-HAL-5492
[ex BG Halle, Germany]
- 162 O *Ursinia speciosa* DC.
XX-0-HAL-5493
[ex BG Halle, Germany]
- 163 O *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A.Gray
XX-0-BR-100001654
[ex BG Leipzig, Germany]

- 164 O *Vernonia arkansana* DC. 'Alba'
XX-0-TEBLI-01294
[ex Zám. zahr. Ctěnice, Czech Republic]
- 165 O *Vernonia gigantea* (Walter) Trel.
XX-0-TEBLI-01598
[ex BG Vácrátót, Hungary]
- 166 O *Vernonia lettermannii* Engelm. ex A. Gray
XX-0-TEBLI-01162
[ex BG Weinheim, Germany]
- 167 O *Vernonia noveboracensis* (L.) Willd.
XX-0-TEBLI-02247
- 168 O *Viguiera revoluta* (Meyen) S.F.Blake
XX-0-TEBLI-02421
[ex Chileflora, Chile]
- 169 O *Zinnia angustifolia* Kunth
MX-0-DR-004230
loc. Mexico
[ex BG TU Dresden, Germany]

Begoniaceae

- 170 G *Begonia blancii* M.Hughes
XX-0-TEBLI-02422
[ex BG Liberec, Czech Republic]
- 171 O *Begonia boliviensis* A.DC 'Copacabana White'
XX-0-TEBLI-02423
[ex Černý Seed s r.o., Czech Republic]
- 172 G *Begonia carolineifolia* Regel
XX-0-JENA-7308296
[ex BG Jena, Germany]
- 173 G *Begonia engleri* Gilg
XX-0-FRP-16531 2008 581
[ex BG Potsdam, Germany]
- 174 G *Begonia parilis* Irmsch.
XX-0-TEBLI-02249
[ex BG Liberec, Czech Republic]
- 175 G *Begonia roezlii* Regel
XX-0-TEBLI-02424
[ex BG Lyon, France]
- 176 G *Begonia solananthera* A.DC.
XX-0-M-1969/1016
[ex BG München, Germany]

Bignoniaceae

- 177 O *Tecoma stans* (L.) Kunth
XX-0-TEBLI-02425
[ex BG Konstanz, Germany]

Boraginaceae

- 178 G *Cordia obovata* Balf.f.
YE-0-TEBLI-00635
loc. Yemen, Socotra, Qaysoh Wadi, coll. V. Bejček, 2003
- 179 O *Decalepidanthus primuloides* (Decne) Dickoré & Hilger
[syn. *Mertensia primuloides* (Decne.) C.B.Clarke]
XX-0-FB-3578
[ex BG Leipzig, Germany]
- 180 O *Lithospermum erythrorhizon* Siebold & Zucc.
XX-0-TEBLI-02106
[ex BG La Gacilly, France]
- 181 O *Moltkia petraea* (Tratt.) Griseb.
XX-0-TEBLI-01840
[ex Jelitto, Germany]
- 182 O *Pardoglossum cheirifolium* (L.) E.Barbier & Mathez
XX-0-TEBLI-02426
[ex BG Lautaret, France]
- 183 O *Phacelia bolanderi* A. Gray
XX-0-KL-2016/3831
[ex BG Leipzig, Germany]
- 184 O *Phacelia congesta* Hook.
XX-0-TEBLI-02427
[ex BG Krefeld, Germany]

Brassicaceae

- 185 O *Aethionema „antitaurus“* Boiss.
XX-0-TEBLI-01297
[ex BG St. Andrews, UK]
- 186 O *Aethionema armenum* Boiss
XX-0-TEBLI-00134
[ex BG Wien-Belvedere, Austria]
- 187 O *Aethionema grandiflorum* Boiss. & Hohen.
XX-0-TEBLI-02250
[ex BG MZLU Brno, Czech Republic]

- 188 O *Aubrieta columnae* subsp. *Croatica* (Schott, Nyman & Kotschy) Mattf.
 XX-0-HAL-1992
 [ex BG Halle, Germany]
- 189 O *Aubrieta deltoidea* (L.) DC.
 TR-0-GZU-02 710002
 loc. Turkey, Antalya, Saklikent, ca 800–900 m, leg. F. Steffan 2002
 [ex BG Graz, Austria]
- 190 O *Aubrieta gracilis* Spruner ex Boiss.
 XX-0-HAL-1996
 [ex BG Halle, Germany]
- 191 O *Coluteocarpus vesicaria* (L.) Holmboe
 XX-0-LI-6615
 [ex BG Linz, Austria]
- 192 O *Erysimum ×cheiri* (L.) Crantz 'Sunset Red'
 XX-0-TEBLI-01166
 [ex Chiltern Seeds, UK]
- 193 O *Erysimum jugicola* Jord.
 XX-0-TEBLI-02110
 [ex BG Jibou, Romania]
- 194 O *Isatis tinctoria* L.
 XX-0-TEBLI-00643
 [ex BG Greifswald, Germany]
- 195 O *Lunaria annua* L.
 CZ-0-TEBLI-02254
 loc. Czech Republic, North Bohemia, Charvatce u Loun, 50°25'34.639"N,
 13°48'43.870"E, coll. L. Frolíková, 2012
- 196 O *Lunaria annua* L. [white flowers]
 XX-0-TEBLI-02428
 [ex semena.cz, Czech Republic]
- 197 O *Alyssum montanum* L.
 XX-0-TR-20060100
 [ex BG Trento, Italy]

Campanulaceae

- 198 O *Adenophora khasiana* (Hook. f. & Thomson) Oliv. ex Collett & Hemsl.
 [syn. *Adenophora bulleyana* Diels]
 XX-0-TEBLI-00156
 [ex BG Vácrátót, Hungary]
- 199 O *Campanula alliariifolia* subsp. *alliariifolia*
 [syn. *Campanula ochroleuca* (Kem.-Nath.) Kem.-Nath.]
 XX-0-LI-7481
 [ex BG Linz, Austria]

- 200 O *Campanula alpestris* All.
 XX-0-TEBLI-01610
 [ex BG Olomouc, Czech Republic]
- 201 O *Campanula alpina* Jacq.
 XX-0-TEBLI-01611
 [ex BG Wien-Belvedere, Austria]
- 202 O *Campanula bayerniana* Rupr.
 XX-0-TEBLI-01984
 [ex BG Gatineau, Canada]
- 203 O *Campanula carpatica* Jacq.
 XX-0-TEBLI-02256
 [ex BG Izhevsk, Russia]
- 204 O *Campanula cervicaria* L.
 DE-0-UNKAR-2011-4976
 loc. Germany
 [ex BG Karlsruhe, Germany]
- 205 O *Campanula collina* Sims
 XX-0-REYK-1993/007
 [ex BG Reykjavík, Iceland]
- 206 O *Campanula gorganica* Ten.
 XX-0-TEBLI-02429
 [ex BG Cluj-Napoca, Romania]
- 207 O *Campanula nobilimacrantha* Regel
 XX-0-TEBLI-01847
 [ex BG Vilnius, Lithuania]
- 208 O *Campanula persicifolia* L.
 XX-0-TEBLI-02430
 [ex BG Eger, Hungary]
- 209 O *Campanula scheuchzeri* Vill.
 CH-0-STGAL-21128
 loc. Switzerland, Weissbad, Wedhapfen, 940 m, coll. 15. 9. 2012
 [ex BG St. Gallen, Switzerland]
- 210 O *Campanula speciosa* Pourr.
 XX-0-HOH-SYS-1822
 [ex BG Stuttgart-Hohenheim, Germany]
- 211 O *Jasione crispa* (Pourr.) Samp.
 XX-0-TEBLI-00188
 [ex BG Aarhus, Denmark]
- 212 O *Jasione laevis* Lam.
 XX-0-TEBLI-01848
 [ex BG Šiauliai, Lithuania]

- 213 O *Lobelia siphilitica* L.
XX-0-TEBLI-01173
[ex BG Linz, Austria]

Caprifoliaceae

- 214 O *Lomelosia crenata* subsp. *Pseudisetensis* (Lacaita) Greuter & Burdet
XX-0-TEBLI-01619
[ex BG S.Eufemia a Maiella, Italy]
- 215 O *Scabiosa columbaria* L.
XX-0-TEBLI-01620
[ex BG Konstanz, Germany]
- 216 O *Scabiosa columbaria* L. 'Misty Butterflies'
XX-0-TEBLI-01175
[ex Jelitto, Germany]
- 217 O *Scabiosa columbaria* L. 'Pincushion Pink'
XX-0-TEBLI-01176
[ex Jelitto, Germany]
- 218 O *Scabiosa ochroleuca* L.
MK-0-TEBLI-02262
loc. Macedonia, Babuna, Treskavec, coll. A. Frolíková, 30. 7. 2015
- 219 O *Succisa pratensis* Moench
CZ-0-PLZEN-4134-97-20
loc. Czech Republic, Western Bohemia, Hnačov, around pond, 550 m, coll. V. Pešková, 1997
[ex ZBG Plzeň, Czech Republic]

Caryophyllaceae

- 220 O *Atocion armeria* (L.) Raf.
XX-0-TEBLI-02431
[ex BG Konstanz, Germany]
- 221 O *Cerastium alpinum* L. var. *Lanatum*
XX-0-TEBLI-02432
[ex BG Bormio, Italy]
- 222 O *Dianthus acicularis* Fisch. Ex Ledeb.
XX-0-TEBLI-01990
[ex BG Linz, Austria]
- 223 O *Dianthus alpinus* L.
XX-0-LI-8718
[ex BG Linz, Austria]
- 224 O *Dianthus anatolicus* Boiss.
XX-0-TEBLI-01177
[ex BG Cluj-Napoca, Romania]

- 225 O *Dianthus arenarius* L.
 XX-0-TEBLI-02433
 [ex BG Tábor, Czech Republic]
- 226 O *Dianthus broteri* Boiss. & Reut.
 XX-0-TEBLI-00208
 [ex BG Bormio, Italy]
- 227 O *Dianthus carthusianorum* L.
 XX-0-FB-2398
 [ex BG Freiburg, Germany]
- 228 O *Dianthus diffusus* Sm.
 [syn. *Dianthus pubescens* Sm.]
 TR-0-GENT-19970105
 loc. Turkey, Yamanlardagi-Izmir
 [ex BG Gent, Belgium]
- 229 O *Dianthus giganteiformis* subsp. *pontederae* (A.Kern.) Soó
 XX-0-TEBLI-01856
 [ex BG Průhonice, Czech Republic]
- 230 O *Dianthus henteri* Heuff. ex Griseb. & Schenk
 RO-0-CLA-3040
 loc. Romania, Retezat Mountains, 45°22'N 22°33'E, 1400 m [coll. G. Groza, 2000]
 [ex BG Cluj-Napoca, Romania]
- 231 O *Dianthus chinensis* L.
 [syn. *Dianthus amurensis* Jacques]
 XX-0-HAL-7698
 [ex BG Halle, Germany]
- 232 O *Dianthus knappii* Asch. ex Nyman
 XX-0-HAL-5599
 [ex BG Halle, Germany]
- 233 O *Dianthus nardiformis* Janka
 XX-0-TEBLI-02434
 [ex BG Klaipéda, Lithuania]
- 234 O *Dianthus praecox* subsp. *lumnitzeri* (Wiesb.) Kmet'ová
 [syn. *Dianthus plumarius* subsp. *lumnitzeri* (Wiesb.) Domin]
 XX-0-TEBLI-00230
 [ex BG MU Brno, Czech Republic]
- 235 O *Dianthus praecox* subsp. *lumnitzeri* (Wiesb.) Kmet'ová
 [syn. *Dianthus plumarius* subsp. *lumnitzeri* (Wiesb.) Domin]
 XX-0-TEBLI-01305
 [ex BG Wien-Belvedere, Austria]
- 236 O *Dianthus pyrenaicus* Pourr.
 XX-0-TEBLI-01181
 [ex BG Cluj-Napoca, Romania]

- 237 O *Dianthus pyrenaicus* Pourr.
 XX-0-TEBLI-01859
 [ex BG Petrozavodsk, Russia]
- 238 O *Dianthus ruprechtii* Schischk. ex Grossh.
 XX-0-TEBLI-01993
 [ex BG Šiauliai, Lithuania]
- 239 O *Dianthus sylvestris* subsp. *tergestinus* (Rchb.) Hayek
 XX-0-TEBLI-01860
 [ex BG Barnaul, Russia]
- 240 O *Dianthus turkestanicus* Preobr.
 XX-0-HAL-2589
 [ex BG Halle, Germany]
- 241 O *Dianthus turkestanicus* Preobr.
 XX-0-LZ-S-27-2011
 [ex BG Leipzig, Germany]
- 242 O *Dianthus webbianus*
 [syn. *Dianthus erinaceus* Boiss.]
 XX-0-TEBLI-01027
 [ex BG Bormio, Italy]
- 243 O *Dianthus webbianus*
 [syn. *Dianthus erinaceus* Boiss.]
 TR-0-M-2001/1328
 loc. Turkey, W-Anatolia, Kaz-Dag, 1700 m
 [ex BG München, Germany]
- 244 O *Gypsophila libanotica* Boiss.
 XX-0-TEBLI-01632
 [ex BG Łódź, Poland]
- 245 O *Gypsophila pacifica* Komarov
 XX-0-TEBLI-01434
 [ex BG MZLU Brno, Czech Republic]
- 246 O *Gypsophila repens* L. 'Filou Rosa'
 XX-0-TEBLI-02435
 [ex Jelitto, Germany]
- 247 O *Silene atropurpurea* (Griseb.) Greuter & Burdet
 XX-0-ULM-1992-F-118
 [ex BG Ulm, Germany]
- 248 O *Silene caroliniana* subsp. *wherryi* (Small) R.T. Clausen
 XX-0-TEBLI-01635
 [ex Jelitto, Germany]
- 249 O *Silene caucasica* (Bunge) Boiss.
 XX-0-LZ-S-79-2006
 [ex BG Leipzig, Germany]

- 250 O *Silene dinarica* Spreng.
 XX-0-TEBLI-00665
 [ex BG St. Andrews, UK]
- 251 O *Silene elisabethae* Jan
 IT-0-Z-19971146
 loc. Italy
 [ex BG Frankfurt, Germany]
- 252 O *Silene flos-jovis* (L.) Greuter & Burdet 'Nana'
 [syn. *Lychnis flos-jovis* (L.) Desr.]
 XX-0-TEBLI-00857
 [ex BG Debrecen, Hungary]
- 253 O *Silene chalcedonica* (L.) E.H.L.Krause
 [syn. *Lychnis chalcedonica* L.]
 XX-0-TEBLI-01189
 [ex BG Linz, Austria]
- 254 O *Silene chungtienensis* W.W. Sm.
 CN-TEBLI-00667
 loc. China, Yunnan Province, Zhongdian Plateau, 3659 m
 [ex BG Marburg and BG Halle, Germany]
- 255 O *Silene otites* (L.) Wibel
 AT-0-WU-0030513
 loc. Austria, Siegendorf, NSG Siegendorfer Pussta, semiarid grassland, 170 m,
 coll. 11. 07. 2019
 [ex BG Wien-Universität, Austria]
- 256 O *Silene samojedorum* (Sambuk) Oxelman
 XX-0-TEBLI-00243
 [ex BG St. Andrews, UK]
- 257 O *Silene saxifraga* L.
 [syn. *Silene petraea* Waldst. & Kit.]
 XX-0-TEBLI-00246
 [ex BG Wien-Belvedere, Austria]
- 258 O *Silene suecica* (Lodd.) Greuter & Burdet
 NO-0-TEBLI-02436
 loc. Norway: Møre og Romsdal, Volda, Nordre Bjørkedalen. By Nørdalsvegen,
 between the farms Torgarden and Holmekv, northwest of the path.
 Southwestfacing slope on olivine. 2015-08-11. Heidi Lie Andersen, Solfrid
 Hjelmtveit, Bjørn Moe, Bodil Oma & Jenny Smedmark.
 [ex BG Bergen, Norway]
- 259 O *Silene viscaria* Jess.
 XX-0-TEBLI-02267
 [ex BG Schellerhau, Germany]

Cistaceae

- 260 O *Cistus laurifolius* L.
XX-0-TEBLI-02120
[ex BG MZLU Brno, Czech Republic]
- 261 O *Cistus sintenisi* Litard.
[syn. *Cistus albanicus* E.F.Warb. Ex Heywood]
XX-0-TEBLI-02437
[ex BG Konstanz, Germany]
- 262 O *Helianthemum apenninum* (L.) Mill.
FR-0-B-0721197
loc. France, Epagne, Dép. Côte-d'Or [coll. Botanical Garden Dijon]
[ex BG Berlin-Dahlem, Germany]

Crassulaceae

- 263 O *Hylotelephium maximum* (L.) J.Holub
NO-0-TEBLI-02438
loc. Norway, Oslo, Lillomarka by Tonsenhagen, 59°56'43.955"N, 10°50'7.066"E,
coll. Kristina Bjureke, 22. 10. 2016
[ex BG Oslo, Norway]
- 264 O *Sempervivum carpathicum* Wettst. ex Prodan
XX-0-TEBLI-02439
[ex BG Košice, Slovakia]
- 265 O *Sempervivum ruthenicum* Schnittsp. & C.B.Lehm
[syn. *Sempervivum zeleborii* Schott]
XX-0-DR-004694
[ex BG TU Dresden, Germany]

Cucurbitaceae

- 266 O *Cucumis anguria* L. 'Liso Calcutta'
XX-0-TEBLI-02440
[ex BG Bayreuth, Germany]
- 267 O *Cyclanthera pedata* Schrad.
XX-0-BRAUN-7216643
[ex BG Braunschweig, Germany]

Dioscoreaceae

- 268 G *Dioscorea polystachya* Turcz.
XX-0-TEBLI-01495
[ex BG Düsseldorf, Germany]

- 269 G *Dioscorea polystachya* Turcz. 'Takoro Mairo'
 [syn. *Dioscorea batatas* Decne. 'Takoro Mairo']
 XX-0-TEBLI-02441
 [ex BG Konstanz, Germany]

Ericaceae

- 270 O *Oxydendrum arboreum* (L.) DC.
 XX-0-TEBLI-02274
- 271 G *Sphyrospermum buxifolium* Poepp. & Endl.
 XX-0-TEBLI-00860
 [ex BG New York – Bronx Park, USA]
- 272 G *Sphyrospermum cordifolium* Benth.
 XX-0-TEBLI-00861
 [ex BG New York – Bronx Park, USA]
- 273 G *Sphyrospermum ellipticum* Sleumer
 EC-0-TEBLI-01193
 loc. Ecuador
 [ex BG Praha, Czech Republic]
- 274 O *Zenobia pulverulenta* (W.Bartram ex Willd.) Pollard
 XX-0-TEBLI-02275

Fabaceae

- 275 O *Colutea persica* Boiss.
 XX-0-TEBLI-02122
 [ex BG Izmir, Turkey]
- 276 O *Cytisus nigricans* L.
 [syn. *Lembotropis nigricans* (L.) Griseb.]
 PL-0-TEBLI-02442
 loc. Poland, Łopiennik Górnny, 51°2'0.000"N, 23°3'0.000"E
 [ex BG Lublin, Poland]
- 277 G *Dichrostachys cinerea* (L.) Wight & Arn.
 CU-0-TEBLI-01867
 loc. Cuba, Granma, Río Cauta, coll. Baßler
 [ex BG Berlin-Dahlem, Germany]
- 278 O *Lathyrus oleraceus* Lam. ,Ezethas Krombek Blauwshok'
 [syn. *Pisum sativum* L. ,Ezethas Krombek Blauwshok']
 XX-0-TEBLI-02443
 [ex BG Šiauliai, Lithuania]
- 279 O *Lotus maritimus* L.
 CZ-0-TEBLI-02444
 loc. Czech Republic, Středočeský kraj, Uhlířská Lhota, 50°4'40.863"N,
 15°22'46.536"E, coll. A. Frolíková

- 280 O *Ononis fruticosa* L.
 XX-0-BGAT-0004606
 [ex BG Wien-Belvedere, Austria]
- 281 O *Rhynchosia caribaea* (Jacq.) DC.
 XX-0-TEBLI-02445
 [ex BG La Gacilly, France]
- 282 G *Rhynchosia phaseoloides* (Sw.) DC.
 XX-0-STGAL-161/1980
 [ex BG St. Gallen, Switzerland]
- 283 O *Sophora davidii* (Franch.) Pavol.
 XX-0-GENT-20011234
 [ex BG Gent, Belgium]
- 284 O *Spartium junceum* L.
 XX-0-TEBLI-01869
 [ex Jan Šmíd, Czech Republic]
- 285 O *Spartium junceum* L.
 HR-0-TEBLI-02446
 loc. Croatia, Cres island, Valun, 44°54'15.953"N, 14°21'29.079"E,
 coll. A. Frolíková

Gentianaceae

- 286 O *Gentiana algida* var. *purdomii* (C.Marquand) T.N.Ho
 XX-0-TEBLI-02447
 [ex BG Łódź, Poland]
- 287 O *Gentiana decumbens* L.f.
 XX-0-TEBLI-02448
 [ex BG Jena, Germany]
- 288 O *Gentiana decumbens* L.f.
 XX-0-TEBLI-01870
 [ex BG Halle, Germany]
- 289 O *Gentiana olivieri* Griseb.
 XX-0-TEBLI-02449
 [ex BG Šiauliai, Lithuania]
- 290 O *Gentiana pannonica* Scop.
 XX-0-BAYRT-23286
 [ex BG Bayreuth, Germany]
- 291 O *Gentiana puberulenta* J.S.Pringle
 XX-0-TEBLI-01660
 [ex BG Edmonton, Canada]

Hypericaceae

- 292 O *Hypericum ascyron* L.
US-0-HBG-2011-F-102
loc. USA, Iowa, Custer Hights, coll. 11. 10. 2018
[ex BG Hamburg, Germany]
- 293 O *Hypericum forrestii* (Chitt.) N.Robson
XX-0-TEBLI-02450
[ex BG Besançon, France]
- 294 O *Hypericum kouytchense* H.Lév
XX-0-TEBLI-02289
- 295 O *Hypericum olympicum* L.
XX-0-TEBLI-02451
[ex BG Bochum, Germany]
- 296 O *Hypericum polyphyllum* Boiss. & Balansa
XX-0-BGAT-0004837
[ex BG Wien-Belvedere, Austria]
- 297 O *Hypericum pseudohenryi* N.Robson
CN-0-PLZEN-1733-00-40
loc. China
[ex ZBG Plzeň, Czech Republic]
- 298 O *Hypericum reptans* Hook.f. & Thomson ex Dyer
XX-0-TEBLI-01872
[ex BG Wien-Belvedere, Austria]

Lamiaceae

- 299 O *Callicarpa cathayana* C.H.Chang
XX-0-TEBLI-02453
[ex Rein en Mark Bulk, Germany]
- 300 O *Callicarpa dichotoma* (Lour.) K.Koch 'Shirobana'
XX-0-PRAZ-2000.01798
[ex BG Praha, Czech Republic]
- 301 O *Callicarpa membranacea* C.H.Chang
XX-0-HOH-E-EG-227
[ex BG Stuttgart-Hohenheim, Germany]
- 302 O *Callicarpa membranacea* C.H.Chang
XX-0-TEBLI-01039
- 303 O *Callicarpa shikokiana* Makino
XX-0-TEBLI-02454
[ex BG Vácrátót, Hungary]

- 304 O *Cedronella canariensis* (L.) Webb & Berthel.
 ES-0-KIEL-1985 2675-70-100
 loc. Spain
 [ex BG Kiel, Germany]
- 305 O *Clerodendrum trichotomum* Thunb.
 [syn. *Clerodendrum trichotomum* var. *fragesii* (Dode) Rehder]
 XX-0-TEBLI-01664
- 306 O *Discretitheca nepalensis* (Moldenke) P.D.Cantino
 XX-0-TEBLI-02126
- 307 O *Elsholtzia stauntonii* Benth.
 XX-0-BONN-21421
 [ex BG Bonn, Germany]
- 308 O *Melissa officinalis* L. 'Mandarina'
 XX-0-TEBLI-02291
 [ex Jean-Luc Gatard, France]
- 309 O *Mentha longifolia* (L.) L.
 [syn. *Mentha longifolia* subsp. *lavandulacea* (Willd.) Briq.]
 XX-0-TEBLI-02455
 [ex Mr. Szkukálek]
- 310 O *Monarda bradburiana* Beck
 XX-0-TEBLI-00689
- 311 O *Monarda media* Willd.
 XX-0-TEBLI-00690
 [ex BG Praha, Czech Republic]
- 312 O *Nepeta subsessilis* Maxim.
 XX-0-TEBLI-02456
 [ex Pereny Hlavenec, Czech Republic]
- 313 O *Nepeta subsessilis* Maxim. 'Washfield'
 XX-0-TEBLI-02457
 [ex Pereny Hlavenec, Czech Republic]
- 314 O *Ocimum carnosum* Link & Otto ex Benth.
 XX-0-TEBLI-02458
 [ex BG Ventimiglia, Italy]
- 315 O *Ocimum gratissimum* L. [eugenol aroma]
 XX-0-TEBLI-02459
 [ex BG Kiel, Germany]
- 316 O *Ocimum gratissimum* L. [thymol aroma]
 TG-0-MB-1974/19
 loc. Togo, Lome, coll. prof. Otto
 [ex BG Frankfurt, Germany]

- 317 O *Ocimum kilimandscharicum* Gürke
 XX-0-BONN-27895
 [ex BG Caen, France]
- 318 O *Ocimum tenuiflorum* L.
 XX-0-TEBLI-02008
 [ex BG La Gacilly, France]
- 319 O *Origanum vulgare* L. 'Hot and Spicy'
 XX-0-TEBLI-02129
 [ex BG Praha, Czech Republic]
- 320 O *Perilla frutescens* var. *crispa* (Thunb.) H.Deane
 XX-0-TEBLI-02460
 [ex BG Wroclaw, Poland]
- 321 O *Perilla frutescens* var. *crispa* (Thunb.) H.Deane
 [syn. *Perilla frutescens* var. *nankinensis* Britton]
 XX-0-TEBLI-02461
 [ex BG Krefeld, Germany]
- 322 O *Phlomis russeliana* (Sims) Lag. ex Benth.
 XX-0-LZ-S-73-2013
 [ex BG Leipzig, Germany]
- 323 O *Phlomoides tuberosa* (L.) Moench
 [syn. *Phlomis tuberosa* L.]
 XX-0-TEBLI-01673
- 324 O *Physostegia virginiana* Benth. 'Bouquet Rose'
 XX-0-TEBLI-02296
- 325 G *Pogostemon cablin* Benth.
 XX-0-TEBLI-02462
 [ex BG Kiel, Germany]
- 326 O *Prunella grandiflora* (L.) Turra
 FR-0-BR-1999129075
 loc. France
 [ex BG Jena, Germany]
- 327 O *Salvia glutinosa* L.
 XX-0-ROST-2003-F-1028
 [ex BG Rostock, Germany]
- 328 O *Salvia miltiorrhiza* Bunge 'BLBP 01'
 XX-0-TEBLI-01677
 [ex Jelitto, Germany]
- 329 O *Salvia pachyphylla* Epling ex Munz
 XX-0-TEBLI-02463
 [ex Jelitto, Germany]
- 330 O *Salvia repens* Burch. ex Benth.
 XX-0-TEBLI-01886

- [ex BG Lublin, Poland]
- 331 O *Salvia scabra* Thunb.
XX-0-TEBLI-01680
- 332 O *Salvia sclarea* L.
XX-0-TEBLI-00333
- 333 O *Salvia stenophylla* Burch. ex Benth.
XX-0-BRUGL-2017-0278
[ex BG Basel, Switzerland]
- 334 O *Santolina rosmarinifolia* L.
XX-0-TEBLI-01831
[ex BG LF MU Brno, Czech Republic]
- 335 O *Satureja hortensis* L.
XX-0-TEBLI-02297
[ex BG Wroclaw, Poland]
- 336 O *Satureja montana* L.
XX-0-TEBLI-02464
- 337 O *Satureja montana* L. 'Citriodora'
HR-0-GZU-00 500098
loc. Croatia, Krk, limestone mountains behind Bunculuka, leg. N. Posch
[ex BG Graz, Austria]
- 338 O *Satureja spinosa* L.
GR-0-B-2858185
loc. Greece, Crete, Eparchia, Kidhonia/Sfakia, Rinne, between Doline Xerolimni
and Mitato, 1600m, leg. Risso s.n.
[ex BG Berlin-Dahlem, Germany]
- 339 O *Scutellaria alpina* L.
XX-0-TEBLI-02465
[ex BG Šiauliai, Lithuania]
- 340 O *Scutellaria alpina* L.
XX-0-TEBLI-02134
[ex BG Riga, Lithuania]
- 341 G *Scutellaria aurata* Lem.
XX-0-TEBLI-01328
[ex BG Ulm, Germany]
- 342 O *Scutellaria baicalensis* Georgi
XX-0-TEBLI-00339
[ex BG Łódź, Poland]
- 343 O *Scutellaria incana* Spreng.
XX-0-GENT-19802324
[ex BG Gent, Belgium]

- 344 O *Scutellaria zhongdianensis* auct.
XX-0-TEBLI-00340
[ex BG Praha, Czech Republic]
- 345 O *Stachys affinis* Bunge
XX-0-HAL-5308
[ex BG Halle, Germany]
- 346 O *Stachys byzantina* K.Koch
TR-0-GIESS-2009-J-371
loc. Turkey, 50 km SW Sinop, ruderal roadside, 1100 m
[ex BG Giessen, Germany]
- 347 O *Stachys coccinea* Ortega
US-0-TEBLI-02466
loc. USA, Graham Co., 2134 m
[ex Alplains, USA]
- 348 O *Stachys macrantha* (K.Koch) Stearn 'Superba'
XX-0-TEBLI-01331
[ex BG Stuttgart, Germany]
- 349 O *Teucrium hircanum* L. 'Paradise Delight'
XX-0-TEBLI-02467
[ex BG Krefeld, Germany]
- 350 O *Teucrium orientale* L.
GE-0-M-2012/2456
loc. Georgia, Samtshke-Javakheti, between Borjomi and Bakuriani, near Tsagveri,
41° 48.334'N, 43°28.648 E, 1000 m
[ex BG München, Germany]
- 351 O *Vitex agnus-castus* L.
HR-0-TEBLI-02468
loc. Croatia, Cres island, Valun beach, 44°54'11.588"N 14°21'51.404"E,
coll. A. Frolíková
- 352 O *Vitex negundo* L.
XX-0-TEBLI-01889
[ex BG Praha, Czech Republic]

Linaceae

- 353 O *Linum altaicum* Ledeb. ex Juz.
XX-0-KIEL-1989-5965-70-10
[ex BG Kiel, Germany]
- 354 O *Linum tauricum* Willd.
XX-0-POTSD-2006-1339-1
[ex BG Potsdam, Germany ex RHS Garden Wisley]

Loasaceae

- 355 O *Loasa tricolor* Ker Gawl.
XX-0-LZ-AD-484-2006
[ex BG Leipzig, Germany]
- 356 O *Nasa triphylla* (Juss.) Weigend
PE-0-BONN-37113
loc. Peru
[ex BG Darmstadt, Germany ex BG Bonn, Germany]

Malvaceae

- 357 G *Abroma augusta* (L.) L.f.
XX-0-TEBLI-00350
[ex Sunshine Seeds, Germany]
- 358 G *Callianthe peruviana* (Lam.) Dorr
[syn. *Abutilon peruvianum* (Lam.) Kearney]
XX-0-TEBLI-02469
[ex BG Bordeaux, France]
- 359 G *Hibiscus calyphyllus* Cav.
XX-0-TEBLI-00705
- 360 O *Hibiscus moscheutos* L.
[syn. *Hibiscus palustris* L.]
US-0-DR-013008
loc. USA
[ex BG TU Dresden, Germany]
- 361 O *Hibiscus moscheutos* L.
[syn. *Hibiscus palustris* L.]
US-0-TEBLI-02300
loc. USA, Michigan, Monroe Co.
[ex BG East Lansing, USA]
- 362 O *Hibiscus moscheutos* L. 'Galaxy'
XX-0-TEBLI-01695
[ex Jelitto, Germany]
- 363 G *Hibiscus pedunculatus* L. f.
XX-0-TEBLI-00708
[ex BG Berlin-Dahlem, Germany]
- 364 O *Palaua concinna* I.M.Johnst.
CL-0-TEBLI-02470
loc. Chile, Antofagasta Region, Antofagasta Province, Paposo, Quebrada Paposo,
coll. J. R. Haager & H. Šedivá

- 365 O *Palaua trisepala* Hochr.
PE-0-LZ-ZG-13-2008
loc. Peru
[ex BG Leipzig, Germany]
- 366 O *Sidalcea oregana* (Nutt. Ex Torr. & A. Gray) A. Gray
XX-0-TEBLI-02137
[ex BG Saint Petersburg, Russia]

Melastomataceae

- 367 G *Medinilla succulenta* Korth. ex Blume
ID-0-TEBLI-02139
loc. Borneo, Sarawak, Baram River
[ex BG Frankfurt, Germany via BG Praha, Czech Republic]

Moraceae

- 368 O *Broussonetia papyrifera* (L.) Vent.
RO-0-IAGB19849774G
[ex BG Iași, Romania]

Myricaceae

- 369 O *Myrica gale* L.
XX-0-TEBLI-01903
[ex BG Bordeaux, France]
- 370 O *Myrica pensylvanica* Mirb.
XX-0-LZ-ZF-979-1996
[ex BG Leipzig, Germany]

Nitrariaceae

- 371 O *Peganum harmala* L.
XX-0-TEBLI-02304
[ex BG LF MU Brno, Czech Republic]

Nyctaginaceae

- 372 O *Mirabilis multiflora* (Torr.) A.Gray
XX-0-TEBLI-02471
[ex Jelitto, Germany]

Ochnaceae

- 373 G *Ochna serrulata* Walp.
XX-0-TEBLI-00879
[ex BG St. Andrews, UK]

Oleaceae

- 374 O *Jasminum beesianum* Forrest & Diels
XX-0-ROST-2003-F-2876
[ex BG Rostock, Germany]

Onagraceae

- 375 O *Epilobium fleischeri* Hochst.
XX-0-TEBLI-00357
[ex BG Trento, Italy]
- 376 O *Oenothera acaulis* Cav.
CL-0-TEBLI-02472
loc. Chile, Coquimbo Region, Choapa Province, Los Villos – Caimanes,
coll. J. R. Haager & H. Šedivá, 2013
- 377 O *Oenothera perennis* L.
XX-0-TEBLI-02473
[ex BG Bormio, Italy]
- 378 O *Oenothera speciosa* Nutt.
XX-0-TEBLI-02308
[ex BG Krefeld, Germany]

Paeoniaceae

- 379 O *Paeonia daurica* subsp. *coriifolia* (Rupr.) D.Y.Hong
GE-0-M-2002/2513
loc. Georgia, reg. Ratscha, near Oni, by M'Tiscalta, 1900 m
[ex BG München, Germany]
- 380 O *Paeonia daurica* subsp. *macrophylla* (Albov) D.Y.Hong
XX-0-TEBLI-02309
[ex BG Petrozavodsk, Russia]
- 381 O *Paeonia ludlowii* (Stern & G.Taylor) D.Y.Hong
XX-0-TEBLI-02311
[ex BG Weinheim, Germany]
- 382 O *Paeonia mascula* (L.) Mill.
XX-0-TEBLI-02137
[ex BG AV Průhonice, Czech Republic]
- 383 O *Paeonia ostii* T.Hong & J.X.Zhang
XX-0-TEBLI-02312
[ex Chen Yi Nursery, China]
- 384 O *Paeonia suffruticosa* var. *papaveracea* (Andrews) A.Kern.
XX-0-TEBLI-01334
[ex Kaichen Nursery, China]

Papaveraceae

- 385 O *Argemone corymbosa* Greene
XX-0-GBG-01203518
[ex BG Glasgow, UK]
- 386 O *Argemone rosea* Hook.
CL-0-TEBLI-01219
loc. Chile, Coquimbo Region, Elqui Province, 100 km from Vicuña to Paso de Agua Negra, coll. J. R. Haager & H. Šedivá, 2015
- 387 O *Eschscholzia californica* Cham. 'White'
XX-0-HAL-2840
[ex BG Halle, Germany]
- 388 O *Glaucium flavum* Crantz
HR-0-TEBLI-02474
loc. Croatia, Cres island, 44°58'57.875"N, 14°24'39.186"E, coll. A. Frolíková
- 389 O *Papaver orientale* L. 'Blood Red'
XX-0-TEBLI-01905

Passifloraceae

- 390 G *Passiflora calcarata* Mast.
MG-0-TEBLI-00372
loc. Madagascar, Antananarivo Province, Ibity Massif, Mt. Ibity
[ex BG Praha, Czech Republic]
- 391 G *Passiflora capsularis* L.
XX-0-KIEL-P-2015-1080
[ex BG Kiel, Germany]

Plantaginaceae

- 392 O *Digitalis viridiflora* Lindl.
XX-0-TEBLI-02475
[ex BG Nantes, France]
- 393 O *Erinus alpinus* L.
XX-0-MJG-190032980
[ex BG Mainz, Germany]
- 394 O *Globularia cordifolia* L.
XX-0-TEBLI-01912
[ex BG Warszawa, Poland]
- 395 O *Globularia incanescens* Viv.
XX-0-GENT-20121818
[ex BG Gent, Belgium]

- 396 O *Globularia punctata* Lapeyr.
XX-0-FB-4121
[ex BG Freiburg, Germany]
- 397 O *Globularia punctata* Lapeyr.
XX-0-ROST-2003-F-2762
[ex BG Rostock, Germany]
- 398 O *Globularia punctata* Lapeyr.
XX-0-TEBLI-01059
[ex BG Vácrátót, Hungary]
- 399 O *Globularia punctata* Lapeyr.
XX-0-LI-6538
[ex BG Linz, Austria]
- 400 O *Globularia punctata* Lapeyr.
XX-0-TEBLI-01060
[ex BG Ljubljana, Slovenia]
- 401 O *Globularia trichosantha* Fisch & C.A. Mey.
XX-0-TEBLI-01720
[ex BG Praha, Czech Republic]
- 402 O *Globularia trichosantha* Fisch & C.A. Mey.
XX-0-TEBLI-00887
[ex BG Chemnitz, Germany]
- 403 O *Globularia vulgaris* L.
XX-0-TEBLI-01914
[ex BG Marburg, Germany]
- 404 O *Chelone 38yonia* Pursh.
XX-0-TEBLI-00379
[ex BG Jena, Germany]
- 405 O *Linaria purpurea* (L.) Mill.
XX-0-TEBLI-00729
[ex BG Lublin, Poland]
- 406 O *Penstemon ×mexicali* 'Red Rocks'
XX-0-TEBLI-00396
[ex BG Graz, Austria]
- 407 O *Penstemon azureus* Benth.
[syn. *Penstemon heterophyllus* var. *Azureus* (Benth.) Jeps.]
XX-0-BONN-9371
[ex BG Bonn, Germany]
- 408 O *Penstemon campanulatus* (Cav.) Willd.
XX-HOH-SYS-5693
[ex BG Stuttgart-Hohenheim, Germany]

- 409 O *Penstemon glaber* Pursh
 XX-0-TEBLI-02476
 [ex BG Oslo, Norway]
- 410 O *Penstemon humilis* Nutt. Ex A. Gray
 XX-0-TEBLI-01721
 [ex BG Šiauliai, Lithuania]
- 411 O *Penstemon menziesii* subsp. *davidsonii* (Greene) Piper
 XX-0-TEBLI-02477
 [ex BG Göteborg, Sweden]
- 412 O *Penstemon richardsonii* Douglas
 XX-0-TEBLI-00415
 [ex BG Glasgow, UK]
- 413 O *Penstemon utahensis* Eastw.
 XX-0-TEBLI-02151
 [ex BG Antwerpen, Belgium]
- 414 O *Penstemon whippleanus* A.Gray
 XX-0-TEBLI-02478
 [ex BG Krefeld, Germany]
- 415 O *Plantago sempervirens* Crantz
 XX-0-HAL-3935
 [ex BG Halle, Germany]
- 416 O *Plantago subulata* L.
 [syn. *Plantago holosteum* Scop.]
 ES-0-ER-2006-414
 loc. Spain, Sierra Nevada, 2200 m
 [ex BG Potsdam, Germany]
- 417 O *Veronica 'Eveline'*
 XX-0-TEBLI-02479
 [ex Zám. zahr. Ctěnice, Czech Republic]
- 418 O *Veronica gentianoides* Vahl
 XX-0-TEBLI-01724
 [ex BG Tartu, Estonia]
- 419 O *Veronica orientalis* Mill.
 XX-0-TEBLI-01464
 [ex BG Lublin, Poland]
- 420 O *Veronica raoulii* Hook.f.
 NZ-0-FRP-15105
 loc. New Zealand, South Island
 [ex BG Leipzig, Germany]
- 421 O *Veronicastrum virginicum* (L.) Farw.
 XX-0-TEBLI-02323
 [ex BG Michigan, USA]

- 422 O *Veronicastrum virginicum* (L.) Farw. 'Fascination'
XX-0-TEBLI-02154
[ex Zám. zahr. Ctěnice, Czech Republic]

Plumbaginaceae

- 423 O *Armeria arenaria* (Pers.) Schult.
XX-0-TEBLI-02480
[ex BG Vancouver, Canada]
- 424 O *Armeria curvifolia* Bertero
AR-0-U-2002/0912
loc. Argentina, Santa Cruz Province, Argentino Lake, El Calafate, Peninsula Magallanes; S 50°29'09" W 72°53'09"
[ex BG Utrecht, Netherlands]
- 425 O *Armeria maritima* subsp. *Elongata* (Hoffm.) Bonnier
CZ-0-PLZEN-1898-12-10
loc. Czech Republic, South Moravia, Bzenec, coll. 29. 8. 2012
[ex ZBG Plzeň, Czech Republic]
- 426 O *Armeria pinifolia* (Brot.) Hoffmanns. & Link
XX-0-TEBLI-00897
[ex BG Vácrátót, Hungary]
- 427 O *Armeria rhodopea* Velen.
XX-0-TEBLI-01730
[ex BG Dublin, Ireland]
- 428 O *Armeria splendens* (Lag. & Rodr.) Webb
XX-0-TEBLI-00899
[ex BG Kaunas, Lithuania]
- 429 O *Armeria transmontana* (Samp.) LawrenceapudPinto da Silva & Sobr.
XX-0-TEBLI-00900
[ex BG Krefeld, Germany]
- 430 O *Goniolimon speciosum* (L.) Boiss.
RU-0-M-2005/0198
loc. Russia, W-Siberia, Barnaul, cliff of river Ob
[ex BG München, Germany]
- 431 O *Limonium minutum* (L.) Fourr.
XX-0-U-1984BL00199
[ex BG Utrecht, Netherlands]
- 432 G *Plumbago zeylanica* L.
XX-0-TEBLI-02481
[ex BG Kiel, Germany]

Polemoniaceae

- 433 O *Polemonium pulcherrimum* Hook
XX-0-STGAL-61/2010
[ex BG St. Gallen, Switzerland]

Primulaceae

- 434 G *Ardisia humilis* Vahl
XX-0-TEBLI-01345
- 435 O *Dodecatheon jeffreyi* Van Houtte
XX-0-TEBLI-01347
[ex BG Wien-Belvedere, Austria]

Ranunculaceae

- 436 O *Aconitum alboviolaceum* Kom.
XX-0-TEBLI-02482
[ex BG Agbina, Russia]
- 437 O *Aconitum napellus* subsp. *vulgare* (DC.) Rouy & Foucaud 'Albidum'
XX-0-TEBLI-02483
[ex Jelitto, Germany]
- 438 O *Actaea pachypoda* Elliott 'Silver Leaf'
XX-0-TEBLI-02484
[ex Jelitto, Germany]
- 439 O *Anemone caroliniana* Walter
XX-0-TEBLI-02325
[ex BG Cluj-Napoca, Romania]
- 440 O *Anemone rupicola* Cambess.
XX-0-LZ-A-52-2002
[ex BG Leipzig, Germany]
- 441 O *Anemone virginiana* var. *alba* (Oakes) Alph.Wood
XX-0-TEBLI-01738
[ex BG Marseille, France]
- 442 O *Aquilegia alpina* L.
XX-0-LZ-A-167-1996
[ex BG Leipzig, Germany]
- 443 O *Aquilegia bernardii* Gren. & Gord.
XX-0-TEBLI-02485
[ex BG Vácrátót, Hungary]
- 444 O *Aquilegia bernardii* Gren. & Gord.
XX-0-TEBLI-00451
[ex BG Akureyri, Iceland]

- 445 O *Aquilegia bertolonii* Schott
XX-0-TEBLI-01924
[ex BG Jibou, Romania]
- 446 O *Aquilegia bertolonii* Schott
XX-0-TEBLI-01232
[ex BG Bormio, Italy]
- 447 O *Aquilegia dinarica* G.Beck.
XX-0-TEBLI-01739
[ex BG MU Brno, Czech Republic]
- 448 O *Aquilegia einseleana* F.W.Schultz
XX-0-LZ-A-76-1997
[ex BG Leipzig, Germany]
- 449 O *Aquilegia einseleana* F.W.Schultz
XX-0-TEBLI-00455
[ex BG Regensburg, Germany]
- 450 O *Aquilegia flabellata* Siebold & Zucc.
[syn. *Aquilegia flabellata* var. *pumila* (Huth) Kudô]
XX-0-LZ-OAW-7-2000
[ex BG Leipzig, Germany]
- 451 O *Aquilegia saximontana* Rydb.
XX-0-HAL-7727
[ex BG Halle, Germany]
- 452 O *Aquilegia saximontana* Rydb.
XX-0-LZ-WNA-36-2012
[ex BG Leipzig, Germany]
- 453 O *Clematis stans* Siebold & Zucc.
XX-0-TEBLI-02486
- 454 O *Delphinium caucasicum* C.A.Mey
XX-0-TEBLI-01351
[ex BG Bormio, Italy]
- 455 O *Glaucidium palmatum* Siebold & Zucc.
XX-0-TEBLI-01352
[ex BG Schellerhau, Germany]
- 456 O *Nigella damascena* L. 'Persian Jewels Group'
XX-0-TEBLI-0168
[ex Černý Seed s r.o., Czech Republic]
- 457 O *Nigella papillosa* G.López
XX-0-TEBLI-02038
[ex RHS Garden Wisley, UK]
- 458 O *Pulsatilla pratensis* (L.) Mill.
XX-0-TEBLI-02487
[ex BG Liberec, Czech Republic]

- 459 O *Thalictrum delavayi* Franch.
 XX-0-TEBLI-02488
 [ex BG Vácrátót, Hungary]
- 460 O *Thalictrum pubescens* Pursh
 XX-0-TEBLI-02489
 [ex BG Göttingen, Germany ex BG Toronto, Canada]

Rhamnaceae

- 461 O *Paliurus spina-christi* Mill.
 HR-0-TEBLI-02490
 loc. Croatia, Cres Island, Beli, 45°6'49.926"N, 14°21'7.423"E, coll. A. Frolíková

Rosaceae

- 462 O *Acaena buchananii* Hook. F.
 XX-0-TEBLI-02491
 [ex BG Krefeld, Germany]
- 463 O *Acaena inermis* Hook.f. 'Purpurea'
 XX-0-TEBLI-02163
 [ex Jelitto, Germany]
- 464 O *Acaena microphylla* Hook.f.
 XX-0-TEBLI-02330
 [ex BG Chemnitz, Germany]
- 465 O *Alchemilla erythropoda* Juz.
 XX-0-TEBLI-01745
 [ex Zahr. centrum Dvořák, Czech Republic]
- 466 O *Alchemilla mollis* (Buser) Rothm. 'Thriller'
 XX-0-TEBLI-02492
 [ex Pereny Hlavenec, Czech Republic]
- 467 O *Dryas drummondii* Richardson ex Hook.
 CA-0-NGOET-1449
 loc. Canada, Emerald lake, leg. Callauch
 [ex BG Göttingen, Germany]
- 468 O *Geum calthifolium* Sm.
 XX-0-TEBLI-01928
 [ex BG Chemnitz, Germany]
- 469 O *Holodiscus discolor* (Pursh) Maxim.
 XX-0-TEBLI-00486
- 470 O *Potentilla atrosanguinea* G.Lodd. ex D.Don
 IN-0-BR-19750451
 loc. India, Garhwal, Valley of Flowers
 [ex BG Meise, Belgium]

- 471 O *Potentilla gracilis* var. *fastigiata* (Nutt.) S.Watson
XX-0-TEBLI-02041
[ex BG Marburg, Germany]
- 472 O *Potentilla nepalensis* Hook. 'Miss Vilmont'
XX-0-TEBLI-02493
[ex BG Blagověščensk, Russia]
- 473 O *Potentilla nitida* L.
XX-0-TEBLI-01238
[ex BG Bormio, Italy]
- 474 O *Potentilla recta* L.
CZ-0-PLZEN-2254-12-20
loc. Czech Republic, Western Bohemia, Radčice near Plzeň, dry slope, coll.
V. Pešková & R. Matulová, 05/2012
[ex ZBG Plzeň, Czech Republic]
- 475 O *Rubus illecebrosus* Focke
XX-0-TEBLI-01748
[ex BG Wrocław, Poland]
- 476 O *Rubus leucodermis* Douglas ex Hook.
US-0-DR-003744
loc. USA
[ex BG TU Dresden, Germany]
- 477 O *Rubus phoenicolasius* Maxim.
XX-0-TEBLI-01930
[ex BG Lublin, Poland]
- 478 O *Sanguisorba* 'Cangshan Cranberry'
XX-0-TEBLI-02334
[ex Zám. Zahr. Ctěnice, Czech Republic]
- 479 O *Sanguisorba obtusa* Maxim.
XX-0-TEBLI-01078
- 480 O *Sibbaldiopsis tridentata* (Aiton) Rydb.
XX-0-TEBLI-02335
[ex Zahr. Centrum Dvořák, Czech Republic]
- 481 O *Sibbaldiopsis tridentata* (Aiton) Rydb. 'Nuuk'
XX-0-TEBLI-02336
[ex Studený s r.o., Czech Republic]
- 482 O *Sorbaria* (Ser. Ex DC.) A.Braun sp.
CN-0-TEBLI-02494
loc. China, Shaanxi, Taibai shan, coll. P. Sekerka, I. Bulánková, K. Skálová
[ex BG Praha, Czech Republic]

Rubiaceae

- 483 O *Coprosma petriei* Cheeseman
NZ-0-TEBLI-02495
loc. New Zealand, South Land District, 45.34'S 167.51'E.
[ex BG Vancouver, Canada]
- 484 O *Coprosma propinqua* A.Cunn.
NZ-0-TEBLI-02496
loc. New Zealand, South Island, Southern Alps, Arthur's Pass, 800 m, leg. Em
3574, ZBG Plzeň 1242-13-40
[ex BG Berlin-Dahlem, Germany and ex ZBG Plzeň, Czech Republic]
- 485 O *Phuopsis stylosa* (Trin.) G.Nicholson
XX-0-TEBLI-01357
[ex BG Cluj-Napoca, Romania]
- 486 G *Psychotria punctata* var. *Punctata*
[syn. *Psychotria bacteriophila* Valeton]
XX-0-TEBLI-00925

Rutaceae

- 487 O *Tetradium daniellii* (Bennett) T. G. Hartley
XX-0-TEBLI-02338

Salicaceae

- 488 G *Oncoba routledgei* Sprague
ET-0-TEBLI-02339
loc. Ethiopia, Tigre, Hagere Saelam, near Mekele
[ex BG Meise, Belgium]

Sapindaceae

- 489 O *Dodonaea viscosa* (L.) Jacq. 'Purpurea'
XX-0-TEBLI-01755

Sarraceniaceae

- 490 O *Sarracenia oreophila* Wherry
XX-0-TEBLI-01239
[ex BG Praha, Czech Republic]
- 491 O *Sarracenia purpurea* L.
US-0-TEBLI-00928
loc. USA, New Jersey, coll. V. Rybka
[ex BG Praha, Czech Republic]

492 O *Sarracenia purpurea* L.
US-0-TEBLI-02340
loc. USA, Michigan, Ingham Co.
[ex BG Praha, Czech Republic]

493 O *Sarracenia purpurea* L.
US-0-TEBLI-00928
loc. USA, New Jersey, Hill
[ex BG Praha, Czech Republic]

Saxifragaceae

494 O *Astilboides tabularis* (Hemsl.) Engl.
XX-0-TEBLI-02341
[ex Alpine Nursery Uetersen, Germany]

495 O *Heuchera ×brizoides* 'Firefly'
XX-0-TEBLI-02043
[ex Černý Seed s r.o., Czech Republic]

496 O *Heuchera villosa* var. *Villosa*
[syn. *Heuchera villosa* var. *Macrorhiza* (Small) Rosend., Butters & Lakela]
XX-0-TEBLI-02497
[ex Jelitto, Germany via BG Praha, Czech Republic]

Scrophulariaceae

497 O *Gomphostigma virgatum* (L.f.) Baill.
ZA-0-TEBLI-01241
loc. Republic of South Africa, Free State Province, Phuthaditjhaba
[ex Silverhill Seeds, South Africa]

498 O *Hebenstretia comosa* Hochst.
XX-0-TEBLI-02167
[ex BG Krefeld, Germany]

499 O *Nemesia floribunda* Lehm.
ZA-0-KIEL-1985 6849 – 70 – 100
loc. Republic of South Africa
[ex BG Kiel, Germany]

500 O *Nemesia* 'Seventh Heaven Lavender Bicolour'
XX-0-TEBLI-02344
[ex Černý Seed s r.o., Czech Republic]

501 O *Nemesia 46trumose* Benth. 'Danish Flag'
XX-0-TEBLI-01761
[ex Černý Seed s r.o., Czech Republic]

502 O *Verbascum densiflorum* Bertol.
XX-0-TEBLI-01763
[ex BG LF MU Brno, Czech Republic]

- 503 O *Verbascum chaixii* Vill. 'Album'
XX-0-TEBLI-01242
- 504 O *Verbascum longifolium* Ten.
MN-0-IB-016756
loc. Montenegro, Visitor-Prokletije
[ex BG Innsbruck, Austria]
- 505 O *Verbascum olympicum* Boiss.
XX-0-TEBLI-01937
[ex BG Průhonice, Czech Republic]

Solanaceae

- 506 O *Browallia americana* L.
[syn. *Browallia grandiflora* Graham]
XX-0-TEBLI-02498
[ex BG Cluj-Napoca, Romania]
- 507 O *Browallia americana* L. 'Blue Lady'
XX-0-TEBLI-02499
[ex Černý Seed s.r.o., Czech Republic]
- 508 O *Capsicum annuum* L. 'Black Pearl'
XX-0-STUTZ-007061
[ex ZBG Stuttgart-Wilhelma, Germany]
- 509 O *Capsicum annuum* L. 'Chile Guajilo'
MX-0-BONN-19673
loc. Mexico, ex cult.
[ex BG Bonn, Germany]
- 510 O *Capsicum annuum* L. 'Black Scorpion Tongue'
XX-0-TEBLI-02169
[ex Chilli-semena, Czech Republic]
- 511 O *Capsicum annuum* L. 'Caro'
XX-0-TEBLI-02500
[ex BG ČZU Praha Suchdol, Czech Republic]
- 512 O *Capsicum annuum* L. 'Cayenne Lilac'
XX-0-TEBLI-00765
[ex seminka-chilli.cz, Czech Republic]
- 513 O *Capsicum annuum* L. 'Five Chinense Multicolor'
XX-0-TEBLI-02172
[ex Chilli-semena, Czech Republic]
- 514 O *Capsicum annuum* L. 'Charleston'
XX-0-BGAT-0014699
[ex BG Wien-Belvedere, Austria]

- 515 O *Capsicum annuum* L. 'Mirasol'
 GT-0-TEBLI-01244
 loc. Guatemala, Cobán, Alto Verapaz
- 516 O *Capsicum annuum* L. 'New Mexico Red'
 XX-0-TEBLI-02176
 [ex Chilli-semena, Czech Republic]
- 517 O *Capsicum annuum* L. 'Pasilla Bajío'
 XX-0-STUTZ-007100
 [ex ZBG Stuttgart-Wilhelma, Germany]
- 518 O *Capsicum annuum* L. 'Tequila Sunrise'
 XX-0-TEBLI-02179
 [ex Chilli-semena, Czech Republic]
- 519 O *Capsicum annuum* var. *Gabriusclum* (Dunal) Heiser & Pickersgill
 XX-0-STUTZ-007055
 [ex ZBG Stuttgart-Wilhelma, Germany]
- 520 O *Capsicum annuum* var. *Longum* Sendtn.
 XX-0-TEBLI-00934
 [ex BG La Gacilly, France]
- 521 O *Capsicum baccatum* L.
 [syn. *Capsicum annuum* var. *Cerasiforme* (Mill.) Irish]
 XX-0-STUTZ-007054
 [ex ZBG Stuttgart-Wilhelma, Germany]
- 522 O *Capsicum baccatum* L. 'Christmas Bells'
 XX-0-TEBLI-01769
 [ex BG ČZU Praha Suchdol, Czech Republic]
- 523 O *Capsicum chinense* Jacq. '7 Pot Apocalypse'
 XX-0-TEBLI-02501
 [ex Chilli-semena, Czech Republic]
- 524 O *Capsicum chinense* Jacq. 'Antillais Caribbean'
 XX-0-TEBLI-02502
 [ex Chilli-semena, Czech Republic]
- 525 O *Capsicum pubescens* Ruiz & Pav.
 XX-0-TEBLI-02503
 [ex L. Huleš, Czech Republic]
- 526 O *Datura wrightii* Regel
 XX-0-TEBLI-01250
 [ex Sementes]
- 527 O *Physalis angulata* L.
 XX-0-TEBLI-01479
 [ex BG UK Praha, Czech Republic]

- 528 O *Physalis coztomatl* Dunal
 XX-0-PLZEN-2322-15-70
 [ex ZBG Plzeň, Czech Republic]
- 529 O *Physalis ixocarpa* Brot. Ex Hornem. 'Mexican Musk'
 XX-0-Z-20190115
 [ex ZBG Plzeň, Czech Republic]
- 530 O *Physalis pruinosa* L. 'Yantar'
 XX-0-BONN-35220
 [ex BG Bonn, Germany]
- 531 O *Physalis pubescens* L.
 XX-0-TEBLI-02504
 [ex BG Nantes, France]
- 532 O *Solanum lycopersicum* L. 'Orange Banana'
 XX-0-TEBLI-02505
 [ex BG Cluj-Napoca, Romania]
- 533 O *Solanum lycopersicum* L. 'Reisetomate'
 XX-0-TEBLI-02506
 [ex BG Marseille, France]
- 534 O *Solanum lycopersicum* L. 'Roma'
 XX-0-TEBLI-02507
 [ex BG Cluj-Napoca, Romania]
- 535 O *Solanum lycopersicum* L. 'Tomataki Santorinis'
 GR-0-ATHD-2011/1133
 loc. Greece, Santorini (Thira), Akrotiri
 [ex ZBG Plzeň, Czech Republic]
- 536 O *Solanum nigrum* L. 'Otricoli Orange Berry'
 XX-0-TEBLI-02508
 [ex BG Bayreuth, Germany]
- 537 O *Solanum pimpinellifolium* L. 'Havajské divoké'
 XX-0-PLZEN-0409-22-70
 [ex ZBG Plzeň, Czech Republic]
- 538 O *Solanum violaceum* Ortega
 XX-0-TEBLI-02509
 [ex BG Iași, Romania]
- 539 O *Solanum viride* Spreng.
 [syn. *Solanum uporo* Dunal]
 XX-0-IB-018636
 [ex BG Innsbruck, Austria]
- 540 O *Withania somnifera* (L.) Dunal
 XX-0-TEBLI-00529
 [ex BG Smith College, UK]

Monocots

Alismataceae

- 542 O *Alisma plantago-aquatica* L.
CZ-0-TEBLI-02511
loc. Czech Republic, Pardubický kraj, Lázně Bohdaneč, coll. A. Frolíková, 15. 10. 2023
- 543 O *Baldellia ranunculoides* (L.) Parl.
XX-0-HBT-2017.03418
[ex BG Třeboň, Czech Republic]

Amaryllidaceae

- 544 O *Agapanthus praecox* Willd. 'Getty White'
XX-0-TEBLI-02512
[ex BG Pécs, Hungary]
- 545 O *Allium angulosum* L.
XX-0-TEBLI-02187
[ex BG Perm, Russia]
- 546 O *Allium atropurpureum* Waldst. & Kit.
XX-0-MB-1971/825
[ex BG Marburg, Germany]
- 547 O *Allium barszczewskii* Lipsky
XX-0-TEBLI-01944
[ex BG Perm, Russia]
- 548 O *Allium carinatum* subsp. *pulchellum* (G.Don) Bonnier & Layens 'Album'
XX-0-TEBLI-01255
[ex Jelitto, Germany]
- 549 O *Allium cyrilli* Ten.
XX-0-TEBLI-02188
[ex BG Cluj-Napoca, Romania]
- 550 O *Allium chinense* G. Don
XX-0-TEBLI-01484
[ex BG Bormio, Italy]
- 551 O *Allium insubricum* Bois. & Reut.
IT-0-GZU-99 702388
loc. Italy, Lecco Provinc, La Grignetta
[ex BG Graz, Austria]

- 552 O *Allium kermesinum* Rchb.
 XX-0-KIEL-1985 0054-70-100
 [ex BG Kiel, Germany]
- 553 O *Allium obliquum* L.
 RO-0-CLA-3005
 loc. Romania, Cluj, Cheile Turzii
 [ex BG Cluj-Napoca, Romania]
- 554 O *Allium pskemense* B.Fedtsch
 XX-0-TEBLI-00946
 [ex BG Tartu, Estonia]
- 555 O *Allium sphaerocephalon* L.
 FR-0-BR-19801799
 loc. France, Jura, Le Mont Poupet
 [ex BG Meise, Belgium]
- 556 O *Allium strictum* Schrad.
 CZ-0-PLZEN-1657-12-10
 loc. Czech Republic, Křivoklátsko, Trubín, coll. R. Matulová, 24.7.2012
 [ex ZBG Plzeň, Czech Republic]
- 557 O *Allium textile* A. Nelson & J.F.Macbr.
 XX-0-TEBLI-01783
 [ex BG Bayreuth, Germany]
- 558 O *Allium tuberosum* Rottler ex Spreng.
 XX-0-TEBLI-00950
 [ex BG MU Brno, Czech Republic]
- 559 O *Allium victorialis* L.
 XX-0-TEBLI-01784
 [ex BG MU Brno, Czech Republic]
- 560 G *Habranthus jamesonii* (Baker) Ravenna
 XX-0-TEBLI-01947
 [ex BG Berlin-Dahlem, Germany]
- 561 G *Veltheimia bracteata* Harv. ex Barker
 XX-0-TEBLI-02059
 [ex BG Berlin-Dahlem, Germany]

Araceae

- 562 G *Anthurium scandens* (Aubl.) Engl.
 CR-0-TEBLI-0206
 loc. Costa Rica, road San Carlo-Fortuna

Arecaceae

- 563 G *Caryota cf. mitis*
VN-0-TEBLI-01376
loc. Vietnam, near Da Lat, Dray Sap waterfalls, coll. J. R. Haager & R. Rybková, 1999

Asparagaceae

- 564 O *Anthericum liliago* L.
CH-0-BERN-1978/92W S
loc. Switzerland
[ex BG Ulm, Germany]
- 565 O *Anthericum liliago* L.
CZ-0-TEBLI-02513
loc. Czech Republic, České středohoří, Oblík
- 566 O *Arthropodium cirratum* (G.Forst.) R.Br.
XX-0-TEBLI-01951
[ex BG Parma, Italy]
- 567 O *Hastingsia alba* (Durand) S.Watson
US-0-GENT-20042011
loc. USA, California, Siskiyou County, W of Weed, Stewart Springs, road near junction with Old Hwy. 99, 976 m
[ex BG Gent, Belgium]
- 568 O *Hosta minor* (Baker) Nakai
XX-0-TEBLI-02358
[ex BG MZLU Brno, Czech Republic]
- 569 G *Chlorophytum orchidastrum* Lindl. 'Green Orange'
XX-0-TEBLI-02514
[ex BG Košice, Slovakia]
- 570 O *Leopoldia comosa* (L.) Parl.
TR-0-TEBLI-02064
loc. Turkey, Malatia Province
[ex BG Salaspils, Lithuania]
- 571 O *Leopoldia comosa* (L.) Parl.
IT-0-SIENA-00725
loc. Italy
[ex BG Sienna, Italy]
- 572 O *Ornithogalum ponticum* Zahar.
XX-0-TEBLI-02515
[ex BG Nantes, France]

- 573 O *Ornithogalum viridiflorum* (I.Verdi) J.C.Manning & Goldblatt
 LE-0-TEBLI-01377
 loc. Lesotho, Malibamatso River, downriver from Oxbow Lodge, on the opposite bank, 2500 m
 [ex BG München Germany via ZBG Plzeň, Czech Republic]
- 574 O *Triteleia laxa* Benth. 'Königin Fabiola'
 XX-0-TEBLI-01378
 [ex Lukon Glads, Czech Republic]

Asphodelaceae

- 575 O *Asphodeline lutea* Rchb.
 XX-0-TEBLI-00582
- 576 O *Asphodelus albus* Mill.
 XX-0-TEBLI-02516
 [ex BG Nantes, France]
- 577 O *Asphodelus albus* Mill.
 FR-0-TEBLI-02517
 loc. France, Théoule-sur-Mer, Miramar, coll. A. Frolíková

Cyperaceae

- 578 O *Carex appressa* var. *virgata* (Sol. Ex Boott) Kük.
 XX-0-TEBLI-02191
 [ex BG Christchurch, New Zealand]
- 579 O *Carex buchananii* Berggr.
 XX-0-TEBLI-01379
 [ex Zahr. centrum Dvořák, Czech Republic]
- 580 O *Carex capitata* Sol.
 XX-0-HBT-2017.03390
 [ex BG Třeboň, Czech Republic]
- 581 O *Carex comans* Berggr. 'Bronco'
 XX-0-TEBLI-01381
- 582 O *Carex comans* Berggr. 'Frosted Curls'
 XX-0-TEBLI-02366
 [ex BG Kursk, Russia]
- 583 O *Carex crinita* Lam.
 US-0-TEBLI-02069
 loc. USA, Michigan, Clinton, 237 m
 [ex BG East Lansing, USA]

- 584 O *Carex dallii* Kirk
 NZ-0-TEBLI-02518
 loc. New Zealand, South Island, W. of Fox Glacier Village, track between Gillespie,
 coll. P. B. A 83, 9. 2. 1992
 [ex BG Marburg, Germany and BG Liverpool, UK]
- 585 O *Carex egmontiana* (Hamlin) K.A.Ford
 [syn. *Uncinia egmontiana* Hamlin]
 XX-0-TEBLI-02519
 [ex Jelitto, Germany]
- 586 O *Carex grayi* J.Carey
 XX-0-TEBLI-01383
 [ex OBI, Czech Republic]
- 587 O *Carex maorica* Hamlin
 NZ-0-TEBLI-02367
 loc. New Zealand, Christchurch, Hagley Park, 43°31'S, 172°37'E
 [ex ZBG Plzeň, Czech Republic]
- 588 O *Carex tenuiculmis* (Petrie) Heenan & de Lange
 XX-0-TEBLI-01492
 [ex BG Tartu, Estonia]
- 589 O *Eriophorum angustifolium* Honck.
 CZ-0-TEBLI-02520
 loc. Czech Republic, Pardubický kraj, Lázně Bohdaneč, coll. A. Frolíková, 15. 10.
 2023
- 590 O *Scirpus atrovirens* Willd.
 XX-0-TEBLI-01494
 [ex BG Göttingen, Germany]

Iridaceae

- 591 O *Iris dichotoma* Pall.
 MN-0-OSN-2010-308
 loc. Mongolia, Dornod Aymag, Khalkhingol Sum, Hinggan Berge, N 46°59'05'',
 E 119°21'22'', 873 m
 [ex BG Klagenfurt, Austria]
- 592 O *Iris setosa* Pall. ex Link
 XX-0-TEBLI-02521
 [ex BG Marseille, France]
- 593 O *Iris sintenisii* Janka
 XX-0-TEBLI-02193
 [ex BG Antwerpen, Belgium]

- 594 O *Sisyrinchium bellum* S.Watson
 XX-0-TEBLI-02522
 [ex BG Deurne, Belgium]
- 595 O *Sisyrinchium striatum* Sm.
 CL-0-GIESS-2001-J-191
 loc. Chile, Maule Region (VII.), W. of Talca, S. Curanope, Tregualemu, pacific coast, bushes
 [ex BG Giessen, Germany]

Juncaceae

- 596 O *Juncus ensifolius* Wikstr.
 XX-0-TEBLI-01387
 [ex Jelitto, Germany]

Liliaceae

- 597 O *Lilium lancifolium* Thunb.
 XX-0-TEBLI-02374
 [ex BG Lvov, Ukraine]
- 598 O *Lilium martagon* L.
 XX-0-TEBLI-02523
 [ex DG Průhonice, Czech Republic]
- 599 O *Tricyrtis puberula* Nakai & Kitag.
 XX-0-TEBLI-02524
 [ex A Jablunkov, Czech Republic]

Melanthiaceae

- 600 O *Toxicoscordion nuttallii* (A.Gray) Rydb.
 XX-0-TEBLI-01700
 [ex BG Warszawa, Poland]
- 601 O *Veratrum nigrum* L.
 XX-0-TEBLI-01701
 [ex Zubrová, Czech Republic]

Musaceae

- 602 G *Musa velutina* H. Wendl. & Drude
 XX-0-BAYRT-2202
 [ex BG Bayreuth, Germany]

Poaceae

- 603 O *Austroderia richardii* (Endl.) N.P.Barker & H.P.Linder
NZ-0-KIEL-1985 11523 - 70 - 100
loc. New Zealand
[ex BG Kiel, Germany]
- 604 O *Briza media* L.
CZ-0-TEBLI-02525
loc. Czech Republic, Středočeský kraj, Uhlířská Lhota, 50°4'40.863"N,
15°22'46.536"E, coll. A. Frolíková
- 605 O *Celtica gigantea* (Link) F.M.Vázquez & Barkworth
[syn. *Stipa gigantea* Link]
ES-0-ALCA-2009-0824
loc. Spain
[ex BG Madrid, Spain]
- 606 O *Cortaderia araucana* Stapf
CL-0-TEBLI-02072
loc. Chile, Araucanía Region, Cautín Province, Conguillío NP, Volcán Llaima,
coll. J. R. Haager & H. Šedivá, 2015
- 607 O *Cortaderia rudiuscula* Stapf
CL-0-TEBLI-02073
loc. Chile, Atacama Region, Huasco Province, Alto del Carmen, coll. J. R. Haager &
H. Šedivá, 2012
- 608 O *Cymbopogon flexuosus* (Nees ex Steud.) Will.Watson
XX-0-TEBLI-02074
[ex Zahr. centrum Dvořák, Czech Republic]
- 609 O *Eleusine coracana* Gaertn.
XX-0-TEBLI-00971
[ex BG UK Praha, Czech Republic]
- 610 O *Festuca novae-zelandiae* (Hack.) Cockayne
NZ-0-GIESS-2000-J-1209-2
loc. New Zealand
[ex BG Leipzig, Germany]
- 611 O *Glyceria cf. maxima*
CZ-0-TEBLI-02526
loc. Czech Republic, Pardubický kraj, Lázně Bohdaneč, coll. A. Frolíková,
15. 10. 2023
- 612 O *Harpochloa falx* (L.f.) Kuntze
XX-0-TEBLI-01266
[ex BG Weinheim, Germany]

- 613 O *Chasmanthium latifolium* (Mitchx.) H.O.Yates
US-0-TUEB-1684
loc. USA, Oklahoma, Arbuckle Mountains, sea oats, coll. M. Guttenberger, 1996
[ex BG Tübingen, Germany]
- 614 O *Koeleria glauca* (Spreng.) DC.
XX-0-TEBLI-02527
- 615 O *Koeleria macrantha* (Lebed.) Schult.
XX-0-TEBLI-00972
[ex BG MU Brno, Czech Republic]
- 616 O *Melica altissima* L. 'Atropurpurea'
XX-0-TEBLI-02076
[ex BG Tábor, Czech Republic]
- 617 O *Melica ciliata* L.
XX-0-ROST-2003-F-3026
[ex BG Rostock, Germany]
- 618 O *Melica persica* Kunth
KG-0-BONN-39606
loc. Kyrgyzstan, Kara Ridge, 1000 m
[ex BG Bonn, Germany]
- 619 O *Merxmullera macowanii* (Stapf) Conert
ZA-0-TEBLI-02078
loc. Republic of South Africa, Northern Ukhahlamba, Tiffindell
[ex Silverhill Seeds, South Africa]
- 620 O *Nassella tenuissima* (Trin.) Barkworth. 'Pony Tails'
[syn. *Stipa tenuissima* Trin. 'Pony Tails']
XX-0-TEBLI-00581
- 621 G *Oryza sativa* L. 'Loto'
XX-0-TEBLI-02377
- 622 O *Pennisetum alopecuroides* (L.) Spreng. 'Red Head'
XX-0-TEBLI-01800
[ex Zám. zahr. Ctěnice, Czech Republic]
- 623 O *Pennisetum glaucum* R.Br. 'Purple Majesty'
XX-0-TEBLI-02196
[ex BG Praha, Czech Republic]
- 624 O *Setaria italica* (L.) P.Beauv. 'Brown Type'
XX-0-TEBLI-02528
[ex BG Wroclaw, Poland]

- 625 O *Schizachyrium scoparium* (Michx.) Nash
 CA-0-TEBLI-02379
 loc. Canada, Ontario, Walsingham
 [ex BG Niagara Falls, USA]
- 626 O *Schizachyrium scoparium* (Michx.) Nash 'Explosion'
 XX-0-TEBLI-00973
 [ex Zám. zahr. Ctěnice, Czech Republic]
- 627 O *Stipa arabica* Trin. & Rupr.
 GE-0-BONN-21732
 loc. Georgia
 [ex BG Leipzig, Germany]
- 628 O *Stipa hohenackeriana* Trin. & Rupr.
 IR-0-NGOET-3732
 loc. Iran, Prov. Semnan, Touran-Schutzgeb, Shahrud, leg. Freitag, 79/77
 [ex BG Göttingen, Germany]
- 629 O *Stipa lessingiana* Trin. & Rupr.
 XX-0-TEBLI-02381
 [ex BG Akureyri, Iceland]
- 630 O *Stipa pennata* L.
 XX-0-ER-2010-7501
 [ex BG Erlangen, Germany]
- 631 O *Stipa turkestanica* Hack.
 XX-0-ROST-2011-F-5102
 [ex BG Rostock, Germany]
- 632 O *Wangenheimia lima* (L.) Trin. 'Vulcan'
 XX-0-TEBLI-02080
 [ex BG Stockholm, Sweden]
- 633 O *Zea mays* L. 'Ancestors Colourful Gift'
 XX-0-TEBLI-02529
- 634 O *Zea mays* L. 'Gelbe Erdbeere'
 XX-0-TEBLI-02530
 [ex BG Konstanz, Germany]
- 635 O *Zea mays* L. 'Glass Gem'
 XX-0-TEBLI-02531
 [ex BG Jibou, Romania]
- 636 O *Zea mays* L. 'Ice Lady'
 XX-0-TEBLI-02532
 [ex Dobrá semena, Czech Republic]

- 637 O *Zea mays* L. 'Oaxacan Green'
XX-0-TEBLI-02533
- 638 O *Zea mays* L. 'Pellas'
XX-0-TEBLI-02534
[ex BG ČZU Praha Suchdol, Czech Republic]
- 639 O *Zea mays* L. 'Petite Fusée Rose'
XX-0-TEBLI-02535
[ex BG Marseille, France]
- 640 O *Zea mays* L. 'Pineapple'
XX-0-TEBLI-02536
[ex A Powśin, Poland]
- 641 O *Zea mays* L. 'Pink Pop'
XX-0-TEBLI-02537
[ex BG Konstanz, Germany]
- 642 O *Zea mays* L. 'Schwarzer Tessinermais'
XX-0-TEBLI-02538
[ex BG Konstanz, Germany]
- 643 O *Zea mays* L. var. *tunicata*
XX-0-TEBLI-02539
[ex BG Konstanz, Germany]
- 644 O *Zea mays* L. 'White Cherokee'
XX-0-STUTZ-007032
[ex ZBG Stuttgart-Wilhelma, Germany]

Desiderata 2023–2024

Based on the Convention on Biological Diversity (CBD, Rio de Janeiro 1992) the Index seminum is exclusively intended for the institutions operating in research, education and nature protection areas. Conditions coming from the Nagoya Protocol must be fulfilled for scientific purposes. Any material acquired from these seeds is not allowed to be used for commercial purposes.

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**. More information, see <https://botanischetuinutrecht.nl/data/penlist.php>

Non IPEN-members have to return the „Agreement on the supply of living plant material for non-commercial purposes“. IPEN members do not have to sign the agreement.

Phytosanitary regulation

Please check the import conditions in your country and see below.

EU countries

We issue plant passports for countries within EU. The minimal number of items is not limited.

Non-EU countries

We are providing phytosanitary certificates after the 31st May, when all requests from non-EU botanical gardens are available. Minimum order is 10 packets of seeds due to the demanding phytosanitary controls.

Information

All Seeds are result of open pollination. Hybridization may occur.

Nomenclature of plants is mainly based on:

www.worldfloraonline.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

Abbreviations:

O – plant is cultivated outdoors

G – plant is cultivated in greenhouses

Please, place your order at the website:

<https://indexseminum.bgci.org/catalogue/teplice-botanical-garden>

or send the requests to the address:

botanika@botanickateplice.cz

You can write the desired list in an e-mail message or use the table below.

Please, limit your request to 30 items, deadline is 31st May 2024.

DESIDERATA 2023–2024

Mailing address:

Botanická zahrada Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Via e-mail (preferably):

botanika@botanickateplice.cz

Your address:

Legibly write or type numbers of desired seeds in boxes below (limit 30 items):

IPEN member: Yes/No

Phytosanitary certificate (non-EU members): Yes/No

In the future, please send the Index Seminum to the following e-mail address:

Agreement on the supply of living plant material for non-commercial purposes leaving the International Plant Exchange Network

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I accept the above conditions.

--	--

Date

Signature, stamp

--	--

Recipient's name

Address