

INDEX SEMINUM



Botanická zahrada Teplice

Botanical Garden Teplice

Czech Republic

2025–2026

Cover photo: Male cone of *Encephalartos ferox* G.Bertol. in xeric greenhouse



BOTANICKÁ ZAHRADA
TEPLICE

Botanical Garden Teplice

Josefa Suka 1388/18

415 01 Teplice

Czech Republic

Latitude: N 50° 38' 17"

Longitude: E 13° 50' 32"

Altitude: 228 m a. s. l.

website: www.botanickateplice.cz

FB: www.facebook.com/botanickateplice

IG: www.instagram.com/botanickateplice

X: <https://x.com/BotankaTeplice>

YT: www.youtube.com/channel/UCBV1_Pu7mIXOM2Yai-Kz3gw

e-mail: botanika@botanickateplice.cz

The Botanical Garden Teplice is a member of the:



Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

Our Index Seminum is also online at:

<https://indexseminum.bgci.org/catalogue/teplice-botanical-garden>

This Index seminum can be searched through the global seed search system:
seminumsystem2025 seminumipen2025 seminumwild2025

Mean Monthly Temperature (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
-1.3	0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean Annual Temperature: 8.9 °C
Extreme Highest Temperature: 35.9 °C (29/07/1983)
Extreme Lowest Temperature: -21.7 °C (14/01/1987)

Mean Monthly Rainfall (mm)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII.
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean Annual Precipitation: 516.4 mm

Botanical Garden Teplice

The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and fully funded by the Teplice City Council. From the garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition greenhouses cover 2,400 m² of land and the storage greenhouses, which are not open to the public, cover 1,750 m². Each one of our four greenhouses is dedicated to a distinct climatic zone.

The Xeric Greenhouse

Vast areas of the Earth are covered with plant communities which have adapted to the long periods of drought. We have selected some especially attractive ones: Central America, primarily Mexican half deserts, dry mountain areas of South America, western parts of South Africa and arid South of Madagascar. These main areas are supplemented with several smaller ones – a show of flora from the Galapagos Islands, Arabia and rare vegetation of the Socotra Island which is situated in the Arabian Sea between Yemen and Somalia.

The Tropical Greenhouse

This is the most spacious. It covers an area of over 1,000 square meters and stands almost 16 meters high. A lively waterfall, two flowing brooks, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plants exhibits are displayed – as in other greenhouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar.

The Subtropical Greenhouse

The Andes of Chile, the Himalayas and subtropics of the south-eastern Asia, New Zealand, mountains and eastern part of South Africa with winter rains – that is all we try to introduce in the subtropical greenhouse. The subtropical exposures are diversified in a show-case with quite cold-loving carnivorous plants and orchids and a patio created by a column down which water flows with a star pergola inspired by the travels around Mexico.

The Rock Garden Greenhouse

The Rock Garden Greenhouse is the newest construction subsequent the whole exhibition complex. There are dedicate to plants from the mountain areas of Europe (incl. Canary Islands), Asia, North America, New Zealand and South American (incl. the Chilean desert Atacama).

The Open-Air Display

The outdoor exposure is spread on the area of 1.5 hectares and during one day in the botanic garden you can travel almost all around the world. As well as the greenhouse exposure the whole area is divided to the individual regions on the Earth from the geographic point of view.

Seed collectors

Petra Bílková
Harald Eichhorn
Anna Frolíková
Hana Hajná
Martina Jirsová
Ivo Krčmář
Lenka Marzinová
Romana Němcová
Iveta Pavlíčková
Ivana Samková
Marcela Strnadová
Martin Šimek
Hana Šedivá

Senior gardener

Anna Frolíková
Marcela Strnadová

Seed exchange

Jan Ježovica

Curator

Jan Ptáček

Director

Petr Šíla

Monilophyta

Anemiaceae

- 1 G *Anemia mexicana* Klotzsch
 XX-0-TEBLI-02641 [ex BG Praha, Czech Republic ex BG Potsdam, Germany]

Aspleniaceae

- 2 O *Asplenium scolopendrium* L. [syn. *Phyllitis scolopendrium* (L.) Newman]
 XX-0-TEBLI-02387 [ex BZ UK Praha, Czech Republic]

Athyriaceae

- 3 O *Athyrium niponicum* (Mett.) Hance 'Metallicum'
 XX-0-TEBLI-02200 [ex Školky Litomyšl, Czech Republic]

Dryopteridaceae

- 4 O *Cyrtomium falcatum* (L.f.) C.Presl, (L. f.) Presl 'Rochefordianum'
 XX-0-TEBLI-02642 [ex BG Kiev, Ukraine]
- 5 O *Dryopteris affinis* agg. 'Pinderi'
 XX-0-TEBLI-02202
- 6 O *Dryopteris atrata* (Wall. ex Kunze) Ching
 XX-0-TEBLI-02203 [ex Pereny Hlavenec, Czech Republic]
- 7 O *Dryopteris celsa* (W. Palmer)
 XX-0-LZ-F 200/1987 [ex BG Leipzig, Germany]
- 8 O *Dryopteris filix-mas* (L.) Schott
 XX-0-TEBLI-02542
- 9 O *Dryopteris ludoviciana* (Kunze) Small
 XX-0-TEBLI-02643 [ex BG Nantes, France]
- 10 O *Dryopteris uniformis* Makino
 XX-0-TEBLI-02644 [ex BG Kiev, Ukraine]
- 11 O *Polystichum acrostichoides* (Michx.) Schott
 US-0-TUEB-1449 USA, Massachusetts, Franklin Co. [ex BG Tübingen, Germany]
- 12 O *Polystichum acrostichoides* (Michx.) Schott f. *multifidum*
 XX-0-TEBLI-02645 [ex BG Northampton, USA]
- 13 O *Polystichum aculeatum* (L. Roth)
 CH-0-STGAL-21189 Switzerland, Schwägalp AR, 1340 m, coll. Josef Kuhn, 17. 8.
 2012 [ex BG St. Gallen, Switzerland]

- 14 O *Polystichum andersonii* Hopkins
CA-O-TEBLI-02204 Canada, British Columbia, Garibaldi Provincial Park
[ex BG Chemnitz, Germany]
- 15 O *Polystichum braunii* (Spenn.) Fée
CH-O-STGAL-3036 Switzerland [ex BG St. Gallen, Switzerland]
- 16 O *Polystichum luctuosum* (Kunze) T.Moore
[syn. *Polystichum polyblepharum* Nakai]
XX-O-TEBLI-02390 [ex Pereny Hlavenec, Czech Republic]
- 17 O *Polystichum munitum* (Kaulf.) C.Presl
XX-O-TEBLI-02207 [ex BG Deurne, Belgium]
- 18 O *Polystichum neolobatum* Nakai
CN-O-STGAL-20763 Canada [ex BG St. Gallen, Switzerland]
- 19 O *Polystichum setiferum* Rosendahl 'Herrenhausen'
XX-O-TEBLI-02646 [ex Pereny Hlavenec, Czech Republic]
- 20 O *Polystichum setiferum* Rosendahl 'Plumosum Densum'
XX-O-TEBLI-02543 [ex Pereny Hlavenec, Czech Republic]
- 21 O *Polystichum setiferum* Rosendahl 'Plumosum Densum'
XX-O-TEBLI-02209 [ex Zám. centrum Parkon, Czech Republic]

Polypodiaceae

- 22 G *Belvisia* cf. *spicata*
PH-O-TEBLI-02647 Philippines, Mindoro, Mt. Halcon, 1600 m, coll. V. Rybka &
R. Rybková, 2023.04525 [ex BG Praha, Czech Republic]
- 23 G *Drynaria cornucopia* (Copel.) Alderw.
[syn. *Aglaomorpha cornucopia* (Cope.) M.C.Roos]
PH-O-TEBLI-02648 Philippines, Luzon, road above Banaue, coll. V. Rybka &
R. Rybková, 2. 4. 2006, 2021.0296 [ex BG Praha, Czech Republic]
- 24 O *Polypodium virginianum* L.
US-O-TEBLI-02211 USA, Illinois, Ottawa, Illinois River [ex BG Chemnitz, Germany]

Pteridaceae

- 25 O *Adiantum aleuticum* (Rupr.) C.A.Paris
US-O-TEBLI-02213 USA, Alaska, Unalaska [ex BG Chemnitz, Germany]
- 26 O *Adiantum pedatum* L.
XX-O-BHU-UA-0000-6 [ex BG Berlin-Humboldt, Germany]
- 27 O *Adiantum pedatum* L. 'Imbricatum'
XX-O-TEBLI-02214 [ex Pereny Hlavenec, Czech Republic]

- 28 O *Adiantum venustum* D.Don
XX-0-GZU-YY- 200452 [ex BG Graz, Austria]

Tectariaceae

- 29 G *Tectaria decurrens* (C.Presl) Copel.
VN-0-TEBLI-02649 Vietnam, Cuc Phuong, coll. J. R. Haager, 1976, 1976.00006
- 30 G *Tectaria durvillei* (Bory) Holttum [syn. *Tectaria barclayi* (Carruth.) C.Chr.]
XX-0-TEBLI-02650 [ex BG Praha, Czech Republic ex BG Leiden, Netherlands]
- 31 G *Tectaria prolifera* (Hook.) R.M.Tryon & A.F.Tryon
XX-0-TEBLI-02651 [ex BG Praha, Czech Republic ex BG München, Germany]

Angiosperms

Eudicots

Acanthaceae

- 32 G *Barleria albostellata* C.B.Clarke
XX-0-TEBLI-02652 [ex BG Vácrtót, Hungary]
- 33 G *Barleria repens* Ness.
XX-0-TEBLI-01503
- 34 G *Crabbea velutina* S.Moore
XX-0-M-1992/0351 [ex BG Düsseldorf, Germany ex BG München, Germany]
- 35 G *Crossandra infundibuliformis* (L.) Nees
XX-0-STUTZ-005299 [ex ZBG Stuttgart-Wilhelma, Germany]
- 36 G *Crossandra nilotica* Oliv.
XX-0-BGAT-0013323 [ex BG Wien-Belvedere, Austria]
- 37 G *Crossandra nilotica* Oliv.
XX-0-DUSS-1314 [ex BG Düsseldorf, Germany]
- 38 G *Eranthemum wattii* (Bedd.) Stapf
XX-0-TEBLI-01276
- 39 G *Pseuderanthemum hildebrandtii* Lindau
XX-0-BGAT-0013767 [ex BG Leipzig, Germany ex BG Wien-Belvedere, Austria]
- 40 G *Strobilanthes anisophylla* (Wall. ex Hook.) T.Anderson
XX-0-DUSS-1345 [ex BG Düsseldorf, Germany]

Actinidiaceae

- 41 O *Actinidia kolomikta* (Maxim.) Maxim. 'Nachodka Vir-A'
XX-O-TEBLI-02653

Amaranthaceae

- 42 O *Gomphrena haageana* Klotzsch 'Oranžová'
XX-O-TEBLI-02217 [ex Černý Seed s r.o., Czech Republic]
- 43 G *Pleuropetalum darwinii* Hook.f.
EC-O-B-0547874 Ecuador, Galápagos Isl., Santa Cruz Isl., 2004.11463
[ex BG Berlin-Dahlem, Germany]

Apiaceae

- 44 O *Dystaenia takeshimana* (Nakai) Kitag.
XX-O-TEBLI-02654 [ex A Jablunkov Czech Republic]
- 45 O *Eryngium xoliverianum* F. Delaroche
XX-O-TEBLI-02083 [ex BG Łódź, Poland]
- 46 O *Eryngium amethystinum* L.
XX-O-TEBLI-01511 [ex BG Ljubljana, Slovenia]
- 47 O *Eryngium planum* L.
RU-O-POTSD-2004-2024 Russia, W-Sibirien, ca. 15 km W Barnaul, Altaiski Kraj,
220 m, 53°25'13"N, 83°28'06"E, coll. 10. 8. 2004
[ex BG Tübingen, Germany ex BG Potsdam, Germany]
- 48 O *Eryngium yuccifolium* Michx.
US-O-TEBLI-02218 USA, Illinois [ex BG Göttingen, Germany]
- 49 O *Foeniculum vulgare* Mill. 'Krajový'
XX-O-TEBLI-01515 [ex BG LF MU Brno, Czech Republic]
- 50 O *Levisticum officinale* W.D.J.Koch
XX-O-TEBLI-01280
- 51 O *Myrrhis odorata* (L.) Scop.
XX-O-TEBLI-02655 [ex Zahr. Krulichovi, Czech Republic]
- 52 O *Oenanthe javanica* (Blume) DC.
XX-O-BONN-22306 [ex BG Bonn, Germany]

Apocynaceae

- 53 O *Amsonia* cf. *tabernaemontana* Walter
XX-O-PRAZ-1999.19094 [ex BG Praha, Czech Republic]

- 54 O *Amsonia ciliata* var. *texana* (A.Gray) J.M.Coult.
XX-0-CLA-0368 [ex BG Cluj-Napoca, Romania]
- 55 O *Amsonia ciliata* Walter
XX-0-CLA-3528 [ex BG Cluj-Napoca, Romania]
- 56 O *Amsonia ciliata* Walter
XX-0-TUEB-615 [ex BG Tübingen, Germany]
- 57 O *Amsonia elliptica* (Thunb.) Roem. & Schult.
XX-0-TEBLI-01517 [ex BG Cluj-Napoca, Romania]
- 58 O *Amsonia hubrichtii* Woodson
US-0-TEBLI-02397 USA [ex BG Weinheim, Germany]
- 59 O *Amsonia illustris* Woodson
XX-0-TEBLI-02398 [ex BG Weinheim, Germany]
- 60 O *Amsonia ludoviciana* Small
XX-0-TEBLI-02088 [ex BG Weinheim, Germany]
- 61 O *Amsonia orientalis* Decne
XX-0-TEBLI-00810 [ex BG Lausanne, Switzerland]
- 62 O *Amsonia tabernaemontana* var. *salicifolia* (Pursh) Woodson
XX-0-TEBLI-01523 [ex BG Weinheim, Germany]
- 63 O *Amsonia tabernaemontana* Walter
XX-0-TEBLI-01522 [ex BG Cluj-Napoca, Romania]
- 64 O *Amsonia tharpaii* Woodson
US-0-TEBLI-02220 USA, New Mexico, Eddy Co., 945 m [ex Alplains, USA]
- 65 O *Asclepias incarnata* L. 'Cinderella'
XX-0-TEBLI-02089 [ex BG Cluj-Napoca, Romania]
- 66 O *Asclepias incarnata* L. 'Ice Ballet'
XX-0-TEBLI-00015 [ex BG Lublin, Poland]
- 67 O *Asclepias incarnata* L. 'Soulmate'
XX-0-TEBLI-01404 [ex Chiltern Seeds, UK]
- 68 G *Rauvolfia tetraphylla* L.
XX-0-DR-001635 [ex BG TU Dresden, Germany]
- 69 G *Rauvolfia tetraphylla* L.
XX-0-TEBLI-02656 [ex BG Lyon, France]
- 70 G *Rauvolfia vomitoria* Wennberg
XX-0-Z-20002200 2016 321 [ex BG Potsdam, Germany]

- 71 G *Strophanthus speciosus* (Ward & Harv.) Reber
XX-0-TEBLI-00594 [ex Sementes, Germany]

Asteraceae

- 72 O *Ageratina altissima* (L.) R.M.King & H.Rob. 'Chocolate'
XX-0-TEBLI-02221 [ex Zám. zahr. Ctěnice, Czech Republic]
- 73 O *Ageratina occidentalis* (Hook.) R.M.King & H.Rob.
US-0-PRAZ-2018.01762 USA, Oregon, Mahonita Village, forest near Crater Lake
[ex BG Praha, Czech Republic]
- 74 O *Ageratum conyzoides* L.
NP-0-AMD-20061885 Nepal [ex BG Amsterdam, Netherlands]
- 75 O *Anacis palmata* (Nutt.) Z.H.Feng, Z.J.Huang & Su Liu
XX-0-TEBLI-02657
- 76 O *Anaphalis margaritacea* (L.) Benth. & Hook.f. 'New Snow'
XX-0-TEBLI-01543 [ex Černý Seed s r.o., Czech Republic]
- 77 O *Arnica longifolia* D.C.Eaton
XX-0-LZ-AN-1-2010 [ex BG Leipzig, Germany]
- 78 O *Aster ageratoides* Turcz. 'Asran'
XX-0-TEBLI-02402 [ex Pereny Hlavenec, Czech Republic]
- 79 O *Aster koraiensis* Nakai
XX-0-TEBLI-01575
- 80 O *Berkheya cirsiiifolia* (DC.) Roessler
ZA-0-IB-008865 Republic of South Africa [ex BG Innsbruck, Austria]
- 81 O *Berkheya multijuga* (DC.) Roessler
XX-0-TEBLI-00820 [ex Silverhill Seeds, South Africa]
- 82 O *Berkheya purpurea* (DC.) Benth. & Hook.f. ex Mast. 'Silver Spikes'
XX-0-TEBLI-01552 [ex BG Praha, Czech Republic]
- 83 O *Berkheya radula* (Harv.) De Wild.
XX-0-Z-20140391 [ex BG Zürich, Switzerland]
- 84 O *Bupthalmum salicifolium* L.
XX-0-TEBLI-01964 [ex BG Nantes, France]
- 85 O *Carduus defloratus* L.
CH-0-TEBLI-02658 Switzerland, kanton Graubinden, Sils im Engadin,
Furtschellas, Wasserweg Ils Lejins, 46°24'44.847"N, 9°46'56.275"E, 2450 m,
coll. J. Ptáček, L. Macková, V. Lipánová 23. 8. 2023

- 86 O *Carpesium cernuum* L.
XX-O-FRT-2022/443 [ex BG Frankfurt, Germany]
- 87 O *Carpesium macrocephalum* Franch. & Sav.
CN-O-DATH-6420 China, Hupei [ex BG Bonn, Germany ex BG Darmstadt, Germany]
- 88 O *Centaurea atropurpurea* Olivier
XX-O-TEBLI-02225 [ex BG Stavanger, Norway]
- 89 O *Centaurea behen* L.
AZ-O-P-2018g137 Azerbaijan, Nakhitchewan, 1526 m, Gömur Bichenek
[ex MNHN Paris, France]
- 90 O *Coleostephus myconis* (L.) Rchb.f.
FR-O-DR-016451 France [ex BG TU Dresden, Germany]
- 91 O *Coreopsis auriculata* L.
XX-O-BONN-29732 [ex BG Bonn, Germany]
- 92 O *Coreopsis* 'Route 66'
XX-O-TEBLI-02229 [ex Zám. zahr. Ctěnice, Czech Republic]
- 93 O *Coreopsis tinctoria* Nutt. 'Corusco Cream-Red FSN'
XX-O-TEBLI-02659 [ex Černý Seed s r.o., Czech Republic]
- 94 O *Coreopsis tinctoria* Nutt. 'Roulette FSN'
XX-O-TEBLI-02660 [ex Černý Seed s r.o., Czech Republic]
- 95 O *Cota tinctoria* (L.) J.Gay [syn. *Anthemis tinctoria* L.]
CZ-O-TEBLI-02661 Czech Republic, Pnětluky, Pravda, 50.2411739N,
13.7116603E, coll. A. Frolíková, 16. 11. 2025
- 96 O *Cotula duckittiae* (L.Bolus) K.Bremer & Humphries
XX-O-Z-20171317 [ex BG Praha, Czech Republic ex BG Zürich, Switzerland]
- 97 O *Cotula* sp.
ZA-O-PRAZ-2006.11482 Republic of South Africa, Hermanus, Rotary Road,
coll. A. Nováková, E. Smržová, K. Kalfiřtová [ex BG Praha, Czech Republic]
- 98 O *Dahlia parvibracteata* Saar & P.D.Sørensen
MX-O-JENA-7859992 Mexico, North Guerrero, 2021.00994 [ex BG Jena, Germany]
- 99 O *Dieteria canescens* (Pursh) Nutt.
US-O-GZU-11 420698 USA, Wyoming, Yellowstone National Park, N44°30'
W110°30' [ex BG Klagenfurt, Austria]
- 100 O *Dimorphotheca pluvialis* (L.) Moench
XX-O-KIEL-2015 0304-70-63 [ex BG Kiel, Germany]

- 101 O *Echinacea angustifolia* DC.
XX-O-TEBLI-00052 [ex BG Cluj-Napoca, Romania]
- 102 O *Echinacea laevigata* (C.L.Boynton & Beadle) S.F.Blake
US-O-BRUGL-2012-0075Z USA [ex BG Basel, Switzerland]
- 103 O *Eriophyllum lanatum* var. *integrifolium* (Hook.) Smiley
US-O-TUEB-1462 USA, Washington, Skamania Co, State Route 14, grassland community with *Holodiscus discolor*, *Gilia capitata*, *Daucus carota* and *Avena* sp.; 45°35'58"N, 122°13'03"W [ex BG Tübingen, Germany]
- 104 O *Eurybia divaricata* (L.) G.L.Nesom [syn. *Aster divaricatus* L.]
US-O-MSTR-5583 USA [ex BG Jena, Germany]
- 105 O *Eurybia divaricata* (L.) G.L.Nesom 'Tradescant'
[syn. *Aster divaricatus* L. 'Tradescant']
XX-O-TEBLI-01559 [ex Pereny Hlavenec, Czech Republic]
- 106 O *Eurybia schreberi* (Nees) Nees
US-O-JENA-7448467-10 USA, Massachusetts, Paradis Pond, Northampton (lowland), Hampshire County, 42 m [ex BG Jena, Germany]
- 107 O *Eutrochium maculatum* (L.) E.E.Lamont
XX-O-LZ-ZF-998-1996 [ex BG Leipzig, Germany]
- 108 O *Felicia drakensbergensis* J.M.Wood & M.S.Evans
XX-O-Z-20171301 [ex BG Zürich, Switzerland]
- 109 O *Gaillardia aristata* Pursh 'Goblin'
XX-O-TEBLI-02662 [ex Černý Seed s r.o., Czech Republic]
- 110 O *Gaillardia aristata* Pursh 'Lorenziana'
XX-O-TEBLI-02663 [ex Černý Seed s r.o., Czech Republic]
- 111 O *Gaillardia aristata* Pursh 'Red Plume'
XX-O-TEBLI-02664 [ex BG Krefeld, Germany]
- 112 O *Galatella sedifolia* (L.) Greuter 'Nana'
XX-O-TEBLI-02665 [ex Pereny Hlavenec, Czech Republic]
- 113 O *Grindelia integrifolia* DC.
US-O-DR-011382 USA [ex BG TU Dresden, Germany]
- 114 O *Helianthus annuus* L. 'Tall Lemon Sungold'
XX-O-TEBLI-02666 [ex Černý Seed s r.o., Czech Republic]
- 115 O *Helichrysum bellum* Hilliard
XX-O-FRP-15818 [ex BG Frankfurt am Main-PalmenGarten, Germany]

- 116 O *Helichrysum bracteatum* (Venten.) Willd 'Monstrosum Silver'
XX-O-TEBLI-02667 [ex Černý Seed s r.o., Czech Republic]
- 117 O *Helichrysum thianschanicum* Regel 'Goldkind'
XX-O-TEBLI-02235 [ex Jelitto, Germany]
- 118 O *Helichrysum trilineatum* DC.
XX-O-PRAZ-2010.01714 [ex Holzbecher Josef via BG Praha, Czech Republic]
- 119 O *Heliopsis helianthoides* L. Sweet var. *scabra* 'Bleeding Hearts'
XX-O-TEBLI-01975 [ex Jelitto, Germany]
- 120 O *Heterotheca camporum* var. *gladulissima* Semple
XX-O-TEBLI-02236 [ex Zám. zahr. Ctěnice, Czech Republic]
- 121 O *Hieracium maculatum* Schrank
CZ-O-PLZEN-0941-13-20 Czech Republic, Český kras, Srbsko, Kodska rokle,
9. 5. 2013 [ex ZBG Plzeň, Czech Republic]
- 122 O *Lactuca virosa* L.
XX-O-BERN-2005/430 [ex BG Bern, Switzerland]
- 123 O *Leontopodium nivale* subsp. *alpinum* (Cass.) Greuter
CH-O-TEBLI-02668 Switzerland, kanton Graubinden, Sils im Engadin,
Furtschellas, Wasserweg Ils Lejins, 46°24'44.847"N, 9°46'56.275"E, 2450 m,
coll. J. Ptáček, L. Macková, V. Lipánová, 23. 8. 2023
- 124 O *Leontopodium nivale* subsp. *alpinum* (Cass.) Greuter
XX-O-TEBLI-02669 [ex Zahr. centrum Dvořák, Czech Republic]
- 125 O *Leucanthemella serotina* (L.) Tzvelev
XX-O-TEBLI-00999
- 126 O *Liatris scariosa* (L.) Willd. 'Alba'
XX-O-TEBLI-02670 [ex Jelitto, Germany]
- 127 O *Ligularia dentata* (A.Gray) H.Hara 'Midnight Lady'
XX-O-TEBLI-01154 [ex Jelitto, Germany]
- 128 O *Parthenium integrifolium* L.
XX-O-TEBLI-01576 [ex BG St. Louis, USA]
- 129 O *Pentanema hirtum* (L.) D.Gut.Larr., Santos-Vicente, Anderb., E.Rico
& M.M.Mart.Ort.
[syn. *Inula hirta* L.]
CZ-O-PLZEN-1562-15-10 Czech Republic, Central Bohemia, NE of Srbsko,
coll. R. Matulová, 5.4.2015 [ex ZBG Plzeň, Czech Republic]

- 130 O *Pentanema oculus-christi* (L.) D.Gut.Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
XX-O-TEBLI-02671 [ex BG Padova, Italy]
- 131 O *Pentanema squarrosus* (L.) D.Gut.Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
[syn. *Inula conyzae* (Griess.) Meikle]
CZ-O-TEBLI-02672 Czech Republic, Pnětluky, Pravda, 50.2411739N, 13.7116603E, coll. A. Frolíková, 16. 11. 2025
- 132 O *Phagnalon graecum* Boiss. & Heldr.
CY-O-TEBLI-02673 Cyprus, Peyia, on the coast of the shipwreck Edro III., 34°52'19.078"N, 32°20'28.909"E, coll. J. Ptáček, 7. 4. 2024
- 133 O *Pleocarpus revolutus* D.Don
CL-O-TEBLI-02674 Chile, Coquimbo Region, Choapa Province, Los Vilos - Illapel, coll. J. R. Haager & H. Šedivá
- 134 O *Ptilostemon afer* (Jacq.) Greuter
XX-O-ROST-2003-F-3253 [ex BG Rostock, Germany]
- 135 O *Ratibida columnifera* (Nutt.) Wooton & Standl.
US-O-JENA-7890103 USA, North Dakota, Licks Farm near Ruso [ex BG Jena, Germany]
- 136 O *Ratibida columnifera* (Nutt.) Wooton & Standl.
XX-O-TEBLI-02675 [ex Pereny Hlavenec, Czech Republic]
- 137 O *Rhodanthe chlorocephala* subsp. *rosea* (Hook.) Paul G.Wilson 'White'
XX-O-TEBLI-02676 [ex Černý Seed s r.o., Czech Republic]
- 138 O *Rudbeckia missouriensis* Engelm. ex C.L.Boynton & Beadle
US-O-PRAZ-2008.00497 USA, Missouri, Shaw Nature Preserve, Dolomite Glade [ex BG Praha, Czech Republic]
- 139 O *Rudbeckia subtomentosa* Pursh 'Henry Eilers'
XX-O-TEBLI-02419 [ex Zám. zahr. Ctěnice, Czech Republic]
- 140 O *Sanvitalia procumbens* Lam.
MX-O-TEBLI-02101 Mexico [ex BG Halle, Germany]
- 141 O *Scorzonera hispanica* L.
XX-O-TEBLI-02677 [ex BG Lublin, Poland]
- 142 O *Schlagintweitia intybacea* (All.) Griseb.
AT-O-KL-2024/5328 Austria, Reichenau, Turracher Höhe, Kornock, phyllite rock crevices, N 46°54'49.8" E 13°51'50.9", 2086 m, coll. F. Schlatti, 10. 9. 2024 [ex BG Klagenfurt, Austria]

- 143 O *Solidago caesia* L.
XX-0-TEBLI-01586 [ex BG Průhonice, Czech Republic]
- 144 O *Solidago chilensis* Meyen
CL-0-TEBLI-01978 Chile, Araucanía Region, Malalcahuello-Nalcas,
coll. J. R. Haager & H. Šedivá, 2010
- 145 O *Solidago roanensis* Porter
XX-0-PRAZ-2010.02660 [ex BG Praha, Czech Republic]
- 146 O *Syneilesis aconitifolia* (Bunge) Maxim.
XX-0-TEBLI-02678 [ex BG Praha, Czech Republic]
- 147 O *Ursinia anthemoides* (L.) Poir.
XX-0-TEBLI-02555 [ex BG Poznań, Poland]
- 148 O *Ursinia speciosa* DC.
XX-0-LZ-SYS-115-2018 [ex BG Leipzig, Germany]
- 149 O *Ursinia speciosa* DC.
XX-0-HAL-5493 [ex BG Halle, Germany]
- 150 O *Vernonia arkansana* DC. 'Alba'
XX-0-TEBLI-01294 [ex Zám. zahr. Ctěnice, Czech Republic]
- 151 O *Vernonia lettermannii* Engelm. ex A. Gray
XX-0-TEBLI-01162 [ex BG Weinheim, Germany]
- 152 O *Vernonia noveboracensis* (L.) Willd.
XX-0-TEBLI-02247
- 153 O *Zinnia peruviana* (L.) L. 'Bonita Yellow'
XX-0-PRAZ-2011.02753 [ex BG Tübingen, Germany ex BG Praha, Czech Republic]

Begoniaceae

- 154 G *Begonia bullatifolia* L.Kollmann
BR-0-TEBLI-02679 Brazil, Espirito Santo [ex Mauro Peixoto, Brazil]
- 155 G *Begonia conchifolia* A.Dietr.
XX-0-TEBLI-02680 [ex BG Liberec, Czech Republic]
- 156 G *Begonia dregei* Otto & A.Dietr.
XX-0-TEBLI-02681 [ex BG Warszawa, Poland]
- 157 G *Begonia kuhlmannii* Brade
XX-0-TEBLI-02682 [ex BG Liberec, Czech Republic]
- 158 G *Begonia kui* C.I Peng
XX-0-TEBLI-02683 [ex BG Liberec, Czech Republic]

- 159 G *Begonia poculifera* Hook.f.
XX-O-TEBLI-01838 [ex BG Praha, Czech Republic ex BG Liberec, Czech Republic]
- 160 G *Begonia* sp.
GT-O-TEBLI-02684 Guatemala, border with Belize, 2024.06318
- 161 G *Begonia* sp.
MX-O-TEBLI-02685 Mexico, Aqua Azul, M. A. Šimek & H. Šedivá, 2021.03960
- 162 G *Begonia* sp. 2
HN-O-PLZEN-2386-22-10 Honduras, PN Pico Bonito, lowland forest, 170 m,
15°41'6.865"N, 86° 56'0.041"W, 17. 11. 2022, T. Peš jr., 2023.07305
[ex ZBG Plzeň, Czech Republic]
- 163 G *Begonia wollnyi* Herzog
XX-O-TEBLI-02686 [ex BG Liberec, Czech Republic]

Berberidaceae

- 164 O *Jeffersonia diphylla* (L.) Pers.
XX-O-TEBLI-02687

Boraginaceae

- 165 G *Cordia boissieri* A.DC.
XX-O-TEBLI-00130 [ex Sunshine Seeds, Germany]
- 166 G *Cordia obovata* Balf.f.
YE-O-TEBLI-00635 Yemen, Socotra, Qaysoh Wadi, coll. V. Bejček, 2003,
2002.10872
- 167 O *Cynoglossum cheirifolium* L.
XX-O-TEBLI-02426 [ex BG Lautaret, France]
- 168 O *Eritrichium canum* (Benth.) Kitam. 'Baby Blues'
XX-O-TEBLI-02688 [ex Jelitto, Germany]
- 169 O *Lithospermum erythrorhizon* Siebold & Zucc.
XX-O-TEBLI-02106 [ex BG La Gacilly, France]

Brassicaceae

- 170 O *Alyssum spruneri* Jord. & Fourr.
ME-O-IB-016821 Montenegro, Prokletije-Mt. Kerrshat e Mdhaj-Mt.
Marjashi/Marijas [ex BG Innsbruck, Austria]
- 171 O *Erysimum* × *cheiri* (L.) Crantz 'Ivory White'
XX-O-PRAZ-2019.05147 [ex BG Praha, Czech Republic]

- 172 O *Erysimum* × *cheiri* (L.) Crantz 'Vulcan'
XX-O-PRAZ-2019.05148 [ex BG Praha, Czech Republic]
- 173 O *Erysimum duriaei* subsp. *gorbeanum* (Polatschek) P.W.Ball
XX-O-TEBLI-02562 [ex BG Jibou, Romania]
- 174 O *Erysimum rhaeticum* (Hornem.) DC.
AT-O-IB-021638 Austria, Tirol, North Tirol, Oberes Gericht, Nauders,
46°52'45.6"N, 10°30'51.6"E, 1480 m [ex BG Innsbruck, Austria]
- 175 O *Erysimum sylvestre* (Crantz) Scop.
IT-O-NGOET-1603 Italy, South Tirol, Naturns [ex BG Göttingen, Germany]
- 176 O *Fibigia clypeata* (L.) Medik.
TR-O-TEBLI-02563 Turkey, Bolkar Dag [ex BG Tartu, Estonia]
- 177 O *Lunaria annua* L.
CZ-O-TEBLI-02254 Czech Republic, North Bohemia, Charvatce u Loun,
50°25'34.639"N, 13°48'43.870"E, coll. L. Frolíková, 2012
- 178 O *Lunaria annua* L. (deep purple flowers)
CZ-O-TEBLI-02255 Czech Republic, North Bohemia, Teplice-Prosetice,
50.6320078N, 13.8430992E, coll. A. Frolíková, 7. 8. 2022

Cactaceae

- 179 G *Pseudorhipsalis amazonica* subsp. *amazonica*
PE-O-JENA-7719733 Peru, La Merced - Chanchamayo, Departement Junin,
2017.05585 [ex BG Jena, Germany]

Calceolariaceae

- 180 O *Calceolaria tripartita* Ruiz & Pav.
XX-O-FRIBG-10000098 [ex BG Fribourg, Switzerland]

Campanulaceae

- 181 O *Campanula persicifolia* L.
CZ-O-PLZEN-2952-14-20 Czech Republic, Český kras, SV od Srbska,
coll. R. Matulová [ex ZBG Plzeň, Czech Republic]
- 182 O *Campanula thyrsoides* L.
FR-O-TEBLI-02689 France, Lautaret, 2020 m, 45°2'0.87"N, 6°23'53.59"E
[ex BG Lautaret, France]
- 183 O *Campanula thyrsoides* subsp. *carniolica* (Sünd.) Podlech
XX-O-WU-0009861 Austria, Alps, 1800 m [ex BG Wien Universität, Austria]
- 184 O *Edraianthus wettsteinii* Balacsy & Bald. ex Halácsy
AL-O-M-2007/2768 Albania, North [ex BG München, Germany]

- 185 G *Hippobroma longiflora* (L.) G.Don
RE-O-GENT-20031190 Reunion, Saint-Benoit, Bethléem, 2023.07170
[ex BG Amsterdam, Netherlands ex BG Gent, Belgium]
- 186 O *Lobelia siphilitica* L.
XX-O-TEBLI-01173 [ex BG Linz, Austria]

Caprifoliaceae

- 187 O *Patrinia sibirica* (L.) Juss.
KZ-O-OSN-2016-33-52 Kazakhstan, Pass an der Grenze zu Katon-Karagai rayon, Wiesensteppe, N 49.37934, E 084.26132, 859 m, coll. N. Friesen, 4. 8. 2016
[ex BG Jena, Germany]
- 188 O *Scabiosa* cf. *lucida* Vill.
AT-O-TEBLI-02690 Austria, High Tauern, route from Kaiser Franz Josefs Höhe to Lake Sandersee, 47.0746622N, 12.7461119E, 2100 m, coll. A. Frolíková, 20. 8. 2023
- 189 O *Scabiosa columbaria* L.
XX-O-TEBLI-01620 [ex BG Konstanz, Germany]
- 190 O *Scabiosa columbaria* L. 'Misty Butterflies'
XX-O-TEBLI-01175 [ex Jelitto, Germany]
- 191 O *Scabiosa ochroleuca* L.
CZ-O-TEBLI-01021 Czech Republic, Beroun, Koukolova hora, coll. A. Frolíková, 12. 8. 2012

Caryophyllaceae

- 192 O *Dianthus giganteiformis* subsp. *pontederæ* (A.Kern.) Soó
XX-O-TEBLI-01856 [ex DG Průhonice, Czech Republic]
- 193 O *Gypsophila pacifica* Komarov
XX-O-TEBLI-01434 [ex BG MZLU Brno, Czech Republic]
- 194 O *Gypsophila repens* L.
AT-O-TEBLI-02691 Austria, High Tauern, route from Kaiser Franz Josefs Höhe to Lake Sandersee, 47.0746622N, 12.7461119E, 2100 m, coll. A. Frolíková, 20. 8. 2023
- 195 O *Saponaria calabrica* Guss.
XX-O-DR-002075 [ex BG TU Dresden, Germany]
- 196 O *Silene coronaria* (L.) Clairv.
HU-O-TEBLI-02692 Hungary, Gyöngyös, Sárhegy [ex BG Eger, Hungary]

- 197 O *Silene coronaria* (L.) Clairv.
XX-O-TEBLI-02574
- 198 O *Silene vulgaris* (Moench) Garcke
AT-O-TEBLI-02693 Austria, High Tauern, route from Kaiser Franz Josefs Höhe to Lake Sandersee, 47.0746622N, 12.7461119E, 2100 m, coll. A. Frolíková, 20. 8. 2023
- 199 O *Viscaria vulgaris* Bernh.
XX-O-ULM-1992-F-118 [ex BG Ulm, Germany]

Cistaceae

- 200 O *Cistus sintenisi* Litard. [syn. *Cistus albanicus* E.F.Warb. Ex Heywood]
XX-O-TEBLI-02437 [ex BG Konstanz, Germany]
- 201 O *Helianthemum oelandicum* subsp. *alpestre* (Jacq.) Ces.
DE-O-M-2023/1984 Germany, Bayern, Oberbayern, Lkr. Miesbach, Wendelsteinmassiv, SW below the Türkenköpfl, N47.70443°, E11.99714°, 1394 m, coll. Gröger A., Kadereit J., Messerschmid Th., Pfanzelt S., Price K., 29. 9. 2023 [ex BG München, Germany]

Cleomaceae

- 202 G *Cleome serrata* Jacq.
GT-O-AMD-20061175 Guatemala, prov. Alta Verapaz, from Rocjá Pontilá along Rio Kixpur, 180 m, 2019.05116 [ex BG Amsterdam, Netherlands]

Clethraceae

- 203 O *Clethra acuminata* Michx.
US-O-TEBLI-02268 USA, West Wirginia, Nicholas Co. [ex A Newark, USA]

Convolvulaceae

- 204 G *Distimake tuberosus* (L.) A.R.Simões & Staples
ES-O-UDE-94-56-5-3 Spain, Canary Island, La Palma, 2020.07820
[ex BG Duisburg-Essen, Germany]

Dioscoreaceae

- 205 G *Dioscorea polystachya* Turcz. 'Takoro Mairo'
[syn. *Dioscorea batatas* Decne 'Takoro Mairo']
XX-O-TEBLI-02694 [ex BG Konstanz, Germany]
- 206 G *Dioscorea polystachya* Turcz.
XX-O-DUSS-3196 [ex BG Düsseldorf, Germany]

- 207 G *Dioscorea sansibarensis* Pax
XX-O-TEBLI-02270 [ex BG Konstanz, Germany]
- 208 G *Dioscorea villosa* L.
XX-O-TEBLI-02695 [ex Alpine Nursery Uetersen, Germany]
- 209 G *Tacca chantrieri* André
VN-O-PRAZ-1999.05356 Vietnam, prov. Lam Dong, Bao Loc, 800 m,
coll. J. R. Haager & R. Rybková, 2018.03129 [ex BG Praha, Czech Republic]
- 210 G *Tacca integrifolia* Ker Gawl.
TH-O-FRP-25943 Thailand, 2023.07326 [ex ZBG Stuttgart-Wilhelma, Germany]
- 211 G *Tacca plantaginea* (Hance) Drenth
XX-O-DR-O14176 [ex BG Ulm, Germany]

Ericaceae

- 212 O *Leucothoe fontanesiana* (Steud.) Sleumer 'Rainbow'
XX-O-TEBLI-02696
- 213 O *Lyonia ligustrina* (L.) DC.
XX-O-TEBLI-01649 [ex BG Warszawa, Poland]
- 214 G *Sphyrospermum buxifolium* Poepp. & Endl.
XX-O-TEBLI-00860 [ex BG New York - Bronx Park, USA]
- 215 G *Sphyrospermum cordifolium* Benth.
XX-O-TEBLI-00861 [ex BG New York - Bronx Park, USA]
- 216 G *Sphyrospermum ellipticum* Sleumer
EC-O-TEBLI-01193 Ecuador, 2004.11707 [ex BG Praha, Czech Republic]
- 217 O *Zenobia pulverulenta* (W.Bartram ex Willd.) Pollard
XX-O-TEBLI-02275

Euphorbiaceae

- 218 G *Acalypha hispida* Burm.f. 'Alba'
XX-O-TEBLI-02697
- 219 G *Acalypha wilkesiana* Müll.Arg. 'Haleakala'
XX-O-TEBLI-02698 [ex Meyer & Mongkol, Thailand]
- 220 G *Croton tiglium* L.
XX-O-KIEL-136949 [ex BG Kiel, Germany]
- 221 G *Plukenetia volubilis* L.
PE-O-TEBLI-02699 Peru, 2023.05403 [ex BG Praha, Czech Republic]

Fabaceae

- 222 O *Albizia julibrissin* Durazz.
XX-0-TEBLI-01650 [ex F. Zpurný, Czech Republic]
- 223 O *Anthyllis vulneraria* subsp. *vulneraria* 'Red Carpet'
XX-0-TEBLI-02700 [ex Jelitto, Germany]
- 224 O *Baptisia australis* (L.) R.Br.
XX-0-LZ-APO-135-2010 [ex BG Leipzig, Germany]
- 225 O *Cytisus scoparius* (L.) Link
CZ-0-TEBLI-02701 Czech Republic, Janov u Hřenska, 50.8588206N,
14.2628378E, coll. A. Frolíková, 9. 8. 2025
- 226 G *Dichrostachys cinerea* (L.) Wight & Arn.
CU-0-TEBLI-01867 Cuba, Granma, Río Cauta, coll. Baßler, 2006.11660
[ex BG Berlin-Dahlem, Germany]
- 227 O *Glycyrrhiza yunnanensis* S.H.Cheng & L.K.Tai ex P.C.Li
XX-0-TEBLI-02702 [ex Jelitto, Germany]
- 228 O *Lessertia frutescens* (L.) Goldblatt & J.C.Manning
ZA-0-PLZEN-0444-11-50 Republic of South Africa, Hout Bay, Cape Peninsula
[ex BG Amsterdam, Netherlands ex ZBG Plzeň, Czech Republic]
- 229 O *Lotus maritimus* L.
XX-0-ULM-1995-F-572 [ex BG Ulm, Germany]
- 230 O *Mucuna pruriens* (L.) DC.
XX-0-AMD-20111017 [ex BG Amsterdam, Netherlands]
- 231 O *Phaseolus vulgaris* L. 'Blauhilde' [syn. *Phaseolus vulgaris* var. *vulgaris* 'Blauhilde']
XX-0-TEBLI-02703
[ex BG Šiauliai, Lithuania]
- 232 O *Sophora davidii* (Franch.) Pavol.
XX-0-GENT-20011234 [ex BG Gent, Belgium]

Gentianaceae

- 233 O *Gentiana affinis* Griseb.
XX-0-LI-6408 [ex BG Linz, Austria]
- 234 O *Gentiana nubigena* Edgew.
XX-0-IB-010225 [ex BG Innsbruck, Austria]
- 235 G *Lisianthus nigrescens* Schltdl. & Cham.
XX-0-TEBLI-02704 [ex BG Northampton, USA]

Gesneriaceae

- 236 G *Sinningia reitzii* (Hoehne) L.E.Skog
BR-O-TEBLI-02705 Brazil, Sao Paulo, 2006.11888 [ex Mauro Peixoto, Brazil]

Hypericaceae

- 237 O *Hypericum androsaemum* L.
IT-O-TEBLI-02003 Italy, Lucca, Apuan Alps [ex BG Parma, Italy]
- 238 O *Hypericum ascyron* L.
US-O-HBG-2011-F-102 USA, Iowa, Custer Hights, coll. 11. 10. 2018
[ex BG Hamburg, Germany]
- 239 O *Hypericum montanum* L.
CZ-O-PLZEN-2015-12-10 Czech, Český kras, Císařská rokle, coll. R. Matulová,
11. 9. 2012 [ex ZBG Plzeň, Czech Republic]
- 240 O *Hypericum orientale* L.
TR-O-DR-013247 Turkey [ex BG TU Dresden, Germany]
- 241 O *Hypericum polyphyllum* Boiss. & Balansa
XX-O-BGAT-0004837 [ex BG Wien-Belvedere, Austria]
- 242 O *Hypericum pseudohenryi* N.Robson
CN-O-PLZEN-1733-00-40 China [ex ZBG Plzeň, Czech Republic]
- 243 O *Hypericum reptans* Hook.f. & Thomson ex Dyer
XX-O-TEBLI-01872 [ex BG Wien-Belvedere, Austria]

Lamiaceae

- 244 O *Agastache rugosa* Kuntze 'Golden Jubilee'
XX-O-ZAVRT-5020 [ex BG Zagreb, Croatia]
- 245 O *Blephilia ciliata* (L.) Raf. ex Benth.
XX-O-PRAZ-2009.00215 USA, Missouri, Shaw Nature Reserve, Dolomite Glade
[ex BG Strasbourg, France ex BG Praha, Czech Republic]
- 246 O *Cedronella canariensis* (L.) Webb & Berthel.
ES-O-KIEL-1985 2675-70-100 Spain [ex BG Kiel, Germany]
- 247 G *Clerodendrum colebrookeanum* Walp.
TH-O-BONN-32356 Thailand, 2020.07614 [ex BG Zürich, Switzerland ex BG Bonn,
Germany]
- 248 G *Clerodendrum thomsoniae* Balf.
XX-O-TEBLI-02706 [ex BG Praha, Czech Republic]

- 249 O *Clerodendrum trichotomum* Thunb.
[syn. *Clerodendrum trichotomum* var. *fargesii* (Dode) Rehder]
XX-O-TEBLI-01664
- 250 O *Clinopodium vulgare* L.
XX-O-TEBLI-02707
- 251 O *Coleus caninus* (B.Heyne ex Roth) Vatke
[syn. *Plectranthus caninus* B. Heyne ex Roth]
XX-O-TEBLI-02581 [ex ZBG Plzeň, Czech Republic]
- 252 O *Coleus venterii* (van Jaarsv. & Hankey) A.J.Paton
XX-O-TEBLI-02708 [ex Zahr. Krulichovi, Czech Republic]
- 253 O *Collinsonia canadensis* L.
XX-O-TUEB-1533 [ex BG Tübingen, Germany]
- 254 O *Discretitheca nepalensis* (Moldenke) P.D.Cantino
XX-O-TEBLI-02126
- 255 O *Dracocephalum moldavica* L.
XX-O-DR-002101 [ex BG TU Dresden, Germany]
- 256 O *Dracocephalum ruyschiana* L.
XX-O-TEBLI-02709 [ex Jelitto, Germany]
- 257 O *Elsholtzia stauntonii* Benth.
XX-O-BONN-24939 [ex BG Bonn, Germany]
- 258 O *Leonurus cardiaca* L.
XX-O-BRNU-2017-04168 [ex BG MU Brno, Czech Republic]
- 259 O *Leonurus sibiricus* L.
XX-O-TEBLI-02710 [ex Černý seed s r.o., Czech Republic]
- 260 O *Lophanthus tibeticus* C.Y.Wu & Y.C.Huang
XX-O-LZ-OAW-40-2023 [ex BG Leipzig, Germany]
- 261 O *Melissa officinalis* L. 'Mandarina'
XX-O-TEBLI-02291 [ex Jean-Luc Gatard, France]
- 262 O *Melittis melissophyllum* subsp. *melissophyllum*
XX-O-TEBLI-02711 [ex BG Bielefeld, Germany]
- 263 O *Monarda didyma* L. 'Balmy Pink'
XX-O-TEBLI-02712 [ex Pereny Hlavenec, Czech Republic]
- 264 O *Nepeta subsessilis* Maxim. 'Washfield'
XX-O-TEBLI-02713 [ex Pereny Hlavenec, Czech Republic]

- 265 O *Ocimum basilicum* L. 'Freddy'
XX-0-TEBLI-02584 [ex Dobrá Semena, Czech Republic]
- 266 O *Ocimum basilicum* L. 'Kemangi'
XX-0-TEBLI-02714 [ex BG Lublin, Poland]
- 267 O *Ocimum carnosum* Link & Otto ex Benth.
XX-0-TEBLI-02458 [ex BG Ventimiglia, Italy]
- 268 O *Ocimum gratissimum* L. eugenol – clove scented
XX-0-BONN-19832 [ex BG Bonn, Germany]
- 269 O *Ocimum gratissimum* L. thymol type – thyme scented
XX-0-TEBLI-02007 [ex BG Frankfurt, Germany]
- 270 O *Ocimum kilimandscharicum* Gürke
XX-0-BONN-27895 [ex BG Caen, France ex BG Bonn, Germany]
- 271 O *Ocimum* 'Strauchbasilikum'
XX-0-FRT-2011/597 [ex BG Frankfurt, Germany]
- 272 O *Ocimum tenuiflorum* L.
XX-0-TEBLI-02008 [ex BG La Gacilly, France]
- 273 O *Origanum vulgare* subsp. *viridulum* (Martrin-Donos) Nyman
XX-0-TEBLI-01672
- 274 O *Rosmarinus officinalis* L. 'Blue Winter'
XX-0-TEBLI-01049 [ex Zahr. Krulichovi, Czech Republic]
- 275 O *Salvia forskaohlii* L.
XX-0-TEBLI-02715 [ex BG Montpellier, France]
- 276 O *Salvia lyrata* L. 'Purple Knockout'
XX-0-TEBLI-02716 [ex BG Krefeld, Germany]
- 277 O *Salvia repens* Burch. ex Benth.
XX-0-TEBLI-01886 [ex BG Lublin, Poland]
- 278 O *Salvia verticillata* subsp. *amasiaca* (Freyn & Bornm.) Bornm.
XX-0-TEBLI-00336
- 279 O *Satureja kitaibelii* Wierzb. ex Heuff.
XX-0-TEBLI-02717 [ex BG Cluj-Napoca Agro, Romania]
- 280 O *Satureja montana* L.
XX-0-TEBLI-02718 [ex BG Geneve, Switzerland]
- 281 G *Scutellaria aurata* Lem.
XX-0-TEBLI-01328 [ex BG Ulm, Germany]

- 282 O *Scutellaria baicalensis* Georgi
XX-O-TEBLI-00339 [ex BG Łódź, Poland]
- 283 O *Scutellaria incana* Spreng.
XX-O-GENT-19802324 [ex BG Gent, Belgium]
- 284 O *Stachys affinis* Bunge
XX-O-HAL-5308 [ex BG Halle, Germany]
- 285 O *Teucrium orientale* L.
GE-O-M-2012/2456 Georgia, Samtshke-Javakheti, between Borjomi and Bakuriani, near Tsagveri, 41°48.334'N, 43°28.648'E, 1000 m
[ex BG München, Germany]
- 286 O *Teucrium scorodonia* L.
DE-O-TUEB-9847 Germany, Usedom, north side Peenemünder Haken, forest, coll. S. Starke, 7. 6. 2008 [ex BG Tübingen, Germany]
- 287 O *Thymus × citriodorus* (Pers.) Schreb. 'Fragrantissimus Orange'
XX-O-TEBLI-02719 [ex Jelitto, Germany]

Loasaceae

- 288 O *Aosa rupestris* (Gardner) Weigend
XX-O-ULM-2010-G-40 [ex BG Gent, Belgium ex BG Ulm, Germany]
- 289 O *Loasa tricolor* Ker Gawl.
XX-O-TEBLI-01692 [ex BG Krefeld, Germany]
- 290 O *Mentzelia albescens* (Gillies ex Arn.) Benth. & Hook.f. ex Griseb.
AR-O-TEBLI-02720 Argentina, Río Blanco, 31.8965133S, 69.8093181W, 2010 m, coll. T. Procházka, 25. 1. 2025 [ex BG Praha UK, Czech Republic]
- 291 O *Nasa triphylla* subsp. *elegans* Dostert & Weigend
PE-O-BONN-37113 Peru [ex BG Darmstadt, Germany ex BG Bonn, Germany]
- 292 O *Nasa urens* (Jacq.) Weigend
XX-O-TUEB-860 [ex BG Tübingen, Germany]

Lythraceae

- 293 O *Lythrum alatum* Pursh
XX-O-HBG-A0-F-10612 [ex BG Hamburg, Germany ex Prairie Moon Nursery]

Malvaceae

- 294 O *Alcea froloviana* (Litw.) Ijin
XX-O-TEBLI-02013 [ex BG Izhevsk, Russia]

- 295 O *Alcea nudiflora* (Lindl.) Boiss.
TJ-O-MW-2012-407 Tajikistan, Gorno-Badakhshan, Darvaz Range, valley of Obi-Niou River; N 38°30' E 70°40', 5000 m [ex BG Klagenfurt, Austria]
- 296 O *Anisodonteia capensis* (L.) D.M.Bates
XX-O-TEBLI-02721 [ex BG Kursk, Russia]
- 297 O *Callirhoe involucrata* (Torr. & A.Gray) A.Gray
XX-O-Z-20071311 [ex BG Zürich, Switzerland]
- 298 O *Hibiscus moscheutos* subsp. *moscheutos* [syn. *Hibiscus palustris* L.]
US-O-DR-013008 USA [ex BG TU Dresden, Germany]
- 299 G *Hibiscus pedunculatus* L. f.
XX-O-TEBLI-00708 [ex BG Berlin-Dahlem, Germany]
- 300 G *Hibiscus* sp.
XX-O-TEBLI-02722
- 301 O *Malva thuringiaca* Vis. [syn. *Lavatera thuringiaca* L.]
CZ-O-TEBLI-02302 Czech Republic, South Bohemia, surroundings of Archeopark Pavlov, 48.8774653N, 16.6748047E, coll. A. Frolíková, 13. 7. 2022
- 302 O *Malva trimestris* (L.) Salisb. 'Mount Blanc'
XX-O-TEBLI-02723 [ex BG Krefeld, Germany]
- 303 G *Pavonia candida* (DC.) Fryxell
XX-O-FB-6530 [ex BG Freiburg, Germany]
- 304 G *Pavonia missionum* Ekman
XX-O-TEBLI-01049 [ex BG Villenave D'Ornon, France]
- 305 G *Pavonia sepium* A.St.-Hil.
XX-O-HOH-SYS-K-3991 [ex BG Stuttgart-Hohenheim, Germany]

Melastomataceae

- 306 G *Arthrostemma parvifolium* Cogn.
GT-O-TUEB-4638 Guatemala, Cobán, Cubilgüitz, coll. J. R. Haager & R. Rybková, 1997, 2023.07099 [ex BG Magdeburg ex BG Tübingen, Germany ex BG Teplice, Czech Republic]
- 307 G *Bertolonia carmoi* Baumgratz [syn. *Bertolonia ovata* DC.]
XX-O-TEBLI-02591 [ex BG Bratislava, Slovakia]
- 308 G *Bertolonia maculata* DC.
BR-O-KIEL-1985-12577-70-100 Brazil, 2021.03933 [ex BG Kiel, Germany]

- 309 G *Bertolonia marmorata* (Naudin) Naudin
BR-O-NCY-19943655W Brazil, 2021.01627 [ex BG Potsdam, Germany
ex BG Nancy, France]
- 310 G *Clidemia hirta* (L.) D. Don
XX-O-TEBLI-01899 [ex BG Nantes, France]
- 311 G *Medinilla loranthoides* Naudin
XX-O-TEBLI-02303
- 312 G *Medinilla loranthoides* Naudin
XX-O-TEBLI-02384 [ex BG Praha, Czech Republic]
- 313 G *Medinilla loranthoides* Naudin
XX-O-ULM-2007-6-306 [ex BG Ulm, Germany ex BG Heidelberg, Germany]
- 314 G *Medinilla multiflora* Merr. [syn. *Medinilla myriantha* Merr.]
XX-O-TEBLI-01702
- 315 G *Medinilla* sp.
XX-O-TEBLI-02724
- 316 G *Medinilla succulenta* Korth. ex Blume
ID-O-TEBLI-02139 Borneo, Sarawak, Baram River, 2004.11703 [ex BG Frankfurt,
Germany via BG Praha, Czech Republic]
- 317 G *Monolena* sp.
XX-O-TEBLI-02725

Meliaceae

- 318 G *Cipadessa baccifera* (Roxb. ex Roth) Miq.
XX-O-DUSS-4314 [ex BG Düsseldorf, Germany]
- 319 G *Turraea heterophylla* Sm.
XX-O-KIEL-2014 0200-70-54 [ex BG Kiel, Germany]

Montiaceae

- 320 O *Cistanthe grandiflora* (Lindl.) Schltdl.
XX-O-TEBLI-00903 [ex BG Krefeld, Germany]

Moraceae

- 321 G *Dorstenia elata* Gardner
XX-O-TEBLI-02592 [ex BG Tallinn, Estonia]

Myricaceae

- 322 O *Myrica gale* L.
XX-0-TEBLI-01903 [ex BG Bordeaux, France]
- 323 O *Myrica pensylvanica* Mirb.
XX-0-LZ-ZF-979-1996 [ex BG Leipzig, Germany]

Myrtaceae

- 324 G *Psidium cattleianum* Sabine
XX-0-TEBLI-01704

Nyssaceae

- 325 O *Davidia involucrata* Baill.
[syn. *Davidia involucrata* var. *vilmoriniana* (Dode) Hemsl.]
XX-0-TEBLI-02726 [ex Pieter Zwijnenburg/Boskoop, Netherlands]

Ochnaceae

- 326 G *Ochna serrulata* Walp.
XX-0-TEBLI-00879 [ex BG St. Andrews, UK]

Onagraceae

- 327 O *Clarkia tenella* (Cav.) F.H.Lewis & M.E.Lewis
XX-0-TEBLI-02306 [ex Chileflora, Chile]
- 328 O *Fuchsia paniculata* Lindl.
PA-0-U-1980GR00318 Panama, Churiqui, Cerro Punta, 1800 m
[ex BG Utrecht, Netherlands]
- 329 O *Oenothera pilosella* Raf.
XX-0-LI-1275 [ex BG Linz, Austria]
- 330 O *Oenothera speciosa* Nutt.
XX-0-TEBLI-02308 [ex BG Krefeld, Germany]

Paeoniaceae

- 331 O *Paeonia daurica* subsp. *coriifolia* (Rupr.) D.Y.Hong
RU-0-TEBLI-02593 Russia, Caucasus [ex BG Moskva, Russia]
- 332 O *Paeonia daurica* subsp. *macrophylla* (Albov) D.Y.Hong
XX-0-TEBLI-02309 [ex BG Petrozavodsk, Russia]
- 333 O *Paeonia ludlowii* (Stern & G.Taylor) D.Y.Hong
XX-0-TEBLI-02311 [ex BG Weinheim, Germany]

- 334 O *Paeonia mascula* (L.) Mill.
XX-O-TEBLI-02137 [ex BG AV Průhonice, Czech Republic]
- 335 O *Paeonia officinalis* subsp. *microcarpa* Nyman
XX-O-GENT-20000239 [ex BG Gent, Belgium]
- 336 O *Paeonia peregrina* Mill.
RO-O-IAGBXXX8895Z Romania [ex BG Iași, Romania]
- 337 O *Paeonia suffruticosa* var. *papaveracea* (Andrews) A.Kern.
XX-O-TEBLI-01334b [ex Kaichen Nursery, China]

Papaveraceae

- 338 O *Argemone rosea* Hook.
CL-O-TEBLI-02727 Chile, Coquimbo Region, Juntas de Valeriano, coll. J. R. Haager & H. Šedivá, 2015
- 339 O *Oreomecon popovii* (Sipliv.) Galasso, Banfi & Bartolucci
[syn. *Papaver popovii* Sipliv.]
KG-O-GB-2001-0846 Kirgizstan, Severnyi Pamir, 3600 m, coll. J. and J. Halda, JJH000812 [ex BG Götteborg, Sweden]
- 340 O *Papaver armeniacum* subsp. *armeniacum*
XX-O-TEBLI-02728 [ex BG Perm, Russia]
- 341 O *Papaver orientale* L. 'Scharlachkönigin'
XX-O-TEBLI-02144 [ex BG Kaunas, Lithuania]

Passifloraceae

- 342 G *Passiflora calcarata* Mast.
MG-O-TEBLI-00372 Madagascar, Antananarivo Province, Ibity Massif, Mt. Ibity, 2004.11462 [ex BG Praha, Czech Republic]
- 343 G *Passiflora capsularis* L.
XX-O-KIEL-P-2015-1080 [ex BG Kiel, Germany]
- 344 G *Passiflora coriacea* Juss.
XX-O-TEBLI-02594 [ex BG Praha, Czech Republic]
- 345 G *Passiflora holosericea* L.
XX-O-GENT-20090637 [ex BG Gent, Belgium]

Pedaliaceae

- 346 O *Sesamum trilobum* (Bernh.) Byng & Christenh. f. *alba*
[syn. *Ceratotheca triloba* (Bernh.) Hook.f. f. *alba*]
XX-O-PRAZ-2012.04165 [ex BG Praha, Czech Republic ex BG Menton, France]

Phrymaceae

- 347 O *Mimulus alatus* Aiton
US-0-MO-2015-1756 USA, Missouri, Washington County, Just west of Washington State Park, Northeast corner of Highway 21 and Highway 47, along old mines creek, 642 ft, 38.0766667, -90.7375333. 2015-10-29. Coll no: 15-154. [ex BG Bonn, Germany ex BG Missouri, USA]

Piperaceae

- 348 G *Peperomia* sp.
GT-0-TEBLI-02729 Guatemala, Sierra del Mico, 1000 m, coll. J. R. Haager & R. Rybková, 1997, 1997.13357
- 349 G *Peperomia* sp.
PE-0-TEBLI-02730 Peru, Laguna San Alberto, coll. E. Smržová, 29. 8. 2005, P-05-14-07, 2005.11115 [ex BG Praha, Czech Republic]

Plantaginaceae

- 350 O *Antirrhinum braun-blanquetii* Rothm.
ES-0-HBG-AO-F-8516 Spain [ex BG Zürich, Switzerland]
- 351 O *Digitalis ciliata* Trautv.
XX-0-TEBLI-02595 [ex BG MZLU Brno, Czech Republic]
- 352 O *Digitalis lamarckii* Ivanina
TR-0-B-2482281 Turkey, prov. Ankara, Kizilcahanam
[ex BG Strasbourg, France ex BG Berlin-Dahlem, Germany]
- 353 O *Digitalis purpurea* L.
CZ-0-TEBLI-02314 Czech Republic, North Bohemia, Krupka, base of Komáří hůrka, 50.7059317N, 13.8432142E, coll. A. Frolíková, 7. 8. 2022
- 354 O *Globularia bisnagarica* L.
CZ-0-PLZEN-1565-15-10 Czech Republic, Central Bohemia, E of Srbsko, Velká Hora, coll. 5.4.2015 [ex ZBG Plzeň, Czech Republic]
- 355 O *Globularia punctata* Lapeyr.
XX-0-ROST-2003-F-2762 [ex BG Rostock, Germany]
- 356 O *Chelone lyonii* Pursh.
XX-0-TEBLI-00379 [ex BG Jena, Germany]
- 357 G *Maurandya barclayana* Lindl.
XX-0-TEBLI-02731 [ex BG Košice, Slovakia]
- 358 O *Penstemon digitalis* Nutt. ex Sims 'Husker Red'
XX-0-TEBLI-01063 [ex A Chollipo, South Korea]

- 359 O *Penstemon utahensis* Eastw.
XX-0-TEBLI-02319 [ex BG Bielefeld, Germany]
- 360 O *Plantago sempervirens* Crantz
XX-0-HAL-3935 [ex BG Halle, Germany]
- 361 G *Tetranema roseum* (M.Martens & Galeotti) Standl. & Steyerl.
GT-0-TEBLI-02732 Guatemala, prov. Alta Verapaz, Chisec-Cubilhuitz,
coll. J. R. Haager & R. Rybková, 1997, 1997.15720
- 362 O *Veronica bellidioides* L.
CH-0-TEBLI-02733 Switzerland, kanton Graubünden, Sils im Engadin,
Furstchellas, Lej Sgrischus, 46°23'52.280"N, 9°47'55.873"E, 2600 m,
coll. J. Ptáček, L. Macková, V. Lipánová, 23. 8. 2023
- 363 O *Veronica fruticans* Jacq.
XX-0-TEBLI-02734
- 364 O *Veronicastrum virginicum* (L.) Farw. 'Fascination'
XX-0-TEBLI-02154 [ex Zám. zahr. Ctěnice, Czech Republic]

Plumbaginaceae

- 365 O *Goniolimon cuspidatum* Gamajun.
KG-0-IB-023848 Kirgizstan [ex BG Innsbruck, Austria]
- 366 O *Limonium gmelini* (Willd.) Kuntze
XX-0-TEBLI-00740 [ex BG MU Brno, Czech Republic]
- 367 G *Plumbago zeylanica* L.
XX-0-TEBLI-02481 [ex BG Kiel, Germany]
- 368 O *Psylliostachys suworowii* (Regel) Roshkova
[syn. *Limonium suworowii* (Regel) Kuntze]
XX-0-TEBLI-02735 [ex Černý Seed s r.o., Czech Republic]

Polemoniaceae

- 369 O *Collomia grandiflora* Douglas ex Lindl.
XX-0-ROST-2003-F-2442 [ex BG Rostock, Germany]
- 370 O *Polemonium pulcherrimum* Hook
XX-0-STGAL-61/2010 [ex BG St. Gallen, Switzerland]

Primulaceae

- 371 G *Ardisia humilis* Vahl
XX-0-TEBLI-01345

Ranunculaceae

- 372 O *Aconitum moldavicum* Hacq.
XX-0-TEBLI-02736 [ex A Powsin, Poland]
- 373 O *Aconitum plicatum* Köhler ex Rchb.
XX-0-TEBLI-01736 [ex BG LF MU Brno, Czech Republic]
- 374 O *Aconitum soongaricum* (Regel) Stapf
XX-0-TEBLI-02737 [ex BG Turku, Finland]
- 375 O *Aconitum vulparia* Rchb.
AT-0-GENT-19851326 Austria, Wuppertal, Hinterstoder Limestone Alps, approx.
700 m [ex BG Gent, Belgium]
- 376 O *Actaea pachypoda* Elliott 'Silver Leaf'
XX-0-TEBLI-02484 [ex Jelitto, Germany]
- 377 O *Actaea rubra* (Aiton) Willd.
XX-0-TEBLI-02602 [ex BG Tartu, Estonia]
- 378 O *Anemone sylvestris* L.
XX-0-TEBLI-02160 [ex BG Warszawa, Poland]
- 379 O *Anemone virginiana* var. *alba* (Oakes) Alph.Wood
XX-0-TEBLI-01738 [ex BG Marseille, France]
- 380 O *Aquilegia nevadensis* Boiss. & Reut.
XX-0-LZ-A-74-2000 [ex BG Leipzig, Germany]
- 381 O *Aquilegia pancicii* Degen
XX-0-TEBLI-02738 [ex BG Berlin-Dahlem, Germany]
- 382 O *Clematis integrifolia* L. 'Blue Ribbons'
XX-0-TEBLI-02739 [ex Jelitto, Germany]
- 383 O *Clematis stans* Siebold & Zucc.
XX-0-TEBLI-02486
- 384 O *Delphinium caucasicum* C.A.Mey
XX-0-TEBLI-01351 [ex BG Bormio, Italy]
- 385 O *Nigella damascena* L. 'Persian Jewels Group'
XX-0-TEBLI-0168 [ex Černý Seed s r.o., Czech Republic]
- 386 O *Trautvetteria caroliniensis* (Walter) Vail
XX-0-UI-2013ZS00595 [ex BG Utrecht, Netherlands]

Rosaceae

- 387 O *Acaena anserinifolia* (J.R.Forst. & G.Forst.) J.B.Armstr.
XX-0-LZ-N-28-1999 [ex BG Leipzig, Germany]
- 388 O *Acaena buchananii* Hook. F.
XX-0-ROST-2003-F-352 [ex BG Rostock, Germany]
- 389 O *Acaena inermis* Hook.f.
NZ-0-U-1992BL00081 New Zealand [ex BG Utrecht, Netherlands]
- 390 O *Acaena inermis* Hook.f. 'Purpurea'
XX-0-TEBLI-02163 [ex Jelitto, Germany]
- 391 O *Acaena microphylla* Hook.f.
XX-0-TEBLI-02330 [ex BG Chemnitz, Germany]
- 392 O *Alchemilla epipsila* Juz.
RU-0-M-2000/2506 Russia, Caucasus [ex BG München, Germany]
- 393 O *Alchemilla erythropoda* Juz.
XX-0-TEBLI-01745 [ex Zahr. centrum Dvořák, Czech Republic]
- 394 O *Alchemilla mollis* (Buser) Rothm. 'Thriller'
XX-0-TEBLI-02492 [ex Pereny Hlavenec, Czech Republic]
- 395 O *Alchemilla sericata* Rchb. ex Buser
XX-0-TEBLI-01353 [ex BG Wien-Belvedere, Austria]
- 396 O *Dryas octopetala* L.
CH-0-TEBLI-02740 Switzerland, kanton Graubinden, Sils im Engadin, Furtschellas, Wasserweg Ils Lejins, 46°25'2.00"N, 9°46'57.068"E, 2460 m, coll. J. Ptáček, L. Macková, V. Lipánová 23. 8. 2023
- 397 O *Farinopsis salesoviana* (Stephan) Chrtek & Soják
XX-0-TEBLI-02039 [ex BG Marburg, Germany]
- 398 O *Fragaria virginiana* Mill.
US-0-TEBLI-02741 USA, Michigan, Kewlenaw [ex BG Northampton, USA]
- 399 O *Geum calthifolium* Sm.
XX-0-TEBLI-01928 [ex BG Chemnitz, Germany]
- 400 O *Geum* 'Scarlet Tempest'
XX-0-TEBLI-02332 [ex BG Chemnitz, Germany]
- 401 O *Geum triflorum* Pursh
XX-0-TEBLI-01076 [ex BG Kiel, Germany]

- 402 O *Gillenia trifoliata* (L.) Moench [syn. *Spiraea trifoliata* L.]
XX-O-BRNU-2017-06041 [ex BG Brno MU, Czech Republic]
- 403 O *Potentilla atosanguinea* G.Lodd. ex D.Don
IN-O-BR-19750451 India, Garhwal, Valley of Flowers [ex BG Meise, Belgium]
- 404 O *Potentilla* cf. *aurea* L.
CH-O-TEBLI-02742 Switzerland, kanton Graubinden, Sils im Engadin, Furtschellas, Wasserweg Ils Lejins, 46°25'2.00"N, 9°46'57.068"E, 2460 m, coll. J. Ptáček, L. Macková, V. Lipánová 23. 8. 2023
- 405 O *Potentilla gracilis* var. *fastigiata* (Nutt. ex Torr. & A.Gray) S.Watson
XX-O-TEBLI-02041 [ex BG Marburg, Germany]
- 406 O *Potentilla megalantha* Takeda
XX-O-TEBLI-00490 [ex BG Moscow, Russia]
- 407 O *Potentilla nepalensis* Hook. 'Miss Vilmont'
XX-O-TEBLI-02493 [ex BG Blagověščensk, Russia]
- 408 O *Prinsepia uniflora* Batalin
XX-O-TEBLI-02333 [ex BG Olomouc, Czech Republic]
- 409 O *Rubus illecebrosus* Focke
XX-O-TEBLI-01748 [ex BG Wroclaw, Poland]
- 410 O *Rubus laciniatus* (West.) Willd.
XX-O-TEBLI-01749
- 411 O *Rubus leucodermis* (Douglas ex Hook.) Douglas ex Torr. & A.Gray
US-O-DR-003744 USA [ex BG TU Dresden, Germany]
- 412 O *Rubus odoratus* L.
XX-O-TEBLI-02606 [ex BG Klaipėda, Lithuania]
- 413 O *Rubus phoenicolasius* Maxim.
XX-O-TEBLI-01930 [ex BG Lublin, Poland]
- 414 O *Rubus sumatranus* Miq.
BT-O-ULM-2020-G-59 Bhutan [ex BG Giessen, Germany ex BG Ulm, Germany]
- 415 O *Sanguisorba canadensis* L.
XX-O-TEBLI-02607 [ex BG Krefeld, Germany]
- 416 O *Sanguisorba menziesii* Rydb.
XX-O-TEBLI-01473 [ex RHS Wisley, UK]
- 417 O *Sibbaldiopsis tridentata* (Aiton) Rydb.
XX-O-TEBLI-02335 [ex Zahr. centrum Dvořák, Czech Republic]

Rubiaceae

- 418 O *Asperula tinctoria* L.
CZ-0-PLZEN-1293-18-30 Czech Republic, Český Kras, Srbsko
[ex ZBG Plzeň, Czech Republic ex Planta Naturalis, Czech Republic]
- 419 G *Carapichea ipecacuanha* (Brot.) L.Andersson
XX-0-TEBLI-01931 [ex ZBG Stuttgart-Wilhelma, Germany]
- 420 O *Cephalanthus occidentalis* L.
US-0-TEBLI-02743 USA, Illinois, Alexander Co., N37°7'34.279" W89° 20'34.630"
[ex A Newark, USA]
- 421 O *Coprosma petriei* Cheeseman
NZ-0-TEBLI-02495 New Zealand, South Land District, 45.34'S 167.51'E.
[ex BG Vancouver, Canada]
- 422 O *Coprosma propinqua* A.Cunn.
NZ-0-TEBLI-02496 New Zealand, South Island, Southern Alps, Arthur's Pass,
800 m, leg. Em 3574, ZBG Plzeň 1242-13-40 [ex BG Berlin-Dahlem, Germany ex
ZBG Plzeň, Czech Republic]
- 423 G *Geophila macropoda* (Ruiz & Pav.) DC.
XX-0-STUTZ-002797 [ex ZBG Stuttgart-Wilhelma, Germany]
- 424 G *Hamelia patens* Jacq.
XX-0-TEBLI-02744 [ex ZBG Plzeň, Czech Republic ex BG Bratislava, Slovakia]
- 425 G *Ixora coccinea* var. *caudata* Pierre ex Pit.
VN-0-TEBLI-02745 ? southern Vietnam, turn to Kontum, Ba Vi, coll. J. R. Haager
& R. Rybková, 1999
- 426 O *Phuopsis stylosa* (Trin.) G.Nicholson
XX-0-TEBLI-01357 [ex BG Cluj-Napoca, Romania]
- 427 G *Psychotria punctata* var. *punctata* [syn. *Psychotria bacteriophila* Valetton]
XX-0-TEBLI-00925

Rutaceae

- 428 G *Erythrochiton brasiliensis* Nees & Mart.
XX-0-TEBLI-02746 [ex BG Kiel, Germany]

Salicaceae

- 429 G *Dovyalis monbazaе* Tul.
XX-0-TEBLI-02747

Sapindaceae

- 430 O *Dodonaea viscosa* (L.) Jacq. 'Purpurea'
XX-O-TEBLI-01755

Sarraceniaceae

- 431 O *Sarracenia purpurea* L.
US-O-TEBLI-00928 USA, New Jersey, coll. V. Rybka [ex BG Praha, Czech Republic]

Saxifragaceae

- 432 O *Boykinia major* A.Gray
XX-O-BONN-26903 [ex BG Jena, Germany ex BG Bonn, Germany]
- 433 O *Darmera peltata* (Torr. ex Benth.) Voss
XX-O-TEBLI-01756 [ex Pereny Hlavenec, Czech Republic]
- 434 O *Heuchera grossulariifolia* Rydb.
US-O-GENT-19931153 USA, Idaho County, E of Lowell, 500 m
[ex BG Gent, Belgium]
- 435 O *Heuchera* 'Chocolate Ruffles'
XX-O-TEBLI-01474 [ex Mönchengladbach, Germany]
- 436 O *Tolmiea menziesii* (Pursh) Torr. & A.Gray
US-O-M-2008 0582 USA, Washington, Whatcom Co. [ex BG Graz, Austria]

Scrophulariaceae

- 437 O *Alonsoa meridionalis* (L.f.) Kuntze
CL-O-TEBLI-02343 Chile, Valparaíso Region, Santiago-Algarrobo, coll. M. Belov
[ex Chileflora, Chile]
- 438 O *Nemesia floribunda* Lehm.
ZA-O-KIEL-1985 6849 - 70 – 100 Republic of South Africa [ex BG Kiel, Germany]
- 439 O *Nemesia strumosa* Benth 'Danish Flag'
XX-O-TEBLI-01761 [ex Černý Seed s r.o., Czech Republic]
- 440 O *Verbascum bombyciferum* Boiss. 'Silver Spine'
XX-O-TEBLI-02748
- 441 O *Verbascum longifolium* Ten.
MN-O-IB-016756 Montenegro, Visitor-Prokletije [ex BG Innsbruck, Austria]
- 442 O *Verbascum sinuatum* L.
XX-O-TEBLI-02611 [ex BG Lautaret, France]

- 443 O *Verbascum speciosum* Schrad.
AT-O-SZU-2020-382 Austria, NO, Weinviertel, Schwarzdorf, Niedersulz
[ex BG Salzburg, Austria]

Solanaceae

- 444 O *Browallia americana* L. 'Amethyst'
XX-O-PRAZ-2013.03993 [ex BG Praha, Czech Republic]
- 445 G *Brunfelsia americana* L.
XX-O-TEBLI-02749 [ex BG St. Petersburg]
- 446 O *Capsicum pubescens* Ruiz & Pav.
XX-O-TEBLI-02503 [ex L. Huleš, Czech Republic]
- 447 O *Nicotiana alata* Link & Otto 'Perfume Mixture F₁'
XX-O-TEBLI-02612 [ex Černý Seed s r.o., Czech Republic]
- 448 O *Physalis ixocarpa* Brot. ex Hornem. 'Amarylla'
XX-O-TEBLI-02750 [ex BG Jibou, Romania]
- 449 O *Salpiglossis sinuata* Ruiz & Pav. 'Violette form'
XX-O-HAL-1370 [ex BG Halle, Germany]
- 450 O *Salpiglossis sinuata* Ruiz & Pav. 'Weinrote form'
XX-O-HAL-14473 [ex BG Halle, Germany]
- 451 O *Schizanthus lacteus* Phil.
CL-O-TEBLI-01252 Chile, Atacama Region, PN Llanos de Challe, coll. J. R. Haager
& H. Šedivá, 2013
- 452 O *Schizanthus litoralis* Phil.
XX-O-TEBLI-02751 [ex Chileflora, Chile]
- 453 O *Solanum abutiloides* (Griseb.) Bitter & Lillo
XX-O-STGAL-261/1987 [ex BG St. Gallen, Switzerland]
- 454 O *Solanum burchellii* Dunal
ZA-O-KIEL-2010 1157-70-80 Republic of South Africa [ex BG Kiel, Germany]
- 455 O *Solanum lycopersicum* L. 'Ei von Phuket'
XX-O-TEBLI-02752 indeterminate, cherry [ex BG Gödöllő, Hungary]
- 456 O *Solanum lycopersicum* L. 'Joe's Pink Heart'
XX-O-ZAVRT-8454 indeterminate, beefsteak [ex BG Zagreb, Croatia]
- 457 O *Solanum lycopersicum* L. 'Maravilha dos Mercados'
XX-O-TEBLI-02753 determinate [ex BG Krefeld, Germany]

- 458 O *Solanum lycopersicum* L. 'Primavera'
XX-O-TEBLI-02754 indeterminate, cocktail tomato, early variety
[ex BG Gödöllő, Hungary]
- 459 O *Solanum lycopersicum* L. 'Red Fig'
XX-O-ZAVRT-8450 indeterminate, cherry [ex BG Zagreb, Croatia]
- 460 O *Solanum lycopersicum* L. 'Rio Grande'
XX-O-TEBLI-02755 determinate, mid-season variety [ex BG Krefeld, Germany]
- 461 O *Solanum lycopersicum* L. 'Rote Marmor'
XX-O-TEBLI-02756 determinate [ex BG Krefeld, Germany]
- 462 O *Solanum lycopersicum* L. 'Sasha Altai'
XX-O-TEBLI-02757 determinate, early variety [ex Daniel Girardon]
- 463 O *Solanum lycopersicum* L. 'Sub Arctic Maxi'
XX-O-TEBLI-02758 determinate, early variety [ex Daniel Girardon]
- 464 O *Solanum lycopersicum* L. 'Sugar'
XX-O-TEBLI-02759 [ex BG Gödöllő, Hungary]
- 465 O *Withania somnifera* (L.) Dunal
XX-O-TEBLI-00529 [ex BG Smith College, UK]

Staphyleaceae

- 466 O *Staphylea pinnata* L.
XX-O-TEBLI-02760 [ex BG Děčín, Czech Republic]

Styracaceae

- 467 O *Styrax obassia* Siebold & Zucc.
XX-O-TEBLI-02351

Talinaceae

- 468 O *Talinum fruticosum* (L.) Juss.
XX-O-TEBLI-02761 [ex BG FTZ Praha, Czech Republic]
- 469 O *Talinum paniculatum* (Jacq.) Gaertn.
XX-O-TEBLI-02617 [ex BG Olomouc, Czech Republic]

Urticaceae

- 470 G *Pilea irrorata* Donn.Sm.
GT-O-TEBLI-02762 Guatemala, Sierra del Mico, coll. J. R. Haager & R. Rybková,
1997, 2023.04486

Verbenaceae

- 471 O *Lantana viburnoides* var. *kisi* (A.Rich.) Verdc.
XX-0-TEBLI-02510
- 472 G *Lippia dulcis* Trevir.
MX-1-AMD-20100088 Mexico, Cd. Valles to Cd. Maute, near Gustavo Garmendia, 2023.07462 [ex BG Amsterdam, Netherlands]
- 473 O *Verbena hastata* L.
US-0-TEBLI-02618 USA, Clinton, Rose Lake Fen Drain [ex BG East Lansing, USA]
- 474 O *Verbena officinalis* L. 'Bampton'
XX-0-TEBLI-02763 [ex BG Krefeld, Germany]

Violaceae

- 475 O *Viola labradorica* Schrank
XX-0-TEBLI-01365 [ex BG Linz, Austria]
- 476 O *Viola sororia* Willd. 'Alba'
XX-0-TEBLI-02620 [ex Pereny Hlavenec, Czech Republic]

Monocots

Amaryllidaceae

- 477 O *Allium altaicum* Pall.
XX-0-HOH-SYS-16528 [ex BG Stuttgart-Hohenheim, Germany]
- 478 O *Allium atropurpureum* Waldst. & Kit.
XX-0-MB-1971/825 [ex BG Marburg, Germany]
- 479 O *Allium barsczewskii* Lipsky
XX-0-TEBLI-01944 [ex BG Perm, Russia]
- 480 O *Allium caeruleum* Pall.
XX-0-TEBLI-02056 [ex OBI, Czech Republic]
- 481 O *Allium carolinianum* DC.
XX-0-TEBLI-02355 [ex BG Izhevsk, Russia]
- 482 O *Allium cristophii* Trautv.
XX-0-TEBLI-02764 [ex Lukon Glads, Czech Republic]
- 483 O *Allium insubricum* Bois. & Reut.
IT-0-GZU-99 702388 Italy, Lecco Provinc, La Grignetta [ex BG Graz, Austria]

- 484 O *Allium kermesinum* Rchb.
XX-O-KIEL-1985 0054-70-100 [ex BG Kiel, Germany]
- 485 O *Allium ledebourianum* Schult. & Schult.f.
XX-O-TEBLI-00945 [ex BG Kaunas, Lithuania]
- 486 O *Allium oschaninii* O.Fedtsch.
XX-O-TEBLI-02765
- 487 O *Allium pskemense* B.Fedtsch
XX-O-TEBLI-02189 [ex BG Moskva, Russia]
- 488 O *Allium pskemense* B.Fedtsch
XX-O-TEBLI-00946 [ex BG Tartu, Estonia]
- 489 O *Allium sphaerocephalon* L.
FR-O-BR-19801799 France, Jura, Le Mont Poupet [ex BG Meise, Belgium]
- 490 O *Allium textile* A. Nelson & J.F.Macbr.
XX-O-TEBLI-01783 [ex BG Bayreuth, Germany]
- 491 O *Allium tuberosum* Rottler ex Spreng.
XX-O-TEBLI-00950 [ex BG MU Brno, Czech Republic]
- 492 G *Pyrolirion arvense* (F.Dietr.) Erhardt, Götz & Seybold
XX-O-TEBLI-02766 [ex BG Amiens, France]
- 493 G *Pyrolirion flavum* Herb.
XX-O-POTSD-2008 0642 1 [ex BG Potsdam, Germany ex BG Halle, Germany]
- 494 G *Rhodolirium montanum* Phil. [syn. *Rhodophiala rhodolirion* (Baker) Traub]
CL-O-TEBLI-02767 Chile, Maule Region (VII), Curicó Province, Paso Vergara,
coll. Jiří R. Haager & H. Šedivá
- 495 G *Zephyranthes araucana* (Phil.) Nic. García
[syn. *Rhodophiala araucana* (Phil.) Traub]
CL-O-B-1225097 Chile, Biobío Region (VIII), province Bio-Bio, N. Cabreroi,
36°57'12"S, 72°21'69"W, leg. Egli et al, 2881 [ex BG Berlin-Dahlem, Germany]
- 496 G *Zephyranthes chlorosolen* (Herb.) D.Dietr.
XX-O-TEBLI-00778

Araceae

- 497 G *Aglaonema commutatum* Schott
XX-O-TEBLI-02768 [ex BG Cluj-Napoca, Romania]

- 498 G *Aglaonema costatum* N.E.Br. [syn. *Aglaonema costatum* f. *immaculatum*]
VN-O-TEBLI-02769 Vietnam, Pon Gour waterfalls, coll. J. R. Haager &
R. Rybková, 1999, 1999.19131
- 499 G *Aglaonema robeleynii* (Van Geert) Pitcher & Manda
[syn. *Aglaonema crispum* (Pitcher & Manda) Nicolson]
XX-O-TEBLI-02770
- 500 G *Anthurium scandens* (Aubl.) Engl.
CR-O-TEBLI-0206 Costa Rica, road San Carlo-Fortuna
- 501 G *Nephtytis afzelii* Schott
XX-O-TEBLI-02771

Arecaceae

- 502 G *Calyptrocalyx polyphyllus* Becc.
XX-O-TEBLI-02772
- 503 G *Caryota* cf. *mitis*
VN-O-TEBLI-01376 Vietnam, near Da Lat, Dray Sap waterfalls, coll. J. R. Haager
& R. Rybková, 1999, 1999.19117

Asparagaceae

- 504 G *Agave atrovirens* Karw. ex Salm-Dyck
XX-O-TEBLI-02773
- 505 O *Anthericum liliago* L.
CH-O-BERN-1978/92W S Switzerland [ex BG Ulm, Germany]
- 506 O *Arthropodium candidum* Raoul 'Little Lilia'
XX-O-TEBLI-02774 [ex BG Kursk, Russia]
- 507 O *Camassia leichtlinii* (Baker) S.Watson
[syn. *Camassia leichtlinii* subsp. *leichtlinii* (Baker) S.Watson]
XX-O-TEBLI-01097 [ex Lukon Glads, Czech Republic]
- 508 G *Echeandia williamsii* Cruden
XX-O-TEBLI-02775 [ex BG Berlin-Dahlem, Germany]
- 509 G *Echinoagave striata* (Zucc.) A.Vázquez, Rosales & García-Mor.
[syn. *Agave striata* Zucc.]
XX-O-TEBLI-02776
- 510 G *Eustrephus latifolius* R.Br.
XX-O-TEBLI-02777 [ex BZ Praha, Czech Republic ex BG Tallinn, Estonia]

- 511 O *Hastingsia alba* (Durand) S.Watson
US-O-GENT-20042011 USA, California, Siskiyou County, W of Weed, Stewart Springs, road near junction with Old Hwy. 99, 976 m [ex BG Gent, Belgium]
- 512 G *Chlorophytum filipendulum* subsp. *amaniense* (Engl.) Nordal & A.D.Poulsen
XX-O-TEBLI-02778
- 513 G *Chlorophytum holstii* Engl.
XX-O-NCY-19673095G [ex BG Nancy, France]
- 514 G *Chlorophytum macrophyllum* (A.Rich.) Asch.
CD-O-BR-19870209 Kongo, Bas-Congo, close to Mbanza Ngungu, 2019.05087 [ex BG Meise, Belgium]
- 515 G *Lachenalia ensifolia* subsp. *maughanii* (W.F.Barker) G.D.Duncan
XX-O-TEBLI-02779 [ex BG Jerusalem, Israel]
- 516 O *Leopoldia comosa* (L.) Parl.
IT-O-SIENA-00725 Italy [ex BG Siena, Italy]
- 517 O *Maianthemum racemosum* (L.) Link
XX-O-TEBLI-02780 [ex BG Praha UK, Czech Republic]
- 518 O *Ornithogalum ponticum* Zahar.
XX-O-TEBLI-02515 [ex BG Nantes, France]
- 519 O *Ornithogalum regale* (Hilliard & B.L.Burt) J.C.Manning & Goldblatt
XX-O-POTSD-2006/0979 [ex BG St. Gallen, Switzerland ex BG Potsdam, Germany]
- 520 G *Ornithogalum saundersiae* Baker
XX-O-BRAUN-7910150 [ex BG Braunschweig, Germany]

Asphodelaceae

- 521 G *Aloe fosteri* Pillans
ZA-O-TEBLI-02781 Republic of South Africa, Mpumalanga, Limpopo [ex BG Duisburg-Essen, Germany]
- 522 O *Bulbine latifolia* (L.f.) Spreng.
XX-O-KL-2018/4394 [ex BG Klagenfurt, Austria]
- 523 G *Dianella intermedia* Endl.
XX-O-BHU-G-1987-479 [ex BG Berlin-Humboldt, Germany]
- 524 G *Rhuacophila javanica* Blume [syn. *Dianella javanica* (Blume) Knuth]
XX-O-TEBLI-02782

Bromeliaceae

- 525 G *Acanthostachys strobilacea* (Schult. & Schult.f.) Klotzsch
XX-0-TEBLI-02627
- 526 G *Aechmea coelestis* (K.Koch) Jacob-Makoy 'Albomarginata'
XX-0-TEBLI-02628
- 527 G *Aechmea pyramidalis* Benth.
XX-0-TEBLI-00549 [ex BG Bochum, Germany]
- 528 G *Billbergia brasiliensis* L.B.Sm. [syn. *Billbergia kuhlmannii*]
XX-0-TEBLI-00550 [ex BG Bochum, Germany]
- 529 G *Canistropsis billbergioides* (Schult. & Schult.f.) Leme
XX-0-TEBLI-02631
- 530 G *Guzmania osyana* (É.Morren) Mez
EC-0-HEID-103965 Ecuador, dept. Pichincha, Cotopaxi and El Oro, old road to Quito, Selva Negra, 1000 m, 3. 8. 1973, W. Rauh (34472), 2017.05437
[ex BG Magdeburg, Germany ex BG Heidelberg, Germany]
- 531 G *Guzmania roezlii* (É.Morren) Mez
EC-0-U-2004GR01095 Ecuador, region Amazonia, prov. Sucumbios, Canton Lago Agrio, 500 m, 08/1973, W. Rauh (34701), 2016.02866
[ex BG Utrecht, Netherlands]
- 532 G *Guzmania wittmackii* (André) André ex Mez
XX-0-ULM-2011-G-200 [ex BG Ulm, Germany]
- 533 G *Lymania smithii* Read
XX-0-TEBLI-02065 [ex BG TU Dresden, Germany]
- 534 G *Orthophytum foliosum* L.B.Sm.
XX-0-TEBLI-02783
- 535 G *Racinaea crispa* (Baker) M.A.Spencer & L.B.Sm.
XX-0-TEBLI-02632
- 536 G *Tillandsia heliconioides* Kunth
[syn. *Vriesea heliconioides* (Kunth) Hook. ex Walp.]
XX-0-TEBLI-02784 [ex BG Liberec, Czech Republic]
- 537 G *Vriesea simplex* (Vell.) Beer
XX-0-GOET-00728 [ex BG Magdeburg, Germany ex BG Göttingen, Germany]

- 538 G *Werauhia gladioliflora* (H.Wendl.) J.R.Grant
XX-0-STGAL-480/2005 [ex BG St. Gallen, Switzerland]

Cannaceae

- 539 G *Canna indica* L.
XX-0-TEBLI-02785 [ex BG Berlin-Dahlem, Germany]

Commelinaceae

- 540 G *Palisota mannii* C.B.Clarke
XX-0-STUTZ-004172 [ex ZBG Stuttgart-Wilhelma, Germany]

Costaceae

- 541 G *Costus afer* Ker Gawl.
XX-0-TEBLI-02786 [ex BG Cluj-Napoca, Romania]
- 542 G *Costus amazonicus* (Loes.) J.F.Macbr. 'Variegatum'
XX-0-TEBLI-02787
- 543 G *Costus spiralis* (Jacq.) Roscoe
XX-0-STUTZ-003610 [ex ZBG Stuttgart-Wilhelma, Germany]
- 544 G *Hellenia speciosa* (J.Koenig) S.R.Dutta
[syn. *Cheilocostus speciosus* (J.Koenig) C.D.Specht]
XX-0-STUTZ-003609 [ex ZBG Stuttgart-Wilhelma, Germany]
- 545 G *Chamaecostus congestiflorus* (Rich. ex Gagnep.) C.D.Specht & D.W.Stev.
GF-0-ULM-2005- G 164 Fr. Guayana, NP Nouringes, 2019.05135
[ex BG Düsseldorf, Germany ex BG Ulm, Germany]

Cyperaceae

- 546 O *Carex appressa* var. *virgata* (Sol. Ex Boott) Kük.
XX-0-TEBLI-02191 [ex BG Christchurch, New Zealand]
- 547 O *Carex distans* L.
CZ-0-PLZEN-1135-20-10 Czech Republic, České středohoří, Třtenské stráně,
coll. T. Peš, 11. 7. 2020 [ex ZBG Plzeň, Czech Republic]
- 548 O *Carex tenuiculmis* (Petrie) Heenan & de Lange
XX-0-TEBLI-01492 [ex BG Tartu, Estonia]
- 549 O *Scirpus atrovirens* Willd.
XX-0-TEBLI-01494 [ex BG Göttingen, Germany]

Iridaceae

- 550 G *Aristea ecklonii* Baker
XX-O-BRISS-20082069 [ex BG Zürich, Switzerland]
- 551 G *Dietes grandiflora* N.E.Br.
XX-O-DR-002760 [ex BG TU Dresden, Germany]
- 552 O *Iris aphylla* L.
CZ-O-PLZEN-2665-15-10 Czech, Český kras, hora Doutnáč, coll. R. Matulová
[ex ZBG Plzeň, Czech Republic]
- 553 O *Iris domestica* (L.) Goldblatt & Mabb.
XX-O-KIEL-1985 1643-70-100 [ex BG Kiel, Germany]
- 554 O *Iris domestica* (L.) Goldblatt & Mabb.
XX-O-IAGBXXX41386G [ex BG Iași, Romania]
- 555 G *Moraea spathulata* (L.f.) Klatt
XX-O-LZ-AD-489-2006 [ex BG Leipzig, Germany]
- 556 O *Sisyrinchium striatum* Sm.
CL-O-GIESS-2001-J-191 Chile, VII. Region, W. Talca, S. Curanipe, Tregualemu,
Pacific Coast, bushes [ex BG Giessen, Germany]

Juncaceae

- 557 O *Luzula sylvatica* (Huds.) Gaudin.
CZ-O-TEBLI-02788 Czech Republic, Jeseníky, Keprník, coll. H. Eichhorn, 2021

Poaceae

- 558 O *Andropogon hallii* Hack. 'JS Purple Konza'
XX-O-TEBLI-02789 [ex Pereny Hlavenec, Czech Republic]
- 559 O *Austroderia richardii* (Endl.) N.P.Barker & H.P.Linder
XX-O-TEBLI-02790 [ex Jelitto, Germany]
- 560 O *Briza minor* L.
FR-O-NTM-20232331 Francie, Loire-Atlantique, Guémené-Penfao, Le Pont des
Claies, 19 m, Bord de champ [ex BG Nantes, France]
- 561 O *Eragrostis spectabilis* (Pursh) Steud.
XX-O-TEBLI-02075 [ex Jelitto, Germany]
- 562 O *Festuca glauca* Vill. 'Festina'
XX-O-TEBLI-00570 [ex Černý Seed s r.o., Czech Republic]

- 563 O *Festuca valesiaca* Schleich. ex Gaudin
CZ-O-PLZEN-0509-19-40 Czech Republic, Central Bohemia, Pečky, Chroustov
[ex ZBG Plzeň, Czech Republic ex Planta Naturalis, Czech Republic]
- 564 O *Harpochloa falx* (L.f.) Kuntze
XX-O-TEBLI-01266 [ex BG Weinheim, Germany]
- 565 O *Chasmanthium latifolium* (Mitchx.) H.O.Yates
US-O-TUEB-1684 USA, Oklahoma, Arbuckle Mountains, sea oats,
coll. M. Guttenberger, 1996 [ex BG Tübingen, Germany]
- 566 O *Nassella tenuissima* (Trin.) Barkworth. 'Pony Tails'
[syn. *Stipa tenuissima* Trin. 'Pony Tails']
XX-O-TEBLI-00581
- 567 O *Phalaris canariensis* L.
DE-O-MJG-199713310 Germany, Hamburg, Osdorf, Klein Flottbek,
Ohnhorstraße, coll. 12. 9. 1995 [ex BG Mainz, Germany]
- 568 O *Schizachyrium scoparium* (Michx.) Nash 'Explosion'
XX-O-TEBLI-00973 [ex Zám. zahr. Ctěnice, Czech Republic]
- 569 O *Schizachyrium scoparium* (Michx.) Nash 'Prairie Blues'
XX-O-TEBLI-02791 [ex Pereny Hlavenec, Czech Republic]
- 570 O *Sorghastrum nutans* (L.) Nash 'Sioux Blue'
XX-O-TEBLI-02792 [ex Pereny Hlavenec, Czech Republic]
- 571 O *Stipa arabica* Trin. & Rupr.
GE-O-BONN-21732 Georgia, Region Kartli, W Tbilissi, 2 km N Tchneti, BfN,
coll. 24.06.1999 [ex BG Bonn, Germany]
- 572 O *Stipa lessingiana* Trin. & Rupr.
XX-O-TEBLI-02381 [ex BG Akureyri, Iceland]
- 573 O *Wangenheimia lima* (L.) Trin. 'Vulcan'
XX-O-TEBLI-02080 [ex BG Stockholm, Sweden]

Velloziaceae

- 574 G *Barbacenia brasiliensis* Willd.
XX-O-STUTZ-003301 [ex ZBG Stuttgart-Wilhelma, Germany]
- 575 G *Barbacenia purpurea* Hook.
BR-O-BONN-19766 Brazil, Rio de Janeiro, Pão de Açúcar, coll. S. Porembski,
1999, 2017.05296 [ex BG München, Germany ex BG Bonn, Germany]

- 576 G *Barbacenia vandellii* Pohl ex Seub.
XX-0-TEBLI-02793 [ex BG München, Germany]

Zingiberaceae

- 577 G *Burbidgea schizocheila* Hackett
XX-0-TEBLI-02382 [ex BG Praha, Czech Republic]
- 578 G *Burbidgea stenantha* Ridl.
XX-0-TEBLI-02794 Indonesia, Kalimanta, East Kutal regency, Wehea forest,
coll. M. Dančák, 2023.05731 [ex BG Olomouc, Czech Republic]
- 579 G *Globba schomburgkii* Hook.f.
XX-0-BR-19741200 [ex BG Meise, Belgium]
- 580 G *Globba schomburgkii* Hook.f.
XX-0-TEBLI-02795 [ex BG Lublin, Poland]
- 581 G *Globba winitii* C.H.Wright
XX-0-UDE-18-94-8-0 [ex BG Duisburg-Essen, Germany]
- 582 G *Hedychium horsfieldii* R.Br. ex Wall.
VN-0-TEBLI-02383 Vietnam, Phan Rang, 2023.05789

Desiderata 2025–2026

Based on the Convention on Biological Diversity (CBD, Rio de Janeiro 1992) the Index seminum is exclusively intended for the institutions operating in research, education and nature protection areas. Conditions coming from the Nagoya Protocol must be fulfilled for scientific purposes. Any material acquired from these seeds is not allowed to be used for commercial purposes.

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

Non IPEN-members have to return the „Agreement on the supply of living plant material for non-commercial purposes“. **IPEN members do not have to sign the agreement.**

Phytosanitary regulation

[Please check the import conditions in your country and see below.](#)

EU countries

We issue plant passports for countries within EU. The minimal number of items is not limited.

Non-EU countries

We are providing phytosanitary certificates **after the 30 April**, when all requests from non-EU botanical gardens are available. Minimum order is 10 packets of seeds due to the demanding phytosanitary controls.

Information

All Seeds are result of open pollination. Hybridization may occur.

Nomenclature of plants is mainly based on:

<https://powo.science.kew.org/>

<https://www.rhs.org.uk/plants/search-results>

Abbreviations:

O – plant is cultivated outdoors

G – plant is cultivated in greenhouses

Please, place your order at the website:

<https://indexseminum.bgci.org/catalogue/teplce-botanical-garden>

or send the requests to the address:

botanika@botanickateplce.cz

You can write the desired list in an e-mail message or use the table below. Save paper and prioritize both the document and agreement in electronic form.

**Please, limit your request to 30 items,
deadline is 30 April 2026.**

DESIDERATA 2025–2026

Mailing address:

Botanická zahrada Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Via e-mail (preferably):

botanika@botanickateplice.cz

Your address:

--

Legibly write or type numbers of desired seeds in boxes below (limit 30 items):

IPEN member: Yes/No

--

Phytosanitary certificate (non-EU members): Yes/No

--

In the future, please send the Index Seminum to the following e-mail address:

--

Agreement on the supply of living plant material for non-commercial purposes leaving the International Plant Exchange Network

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I accept the above conditions.

--	--

Date

Signature, stamp

--	--

Recipient's name

Address